| O N | Description | Unit | Rate (Rs.) | |
|---------|--|----------------|-----------------|-----------------|
| Sr. No. | | | Labour | Composite |
| | STONE WORK | | | |
| 4-1 | Dismantling dry stone masonry | Cu.m. | 137.25 | 137.25 |
| T-1 | Dismanting dry stone masonry | Cu.ft | 3.90 | 3.90 |
| | | | | |
| 4-2 | Dismantling stone masonry in mud mortar. | Cu.m. | 198.25 | 198.25 |
| | (*) [502] | Cu.ft | 5.60 | 5.60 |
| 4-3 | Dismantling stone masonry in lime or cement mortar. | Cu.m. | 442.25 | 442.25 |
| | | Cu.ft | 12.50 | 12.50 |
| 4.4 -\ | Discontinuo de chera e consul 84 | 0 | 044.00 | 044.00 |
| 4-4 a) | Dismantling dry stone or spawl pitching. | Cu.m. Cu.ft | 244.00 6.90 | 244.00 6.90 |
| | Dismantling dry stone or spawl pitching. | Ou.it | 0.50 | 0.50 |
| b) | Dismantling stone or spawl pitching (mud grouted). | Cu.m. | 289.75 | 289.75 |
| | | Cu.ft | 8.20 | 8.20 |
| 4-5 | Dismantling stone or spawl pitching and apron in silted condition. | Cu.m. | 381.25 | 381.25 |
| " " | Promarting storic or spaw proming and apron in since condition. | Cu.ft | 10.80 | 10.80 |
| | | | | |
| 4-6 | Dismantling stone pitching, cement or lime grouted. | Cu.m. | 594.75 | 594.75 |
| | | Cu.ft | 16.85 | 16.85 |
| 4-7 | Dismantling stone in | | | |
| a) | Wooden crates | Cu.m. | 305.00 | 305.00 |
| , | | Cu.ft | 8.65 | 8.65 |
| I- \ | Man man be analysis | 0 | 200.00 | 000.00 |
| D) | Wire mesh crates | Cu.m. Cu.ft | 366.00 10.35 | 366.00 10.35 |
| | | Ou.it | 10.00 | 10.00 |
| c) | Mild steel mesh crates | Cu.m. | 427.00 | 427.00 |
| | | Cu.ft | 12.10 | 12.10 |
| 4-8 | Dismantling stoneware drain including base concrete | Cu.m. | 228.75 | 228.75 |
| | | Cu.ft | 6.50 | 6.50 |
| | PRIOK WORK | | | |
| 4.0 | BRICK WORK | | 70.05 | 70.05 |
| 4-9 | Dismantling mud/pise walling | Cu.m. Cu.ft | 76.25 2.15 | 76.25 2.15 |
| | | Cu.ii | 2.10 | 2.10 |
| 4-10 | Dismantling sundried brick masonry | Cu.m. | 198.25 | 198.25 |
| | | Cu.ft | 5.60 | 5.60 |
| 4-11 a) | Dismantling dry brick masonry in ground floor | Cu.m. | 137.25 | 137.25 |
| μ-11 α) | Dismartting dry blick masonly in ground hoof | Cu.ft | 3.90 | 3.90 |
| | | | | |
| b) | Extra for first floor | Cu.m. | 21.35 | 21.35 |
| | | Cu.ft | 0.60 | 0.60 |
| 4-12 a) | Dismantling brickwork in mud mortar | Cu.m. | 259.25 | 259.25 |
| | | Cu.ft | 7.35 | 7.35 |
| b) | Extra for first floor | Cu.m. | 42.70 | 42.70 |
| " | LAUG TOT THE THOO | Cu.ff | 1.20 | 1.20 |
| | | | | |
| 4-13 a) | Dismantling brickwork in lime or cement mortar upto 9" width | Cu.m. | 625.25 | 625.25 |
| | | Cu.ft | 17.70 | 17.70 |

| Sr. No. | | Description | Unit | Rate (Rs.) | |
|---------|----|---|----------------|------------------|------------------|
| 31. N | 0. | Description | Onic | Labour | Composite |
| | b) | Dismantling brickwork in lime or cement mortar greater than 9"width | Cu.m. Cu.ft | 686.25 19.45 | 686.25 19.45 |
| | c) | Extra for first floor upto 9" width | Cu.m. Cu.ft | 100.65 2.85 | 100.65 2.85 |
| | d) | Extra for first floor greater than 9" width | Cu.m. Cu.ft | 118.95 3.35 | 118.95 3.35 |
| 4-14 | a) | Dismantling cement block masonry upto 8" width | Cu.m. Cu.ft | 564.25 16.00 | 564.25 16.00 |
| | b) | Dismantling cement block masonry greater than 8" width | Cu.m. Cu.ft | 625.25 17.70 | 625.25 17.70 |
| | c) | Extra for first floor upto 8" width | Cu.m. Cu.ft | 91.50 2.60 | 91.50 2.60 |
| | d) | Extra for first floor greater than 8" width | Cu.m. Cu.ft | 109.80 3.10 | 109.80 3.10 |
| 4-15 | | Dismantling dhajji walling | Cu.m. Cu.ft | 152.50 4.30 | 152.50 4.30 |
| | | CONCRETE | | | |
| 4-16 | | Dismantling mud concrete | Cu.m. Cu.ft | 350.75 9.95 | 350.75 9.95 |
| 4-17 | | Dismantling lime concrete | Cu.m. Cu.ft | 427.00 12.10 | 491.05 13.90 |
| 4-18 | | Dismantling lime or cement concrete under water. | Cu.m. Cu.ft | 1708.00 48.35 | 1964.20 55.65 |
| 4-19 | a) | Dismantling plain cement concrete 1 : 2 : 4 & richer mixes | Cu.m. Cu.ft | 1616.50 45.80 | 1859.00 52.65 |
| | b) | Dismantling plain cement concrete 1 : 3 : 6 | Cu.m. Cu.ft | 1372.50 38.85 | 1578.40 44.70 |
| | c) | Dismantling plain cement concrete 1 : 4 : 8 & leaner mixes | Cu.m. Cu.ft | 823.50 23.30 | 947.05 26.80 |
| | d) | Dismantling cement concrete with brick aggregate | Cu.m. Cu.ft | 488.00 13.80 | 561.20 15.90 |
| | e) | Dismantling 2 inch (50 mm.) thick cement concrete D.P.C. | Cu.m. Cu.ft | 228.75 6.50 | 263.05 7.45 |
| 4-20 | | Dismantling reinforced cement concrete, separating reinforcement from concrete, clearing and straightening the same | Cu.m. Cu.ft | 2684.00 76.00 | 3086.60 87.40 |

| ROOFING Dismantling sirki, sarkanda or thached roofing, supported on battens or ballies 4-21 Dismantling sirki, sarkanda or thached roofing, supported on battens or Sq.m. 2.85 2.85 4-22 a) Dismantling 1st class tile roofing Sq.m. 73.20 73.20 Sq.ft. 6.80 6.80 b) Dismantling 2nd class tile roofing Sq.m. 61.00 61.00 Sq.ft. 4.10 4.10 4-23 Dismantling from any height, asbestes sheets and ridge doping Sq.m. 43.90 Sq.ft. 4.10 4.10 4-24 a) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling pack arch roofing including removal of joints Sq.ft. 8.50 Sq.ft. 13.80 13.80 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. Sq.ft. 11.35 11.35 4-27 a) Stripping and stacking Sate or tiles from the truss roofing Sq.ft. 5.66 5.66 b) Stripping and stacking G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.B. beam in ground floor and stacking lead upto 300 ft. Sq.ft. 6.25 6.25 Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. Sq.ft. 6.25 6.25 Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) PLOORING 1-28 Dismantling planked religing and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) PLOORING 1-29 Dismantling planked religing and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Dismantling plan | Sr. No. | | Description | Unit | Rate (Rs.) | |
|---|---------|----|--|-------|------------|-----------|
| 4-21 Dismantling sirki, sarkanda or thached roofing, supported on battens or ballies 4-22 a) Dismantling 1st class tile roofing b) Dismantling 2nd class tile roofing b) Dismantling 2nd class tile roofing Capt. Capt | Sr. N | 0. | Description | Unit | Labour | Composite |
| ballies Sq.ft. 2.85 2.85 4-22 a) Dismantling 1st class tile roofing b) Dismantling 2nd class tile roofing Sq.m. 73.20 Sq.ft. 6.80 Sq.ft. 6.65 5.66 5.66 4-23 Dismantling from any height, asbestes cheets and tidge coping Sq.m. 43.90 Sq.ft. 4.10 4-24 a) Dismantling roof of wooden planks and batters from any height Sq.ft. 3.30 Sq.ft. 3.30 Sq.ft. 3.30 Sq.ft. 4.20 Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling pack arch roofing including removal of joints Sq.m. 48.25 Sq.ft. 13.80 13.80 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 55.50 Sq.ft. 5.15 C) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling slates or tiles including battens, purlins and planking. Sq.m. 54.55 Sq.ft. 5.45 Sq.ft. 5. | | | ROOFING | | | |
| ballies Sq.ft. 2.85 2.85 4-22 a) Dismantling 1st class tile roofing Sq.ft. 6.80 6.80 6.80 b) Dismantling 2nd class tile roofing Sq.ft. 5.65 5.66 4-23 Dismantling from any height, asbestes cheets and toge coping Sq.ft. 6.80 4.10 4.10 4-24 a) Dismantling roof of wooden planks and batters from any height Sq.ft. 4.10 4.10 4-24 a) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath Sq.ft. 13.80 13.80 4-25 Dismantling pack arch roofing including removal of joints Sq.ft. 8.50 8.50 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.ft. 11.35 11.35 4-27 a) Stripping and stacking G.I. sheet roof babove 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath Sq.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath Sq.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath Sq.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult sq.ft. 5.65 c) Sq.ft. 5.15 5.15 c) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (6.25 with machine underneath Sq.ft. 5.45 d) Dismantling planked ceiling and its supporting timber in ground floor sq.ft. 5.45 c) Sq.ft. 5.45 c) Dismantling planked ceiling and its supporting timber in ground floor sq.ft. 5.45 c) Sq.ft. 5.45 c) Dismantling planked ceiling and its supporting timber in ground floor sq.ft. 5.45 c) Sq | 4-21 | | | Sa m | 30.50 | 30.50 |
| 4-22 a) Dismantling 1st class tile roofing b) Dismantling 2nd class tile roofing 4-23 Dismantling from any height, asbestos sheets and rodge coping 4-24 a) Dismantling roof of wooden planks and battens from any height 4-24 a) Dismantling roof of wooden planks and battens from any height 5-25 Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines undermeath 4-25 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 5-27 Sq.m. 5-38 Sq.m. 5-38 Sq.m. 5-38 Sq.m. 5-38 Sq.m. 5-38 Sq.m. 6-1.00 6-1.00 6-1.00 6-2.50 6 | 7-21 | | = -:- | | | |
| b) Dismantling 2nd class tile roofing 4-23 Dismantling from any height, assestors sheets and ridge coping 4-24 a) Dismantling roof of wooden planks and battens from any height 5 Q.m. 6 Q.m. 9 Q.m. 148.25 9 Q.m. 148.25 148.25 13.80 13.80 13.80 13.80 13.80 13.80 13.80 14.26 Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 148.25 Q.m. 148.25 Q.m. 148.25 148.25 148.25 13.80 148.25 148.25 148.25 148.25 148.25 148.25 15.0 8 Q.m. 122.00 9 91.50 8 Q.m. 122.00 13.35 11.35 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.00 12.0 | | | | • | | |
| b) Dismantling 2nd class tile roofing Sq.m. Sq.ft. 5.65 5.65 4-23 Dismantling from any height, asbestos sheets and dide coping Sq.m. 43.90 43.90 Sq.ft. 4.10 4.10 1 Sq.ft. 4.10 4.10 4-24 a) Dismantling roof of wooden planks and battens from any height Sq.m. 35.30 33.30 b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints Sq.m. 42.50 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 55.50 Sq.ft. 5.65 b) Stripping and stacking G.I. sheet roof Sq.ft. 5.65 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. Sq.m. 5q.ft. 5.45 Sq.ft. 5.45 Sq | 4-22 | a) | Dismantling 1st class tile roofing | • | | |
| Dismantling from any height, asbestos sheets and ridge coping Sq.m. 43.90 43.90 4.10 4-24 a) Dismantling roof of wooden planks and battens from any height Sq.m. 35.30 3.30 3.30 b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints Sq.m. 31.80 13.80 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. Sq.m. 122.00 122.00 sq.ft. 11.35 11.35 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 55.50 5.65 b) Stripping and stacking G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 5q.ft. 3.95 3.95 4-30 a) Dismantling planked rower wooden block flooring etc Sq.m. 61.00 61.00 61.00 | | | (*) (*) | Sq.ft | 6.80 | 6.80 |
| Dismantling from any height, asbestos sheets and ridge coping Sq.m. 43.90 43.90 4.10 4-24 a) Dismantling roof of wooden planks and battens from any height Sq.m. 35.30 3.30 3.30 b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints Sq.m. 31.80 13.80 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. Sq.m. 122.00 122.00 sq.ft. 11.35 11.35 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 55.50 5.65 b) Stripping and stacking G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 5q.ft. 3.95 3.95 4-30 a) Dismantling planked rower wooden block flooring etc Sq.m. 61.00 61.00 61.00 | | h) | Dismantling 2nd class tile roofing | Sa m | 61.00 | 61.00 |
| Dismantling from any height, asbestos sheats and ridge coping Sq.ft. 43.90 4.10 4.10 4.24 a) Dismantling roof of wooden planks and battens from any height Sq.ft. 3.30 3.30 b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4.25 Dismantling jack arch roofing including removal of joints Sq.ft. 13.80 13.80 4.26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4.27 a) Stripping and stacking slate or tiles from the truss roofing Sq.ft. 5.65 5.65 b) Stripping and stacking G.I. sheet roof Sq.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor sq.ft. 5.45 5.45 5.45 FLOORING Dismantling planked religing and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) FLOORING Dismantling plank or wooden block flooring etc Sq.m. 5q.ft. 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | D) | Distributing 2nd class the rooming | | | |
| 4-24 a) Dismantling roof of wooden planks and battens from any height b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath clearing and straightening the same. 4-25 Dismantling Jack arch roofing including removal of joints 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing b) Stripping and stacking G.I. sheet roof c) Extra for dismantling G.I. sheet roof c) Extra for dismantling with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material with 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. Sq.m. 50,45. Sq.m. 50,10. Sq.m. 58,45. Sq.m. 58,45. Sq.m. 54,545 | | | | - 1 | | |
| 4-24 a) Dismantling roof of wooden planks and battens from any height Sq.m. 35.30 3.30 b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath Sq.m. 148.25 13.80 4-25 Dismantling jack arch roofing including removal of joints Sq.m. 8.50 8.50 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. Sq.m. 122.00 11.35 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 61.00 61.00 Sq.ft. 5.65 b) Stripping and stacking G.I. sheet roof Sq.m. 55.50 Sq.ft. 5.15 c) Extra for dismantling With special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material wpto 300 ft. (90 m.) FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft. 3.95 Sq.m. 61.00 61.00 | 4-23 | | | | | |
| 4-24 a) Dismantling roof of wooden planks and battens from any height Sq.m. Sq.ft 35.30 3.30 30.30 30.30 30.30 35.30 35.30 35.30 35.30 35.30 35.30 30.30 30.30 30 <li< td=""><td></td><td></td><td>44 August 2 KASIN</td><td>Sq.ft</td><td>4.10</td><td>4.10</td></li<> | | | 44 August 2 KASIN | Sq.ft | 4.10 | 4.10 |
| b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 5q.m. 55.50 5.65 b) Stripping and stacking G.I. sheet roof C) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material who disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. 5q.m. 42.70 5q.ft. 3.95 9.90 FLOORING Dismantling plank or wooden block flooring etc 5q.m. 61.00 61.00 64.00 64.00 69.00 | 4-24 | a١ | · · · · · · · · · · · · · · · · · · · | Sa m | 35 30 | 35 30 |
| b) Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 5q.m. 55.50 5.65 b) Stripping and stacking G.I. sheet roof 5q.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. 9q.m. 59.45 e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Dismantling slates or tiles including battens, purlins and planking. 5q.m. 5q.m. 59.45 5q.ft. 5.45 5q.ft. 5.45 5q.m. 50.75 5q.ft. 5.45 5q.m. 50.75 5q.ft. 5.45 5q.m. 50.75 5q.m. 50.75 5q.ft. 5.45 5q.ft. 5.45 5q.ft. 5.45 5q.ft. 5.45 5q.ft. 5.45 5q.ft. 5.45 | 7-2- | u) | Dismanding roof of wooden planks and batteris from any neight | | | |
| position, including lifting with care and special scaffolding along live electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 5q.m. 50.65 50.65 50.55 50.65 50.565 50.565 50.65 50 | | | | - 4 | | |
| electric wires with machines underneath 4-25 Dismantling jack arch roofing including removal of joints 5q.m. 91.50 8.50 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 5q.m. 122.00 11.35 4-28 Dismantling R.B. roof complete with mud and mud plaster, including sq.m. 125.00 5q.m. 122.00 5q.m. 122.00 5q.m. 11.35 61.00 | | b) | | | | |
| 4-25 Dismantling jack arch roofing including removal of joints Sq.m. Sq.m. Sq.m. Sq.m. Sq.ft. 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. Sq.m. Sq.m. Sq.ft. 5-65 5-65 b) Stripping and stacking S.I. sheet roof Sq.m. Sq.m. Sp.ft. C) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling black or flagged flooring without concrete foundation. Sq.m. Sq.m. Sq.m. Sq.m. Sq.m. Sq.ft. 54.70 Sq.ft. 91.50 8.50 8. | | | | • | | |
| 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 4-28 Dismantling Planked ceiling and its supporting timber in ground floor including stacking serviceable material upto 300 ft. (90 m.) 4-28 Dismantling Slates or tiles including battens, purlins and planking. 5 q.m. (50.0 8q.m. (50.0 5.65) 58.45 59.45 59.90 9.90 FLOORING 4-29 Dismantling brick or flagged flooring without concrete foundation. 5 q.m. (50.0 8q.m. (50.0 61.00 | | | electric wires with machines underneath | Sq.ft | 13.80 | 13.80 |
| 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing 4-28 Dismantling Planked ceiling and its supporting timber in ground floor including stacking serviceable material upto 300 ft. (90 m.) 4-28 Dismantling Slates or tiles including battens, purlins and planking. 5q.m. (50.0 8q.m. (50.0 61.00 61.00 8q.ft.) 5q.m. (50.0 55.50 55.50 55.50 55.50 55.15 5.15 | 4-25 | | Dismantling jack arch roofing including removal of joints | Sa m | 91 50 | 91 50 |
| 4-26 Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. Sq.m. Sq.ft 5.65 5.65 b) Stripping and stacking G.I. sheet roof Sq.m. Sq.ft c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 42.70 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 61.00 | . 20 | | | | | |
| separating reinforcement, clearing and straightening the same. 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. 61.00 5.65 5.65 b) Stripping and stacking G.I. sheet roof Sq.m. 55.50 5.50 5.50 Sq.ft. 5.15 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 58.45 5.45 Sq.ft. 9.90 9.90 FLOORING 4-29 Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | | | | |
| 4-27 a) Stripping and stacking slate or tiles from the truss roofing Sq.m. Sq.m. Sq.m. Sc.65 S.65 b) Stripping and stacking G.I. sheet roof Color Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. Sq.m. 106.75 Sq.ft. 9.90 FLOORING Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 61.00 61.00 61.00 61.00 | 4-26 | | | | | |
| Sq.ft. 5.65 5.65 b) Stripping and stacking G.I. sheet roof Sq.m. 55.50 5.15 c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 42.70 5q.ft. 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | separating reinforcement, clearing and straightening the same. | Sq.ft | 11.35 | 11.35 |
| b) Stripping and stacking G.I. sheet roof C) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath C) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) E) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Extra for dismantling with special scaffolding along live electric wire with machine underneath Sq.m. (67.10 co.25 co.25 co.25 co.25 co.25 Sq.m. (90m.) Sq.m. | 4-27 | a) | Strinning and stacking slate or tiles from the truss roofing | Sa m | 61.00 | 61.00 |
| b) Stripping and stacking G.I. sheet roof c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor sq.ft Dismantling stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Dismantling plank or wooden block flooring etc Sq.m. 55.50 Sq.m. 67.10 Sq.m. 50.25 Sq.m. 50.25 Sq.m. 58.45 Sq.ft. 58.45 Sq.ft. 5.45 Sq.ft. 9.90 9.90 FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft. 3.95 3.95 | 7 2 / | u, | Carpping and stacking state of these from the trace recining | • | | |
| Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 5.15 Sq.m. 67.10 Sq.m. 10.35 Sq.m. 58.45 Sq.ft. 5.45 Sq.ft. 5.45 Sq.ft. 9.90 PSq.m. 106.75 Sq.ft. 9.90 Sq.m. 42.70 Sq.ft. 3.95 3.95 4-30 Dismantling plank or wooden block flooring etc | | | | | | |
| c) Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Dismantling plank or wooden block flooring etc Sq.m. 67.10 Sq.m. 50.10 Sq.m. 10.35 Sq.m. 58.45 Sq.ft. 5.45 Sq.ft. 5.45 Sq.ft. 9.90 Sq.m. 42.70 Sq.ft. 3.95 Sq.ft. 3.95 | | b) | Stripping and stacking G.I. sheet roof | • | | |
| position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. FLOORING Dismantling plank or wooden block flooring etc Sq.m. 6.25 Sq.m. 10.35 Sq.m. 58.45 Sq.ft 5.45 Sq.m. 106.75 Sq.ft 9.90 9.90 FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft 3.95 3.95 | | | | Sq.ft | 5.15 | 5.15 |
| position, including lifting with special scaffolding along live electric wire with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. FLOORING Dismantling plank or wooden block flooring etc Sq.m. 6.25 Sq.ft. 6.25 6.2 | | c) | Extra for dismantling G.L. sheet roof above 20 ft. (6 m.) in difficult | Sa m | 67 10 | 67 10 |
| with machine underneath d) Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 106.75 | | 0) | | | | |
| (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 58.45 58.45 5.45 5.45 5.45 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. FLOORING Joint Concrete foundation. Sq.m. 42.70 Sq.ft. 3.95 3.95 4-30 Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | | - 1 | | |
| (90m.) e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 58.45 58.45 5.45 5.45 5.45 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. FLOORING Joint Material Upto 300 ft. (90 m.) FLOORING Joint Material Without Concrete foundation. Sq.m. 42.70 Sq.ft. 3.95 3.95 4-30 A) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | | | | |
| e) Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 58.45 5.45 5.45 5.45 5.45 5.45 5.45 5.45 | | d) | | • | | |
| including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | (90m.) | Sq.π | 0.95 | 0.95 |
| including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) 4-28 Dismantling slates or tiles including battens, purlins and planking. FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | e) | Dismantling planked ceiling and its supporting timber in ground floor | Sa.m. | 58.45 | 58.45 |
| 4-28 Dismantling slates or tiles including battens, purlins and planking. Sq.m. 106.75 Sq.ft 9.90 9.90 FLOORING Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 Sq.ft 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | -, | | • | | |
| FLOORING 4-29 Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 42.70 Sq.ft 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | material upto 300 ft. (90 m.) | | | |
| FLOORING 4-29 Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 42.70 Sq.ft 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | 4.00 | | | 0 | 400.75 | 400.75 |
| FLOORING 4-29 Dismantling brick or flagged flooring without concrete foundation. Sq.m. 42.70 42.70 Sq.ft 3.95 3.95 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | 4-28 | | Dismantling states or tiles including pattens, purlins and planking. | | | |
| 4-29Dismantling brick or flagged flooring without concrete foundation.Sq.m. Sq.ft.42.70 3.9542.70 3.954-30a) Dismantling plank or wooden block flooring etcSq.m.61.0061.00 | | | | oq.ii | 3.30 | 9.90 |
| 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | | | FLOORING | | | |
| 4-30 a) Dismantling plank or wooden block flooring etc Sq.m. 61.00 61.00 | 4-29 | | Dismantling brick or flagged flooring without concrete foundation. | | | |
| | | | | Sq.ft | 3.95 | 3.95 |
| | 4 20 | ٥, | Diamontling plank or wooden block flooring etc | Ca | 61.00 | 61.00 |
| | 4-30 | a) | ווסרובון piank or wooden block flooring etc | • | | |
| | | | | Oq.11 | 3.00 | 3.00 |

| Sr. No. Description Description Description Dismantiling stone or precast slab floors of any thickness in any matter including stacking serviceable material and disposing of surplus material lead up to 300 ft. (90m) | Cr. No. | | Description | 1114 | Rate (Rs.) | |
|--|---------|----|---|------|------------|-----------|
| Including stacking serviceable material and disposing of surplus material lead upto 300 ft (90m) 25.50 2 | Sr. N | ο. | Description | Unit | Labour | Composite |
| door including base mortar and staking salvaged matchel (serviceable) and disposing of surplus stuff as directed within 300 ft. (90 m.) | | b) | including stacking serviceable material and disposing of surplus | - | | |
| Including base mortar and staking sativaged material (serviceable) and disposing of surplus stuff as directed within 300 ft. (\$0.m.) | | c) | floor including base mortar and staking salvaged material (serviceable) | | | |
| pipes from the trench and stacking them outside. a) 6 inches to 12 inches (150 mm to 300 mm.) diameter B.M. R.ft 16.75 b) Above 1 ft. to 2 ft. (300mm to 600mm.) diameter C) Above 2 ft to 3 ft. (600mm to 900mm) diameter C) Above 3 ft. (900 mm) diameter C) Above 46.50 C) Above 3 ft. (900 mm) diameter C) Above 46.50 C) Above 3 ft. (900 mm) diameter C) Above 46.50 C) Above 3 ft. (900 mm) diameter C) Above 46.50 C) Above 3 ft. (900 mm) diameter C) Above 46.50 C) Above 46.50 C) Above 5 ft. (900 mm) diameter C) Above 6 ft. (900 mm) diameter C) Above 7 ft. (900 mm) diameter C) Above 8 ft. (900 mm) diameter C) Above 9 ft. (900 mm) diameter C) Above 1 ft. to 2 ft. (300mm to 900mm) diameter C) Above 9 ft. (900 mm) diameter C) Abov | | d) | including base mortar and staking salvaged material (serviceable) and disposing of surplus stuff as directed within 300 ft. (90 m.) | | | |
| R.ft. 16.75 16.50 16.5 | 4-31 | | | | | |
| c) Above 2 ft to 3 ft. (600mm to 900mm) diameter c) Above 2 ft to 3 ft. (600mm to 900mm) diameter d) Above 3 ft. (900 mm) diameter WOOD WORK 4-32 a) Removing door with chowkat b) Above 1 ft. to 2 ft. (300mm to 600mm.) diameter Each 4-33 Removing ventilators and wooden sunshades, etc. 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 137.25 137.25 137.25 137.25 213.50 213. | | a) | 6 inches to 12 inches (150 mm to 300 mm.) diameter | | | |
| R.ft. 32.55 32.55 32.55 | | b) | Above 1 ft. to 2 ft. (300mm to 600mm.) diameter | | | |
| WOOD WORK 4-32 a) Removing door with chowkat b) Above 1 ft. to 2 ft. (300mm to 600mm.) diameter Each 178.75 178.75 4-33 Removing ventilators and wooden sunshades, etc. Each 106.40 106.40 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 35.30 Sq.ft 3.30 3.30 b) Dismantling wooden Trusses Cu.m. 777.75 777.75 Cu.ft 395.10 395.10 4-36 Dismantling wooden palisade fencing RNM WORK 4-37 Dismantling wooden palisade fencing IRON WORK 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail WKg. 366.00 366.00 Cwt. 185.95 185.95 4-39 Dismantling iron latrine Unit of 878.40 | | c) | Above 2 ft to 3 ft. (600mm to 900mm) diameter | | | |
| 4-32 a) Removing door with chowkat Each 228.40 228.40 b) Above 1 ft. to 2 ft. (300mm to 600mm.) diameter Each 178.75 178.75 4-33 Removing ventilators and wooden sunshades, etc. Each 106.40 106.40 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length Each 137.25 137.25 b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 35.30 5q.ft 3.30 3.30 3.30 4-36 Dismantling wooden Trusses Cu.m. 777.75 777.75 Cu.ft 395.10 395.10 4-36 Dismantling wooden palisade fencing R.M. 87.25 87.25 R.ft 26.60 26.60 IRON WORK 4-37 Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. 732.00 732.00 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail %Kg. 366.00 Cwt. 185.95< | | d) | | | | |
| b) Above 1 ft. to 2 ft. (300mm to 600mm.) diameter 4-33 Removing ventilators and wooden sunshades, etc. Each 106.40 106.40 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length Each 137.25 137.25 b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 35.30 Sq.ft 3.30 33.0 Sq.ft 395.10 Dismantling wooden Trusses Cu.m. 777.75 Cu.ft 395.10 4-36 Dismantling wooden palisade fencing RNM 87.25 87.25 R.ft 26.60 26.60 IRON WORK 4-37 Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail WKg. 366.00 366.00 Cwt. 185.95 187.40 | | | WOOD WORK | | | |
| 4-33 Removing ventilators and wooden sunshades, etc. Each 106.40 106.40 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length Each 137.25 137.25 b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 35.30 b) Dismantling wooden Trusses Cu.m. 777.75 777.75 Cu.ft 395.10 395.10 4-36 Dismantling wooden palisade fencing R.M. 87.25 87.25 R.ft 26.60 26.60 IRON WORK 4-37 Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. %Kg. 732.00 732.00 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail %Kg. 366.00 366.00 Cwt. 185.95 185.95 4-39 Dismantling iron latrine Unit of 878.40 878.40 | 4-32 | a) | Removing door with chowkat | Each | 228.40 | 228.40 |
| 4-34 a) Dismantling wooden beams upto 13 ft. (4 m.) in length b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 35.30 35.30 Sq.ft 3.30 3.30 b) Dismantling wooden Trusses Cu.m. 777.75 Cu.ft 395.10 4-36 Dismantling wooden palisade fencing IRON WORK Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. 4-37 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail WKg. 366.00 366.00 Cwt. 185.95 4-39 Dismantling iron latrine Unit of 878.40 878.40 | | b) | Above 1 ft. to 2 ft. (300mm to 600mm.) diameter | Each | 178.75 | 178.75 |
| b) Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length Each 213.50 213.50 213.50 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 Sq.ft. 3.30 Sq.ft. 3. | 4-33 | | Removing ventilators and wooden sunshades, etc. | Each | 106.40 | 106.40 |
| 4-35 a) Dismantling wooden partition gaffery work Sq.m. 35.30 3.30 3.30 b) Dismantling wooden Trusses Cu.m. 777.75 Cu.ft 395.10 395.10 4-36 Dismantling wooden palisade fencing IRON WORK R.M. 87.25 R.ft 26.60 26.60 Unismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. %Kg. 732.00 732.00 Cwt. 371.85 371.85 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail %Kg. 366.00 Cwt. 185.95 185.95 4-39 Dismantling iron latrine Unit of 878.40 878.40 | 4-34 | a) | Dismantling wooden beams upto 13 ft. (4 m.) in length | Each | 137.25 | |
| Sq.ft. 3.30 | | b) | Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length | Each | 213.50 | 213.50 |
| 4-36 Dismantling wooden palisade fencing R.M. 87.25 87.25 R.ft 26.60 26.60 RON WORK | 4-35 | a) | Dismantling wooden partition gaffery work | | | |
| R.ft 26.60 26.60 | | b) | Dismantling wooden Trusses | | | |
| 4-37 Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. %Kg. Cwt. 732.00 371.85 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail %Kg. Cwt. 366.00 26.00 185.95 4-39 Dismantling iron latrine Unit of 878.40 878.40 | 4-36 | | | | | |
| of rivets. 4-38 Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail WKg. 366.00 366.00 Cwt. 185.95 4-39 Dismantling iron latrine Unit of 878.40 878.40 | | | IRON WORK | | | |
| 4-39 Dismantling iron latrine Cwt. 185.95 185.95 Unit of 878.40 878.40 | 4-37 | | | | | |
| 1 1 0/0.40 1 0/0.40 | 4-38 | | Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail | _ | | |
| | 4-39 | | Dismantling iron latrine | | 878.40 | 878.40 |

| Sr. No. Description | Unit | | |
|--|-------------------------|---------|-----------|
| | | Labour | Composite |
| 4-40 Dismantling tees,bends or sluice value upto 12 inches (300 mm) l | bore Each for 25mm bore | 15.85 | 15.85 |
| 4-41 a) Dismantling B.G. water column | Each | 5660.80 | 5660.80 |
| b) Dismantling M.G. or N.G. water column. | Each | 3806.40 | 3806.40 |
| 4-42 Dismantling all type of wire fencing including rolling wire into bu and collecting material | ndles R.M. | 12.20 | 12.20 |
| | R.ft | 3.70 | 3.70 |
| MISCELLANEOUS | | | |
| 4-43 Dismantling wire netting of tennis courts and frame work | Sq.m. | 21.35 | 21.35 |
| | Sq.ft | 2.00 | 2.00 |
| 4-44 Dismantling cloth ceiling and supporting timber | Sq.m. | 39.65 | 39.65 |
| | Sq.ft | 3.70 | 3.70 |
| 4-45 a) Dismantling and removing road metalling | Cu.m. | 344.65 | 344.65 |
| | Cu.ft | 9.75 | 9.75 |
| b) Dismantling and removing road pavement, etc. including screenin stacking of by product upto 100 ft. (30 m.) lead. | ng and Cu.m. | 451.40 | 451.40 |
| | Cu.ft | 12.80 | 12.80 |
| 4-46 a) Removing mud plaster from walls (where no scaffolding is require | ed) Sq.m. | 12.20 | 12.20 |
| | Sq.ft | 1.15 | 1.15 |
| b) Removing earth, mud plaster and gobri leaping from roof incl disposal up to 100 ft. (90 m) | luding | | |
| i) 3 inches (75 mm) earth filling and mud plaster 1 inch (25 mm) thic | Sq.m. | 91.50 | 91.50 |
| | Sq.ft | 8.50 | 8.50 |
| ii) 4 inches (100 mm) earth filling and mud plaster 1 inch (25 mm) th | sq.m. | 122.00 | 122.00 |
| | Sq.ft | 11.35 | 11.35 |
| 4-47 Removing cement or lime plaster from walls (where no scaffold required) | ing is Sq.m. | 20.15 | 20.15 |
| | Sq.ft | 1.85 | 1.85 |
| SCRAPING | | | |
| 4-48 a) White wash or color wash from walls and ceiling | Sq.m. | 15.25 | 15.25 |
| | Sq.ft | 1.40 | 1.40 |
| b) Ordinary distemper, oil free distemper from walls and ceiling | Sq.m. | 39.65 | 39.65 |
| | Sq.ft | 3.70 | 3.70 |
| 4-49 Dismantling glazed or encaustic tiles from walls (where no scaffor is required) | olding Sq.m. | 129.65 | 129.65 |
| | Sq.ft | 12.05 | 12.05 |
| 4-50 Scraping boulders | Cu.m. | 518.50 | 518.50 |
| | Cu.ft | 14.70 | 14.70 |
| 4-51 Cleaning mortar of old stones to be used in masonry | Cu.m. | 274.50 | 274.50 |
| | Cu.ft | 7.75 | 7.75 |

| Sr. No. | | Description | I I m i 4 | Rate (Rs.) | |
|---------|----|---|----------------|----------------|----------------|
| Sr. No | 0. | Description | Unit | Labour | Composite |
| | | ELECTRICAL WIRING | | | |
| 4-52 | | Dismantling light, fan and call bell point including casing and capping strip open type and making good damaged surface | Per Point | 57.35 | 63.05 |
| 4-53 | | Dismantling plug point and making good damaged surface | Per Point | 47.6 | 52.35 |
| 4-54 | | Dismantling G.I/ M.S. conduit/ G.I. flexible/ PVC pipes or conduit wiring etc. of all sizes including making good damaged surface. | | | |
| | a) | On surface | R.M. R.ft | 28.65 8.75 | 31.55 9.60 |
| | b) | Recessed in wall | R.M. R.ft | 47.30 14.40 | 61.45 18.75 |
| | | SURFACE RENDERING | | | |
| 4-55 | | Scraping, rubbing and cleaning of oil bound distemper from ceiling and walls including removal of rubbish in all floors. | Sq.m. Sq.ft | 18.30 1.70 | 32.85 3.05 |
| 4-56 | | Scraping, rubbing and cleaning emulsion finish distemper, snowcem and paints of all sort from walls and ceiling including removal of rubbish in all floors. | Sq.m. Sq.ft | 30.50 2.85 | 40.70 3.80 |
| 4-57 | | Brushing and cleaning with solution of cautic soda the surface of stone masonry, brick masonry and concrete including removal of rubbish in all floor. | Sq.m. Sq.ft | 15.25 1.40 | 24.65 2.30 |
| 4-58 | | Removing mud plaster & disposing of the rubbish. | | | |
| | a) | From walls | Sq.m. Sq.ft | 12.20 1.15 | 12.35 1.15 |
| | b) | From roof | Sq.m. Sq.ft | 9.15 0.85 | 9.30 0.85 |
| 4-59 | | Removing cement or lime plaster of any thickness from ceiling and disposing of the rubbish in any floor | Sq.m. Sq.ft | 18.30 1.70 | 18.45 1.70 |
| 4-60 | | Removing stains from wood work by scraping or applying any approved chemical including removal of rubbish from the site | Sq.m. Sq.ft | 12.20 1.15 | 16.35 1.50 |
| 4-61 | | Scraping old paints of all sorts with blow lamp from wood, plastered, rendered and/or concrete surface including rubbing, cleaning and removal of rubbish from site | Sq.m. Sq.ft | 12.20 1.15 | 22.50 2.10 |
| 4-62 | | Scraping old paint of all sorts with blow lamp from steel and iron work including rubbing, cleaning and removal of rubbish from site | Sq.m. Sq.ft | 9.15 0.85 | 18.20 1.70 |
| 4-63 | | Removing all sorts of varnish and polishes without blow lamp from wooden surface including removal of rubbish from site | Sq.m. Sq.ft | 6.10 0.55 | 10.35 0.95 |
| 4-64 | | Dismantling from any height, fiber glass sheets roofing and ridge | Sq.m. Sq.ft | 46.95 4.35 | 46.95 4.35 |
| 4-65 | | Add extra for respective payable item of ground floor | | | |
| | a) | For first floor | % increase | 10% | 10% |
| | b) | For every additional floor above first floor | % increase | 7.5% | 7.5% |