

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| 1-1 | Bricks | | | | | | | | | | | | |
| a) | 254mm x 127mm x 76mm (10" x 5" x 3") | 1300 Nos. | 1000 Nos. | 168.77 | 83.15 | 165.77 | 417.69 | 138.19 | 65.12 | 49.81 | 32.08 | 31.54 | 31.42 |
| b) | 229mm x 114mm x 76 mm (9" x 4.5" x 3") | 1600 Nos. | 1000 Nos. | 137.13 | 67.56 | 134.69 | 339.38 | 112.28 | 52.91 | 40.47 | 26.06 | 25.63 | 25.53 |
| c) | 203mm x 101mm x 101mm (8" x 4" x 4") | 1500 Nos. | 1000 Nos. | 146.27 | 72.07 | 143.67 | 362.00 | 119.77 | 56.43 | 43.17 | 27.80 | 27.33 | 27.23 |
| 1-2 | Tiles | | | | | | | | | | | | |
| a) | 305mm x 152mm x 51mm (12" x 6" x 2") | 1350 Nos. | 1000 Nos. | 162.52 | 80.07 | 159.63 | 402.22 | 133.07 | 62.70 | 47.96 | 30.89 | 30.37 | 30.26 |
| b) | 305mm x 152mm x 32mm (12" x 6" x 1.25") | 2150 Nos. | 1000 Nos. | 102.05 | 50.28 | 100.23 | 252.56 | 83.56 | 39.37 | 30.12 | 19.40 | 19.07 | 19.00 |
| c) | 229mm x 114mm x 38mm (9" x 4.5" x 1.5") | 3200 Nos. | 1000 Nos. | 68.56 | 33.78 | 67.34 | 169.69 | 56.14 | 26.45 | 20.23 | 13.03 | 12.81 | 12.77 |
| 1-3 | Cement concrete tiles | | | | | | | | | | | | |
| | 203mm x 203mm x 19mm (8" x 5" x 0.75") | 2850 Nos. | 1000 Nos. | 76.98 | 37.93 | 75.61 | 190.53 | 63.04 | 29.70 | 22.72 | 14.63 | 14.39 | 14.33 |
| 1-4 | Cement concrete blocks, limestone and kankar lime (unslaked) sandstone, hard stone and marble. | | | | | | | | | | | | |
| | Material | 75 Cu.ft. | Cu.M. | 103.29 | 50.89 | 101.46 | 255.64 | 84.58 | 39.85 | 30.48 | 19.63 | 19.30 | 19.23 |
| | | | Cu.ft. | 2.93 | 1.44 | 2.87 | 7.24 | 2.40 | 1.13 | 0.86 | 0.56 | 0.55 | 0.54 |
| 1-5 | Sand, earth, stone ballast, building rubbish, shingle & boulders | | | | | | | | | | | | |
| | Material | 110 Cu.ft. | Cu.M. | 70.43 | 34.70 | 69.18 | 174.30 | 57.67 | 27.17 | 20.78 | 13.39 | 13.16 | 13.11 |
| | | | Cu.ft. | 1.99 | 0.98 | 1.96 | 4.94 | 1.63 | 0.77 | 0.59 | 0.38 | 0.37 | 0.37 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|--------------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| 1-6 | Brick ballast, murum, manure and surkhi. | 150 Cu.ft. | Cu.M. | 51.65 | 25.45 | 50.73 | 127.82 | 42.29 | 19.93 | 15.24 | 9.82 | 9.65 | 9.62 |
| | Material | | Cu.ft. | 1.46 | 0.72 | 1.44 | 3.62 | 1.20 | 0.56 | 0.43 | 0.28 | 0.27 | 0.27 |
| 1-7 | Cement 1 Cwt (50) Kg. bag | 100 Bag | Bag | 2.19 | 1.08 | 2.16 | 5.43 | 1.80 | 0.85 | 0.65 | 0.42 | 0.41 | 0.41 |
| | Material | | | | | | | | | | | | |
| 1-7A | Steel, C.I. pipes, G.I. pipes, M.S. bars, metal sheets, BG. rails, girders and other heavy materials. | 5 Tons | Tonne | 43.19 | 21.28 | 42.42 | 106.88 | 35.36 | 16.66 | 12.75 | 8.21 | 8.07 | 8.04 |
| | Material | | | | | | | | | | | | |
| 1-8 | Delicate materials like granite, porcelene tiles, ceramic tiles, glass panes, doors, windows, paints & varnish, A.C. corrugated and plain sheets. | 5 Tons | Tonne | 43.19 | 21.28 | 42.42 | 106.88 | 35.36 | 16.66 | 12.75 | 8.21 | 8.07 | 8.04 |
| | Material | | 10% | 4.32 | 2.13 | 4.24 | 10.69 | 3.54 | 1.67 | 1.27 | 0.82 | 0.81 | 0.80 |
| | Extra for careful handling. | | Accumulative | Tonne | 47.50 | 23.40 | 46.65 | 117.55 | 38.90 | 18.35 | 14.00 | 9.05 | 8.90 |
| 1-9 | Timber | 250 Cu.ft. | Cu.M. | 30.99 | 15.27 | 30.44 | 76.69 | 25.37 | 11.96 | 9.15 | 5.89 | 5.79 | 5.77 |
| | Material | | Cu.ft. | 0.88 | 0.43 | 0.86 | 2.17 | 0.72 | 0.34 | 0.26 | 0.17 | 0.16 | 0.16 |
| 1-10 | Coaltar and bitumen | 5 Tons | Tonne | 43.19 | 21.28 | 42.42 | 106.88 | 35.36 | 16.66 | 12.75 | 8.21 | 8.07 | 8.04 |
| 1-11 | Fuel Wood | 5 Tons | Tonne | 43.19 | 21.28 | 42.42 | 106.88 | 35.36 | 16.66 | 12.75 | 8.21 | 8.07 | 8.04 |
| 1-12 | Sarkanda, pilchi, frash and brush | 350 Cu.ft. | Cu.M. | 22.13 | 10.91 | 21.74 | 54.78 | 18.12 | 8.54 | 6.53 | 4.21 | 4.14 | 4.12 |
| | Material | | Cu.ft. | 0.63 | 0.31 | 0.62 | 1.55 | 0.51 | 0.24 | 0.19 | 0.12 | 0.12 | 0.12 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km | |
|---------|---|-------------------------|---------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|-------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 | 40.85 |
| 1-13 | Plain & reinforced cement concrete pipes of any class with collars. | | | | | | | | | | | | | |
| a) | 100 mm dia | 593 R.ft. | 10 R.M. | 12.14 | 5.98 | 11.92 | 30.04 | 9.94 | 4.68 | 3.58 | 2.31 | 2.27 | 2.26 | |
| b) | 150 mm dia | 337 R.ft. | 10 R.M. | 21.36 | 10.52 | 20.98 | 52.87 | 17.49 | 8.24 | 6.30 | 4.06 | 3.99 | 3.98 | |
| c) | 225 mm dia | 199 R.ft. | 10 R.M. | 36.17 | 17.82 | 35.53 | 89.53 | 29.62 | 13.96 | 10.68 | 6.88 | 6.76 | 6.74 | |
| d) | 300 mm dia | 142 R.ft. | 10 R.M. | 50.69 | 24.98 | 49.79 | 125.46 | 41.51 | 19.56 | 14.96 | 9.64 | 9.47 | 9.44 | |
| e) | 375 mm dia | 108 R.ft. | 10 R.M. | 66.65 | 32.84 | 65.47 | 164.96 | 54.58 | 25.72 | 19.67 | 12.67 | 12.46 | 12.41 | |
| f) | 450 mm dia | 86 R.ft. | 10 R.M. | 83.70 | 41.24 | 82.22 | 207.16 | 68.54 | 32.29 | 24.70 | 15.91 | 15.64 | 15.58 | |
| g) | 525 mm dia | 65 R.ft. | 10 R.M. | 110.75 | 54.57 | 108.78 | 274.09 | 90.68 | 42.73 | 32.68 | 21.05 | 20.70 | 20.62 | |
| h) | 600 mm dia | 52 R.ft. | 10 R.M. | 138.43 | 68.21 | 135.97 | 342.61 | 113.35 | 53.41 | 40.85 | 26.31 | 25.87 | 25.77 | |
| i) | 675 mm dia | 44 R.ft. | 10 R.M. | 163.60 | 80.61 | 160.69 | 404.91 | 133.96 | 63.12 | 48.28 | 31.09 | 30.57 | 30.46 | |
| j) | 750 mm dia | 38 R.ft. | 10 R.M. | 189.43 | 93.34 | 186.07 | 468.84 | 155.11 | 73.09 | 55.91 | 36.00 | 35.40 | 35.27 | |
| k) | 825 mm dia | 34 R.ft. | 10 R.M. | 211.72 | 104.32 | 207.96 | 524.00 | 173.36 | 81.69 | 62.48 | 40.24 | 39.57 | 39.42 | |
| l) | 900 mm dia | 29 R.ft. | 10 R.M. | 248.22 | 122.30 | 243.81 | 614.34 | 203.25 | 95.77 | 73.26 | 47.18 | 46.39 | 46.22 | |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| m) | 975 mm dia | 25 R.ft. | 10 R.M. | 287.94 | 141.87 | 282.82 | 712.63 | 235.77 | 111.09 | 84.98 | 54.73 | 53.81 | 53.61 |
| n) | 1050 mm dia | 22 R.ft. | 10 R.M. | 327.21 | 161.22 | 321.39 | 809.81 | 267.92 | 126.24 | 96.57 | 62.19 | 61.15 | 60.92 |
| o) | 1125 mm dia | 19 R.ft. | 10 R.M. | 378.87 | 186.67 | 372.13 | 937.68 | 310.23 | 146.18 | 111.81 | 72.01 | 70.80 | 70.54 |
| p) | 1200 mm dia | 17 R.ft. | 10 R.M. | 423.44 | 208.63 | 415.92 | 1047.99 | 346.72 | 163.37 | 124.97 | 80.48 | 79.13 | 78.84 |
| q) | 1350 mm dia | 142 R.ft. | 10 R.M. | 553.73 | 272.83 | 543.89 | 1370.45 | 453.41 | 213.64 | 163.42 | 105.24 | 103.48 | 103.10 |
| r) | 1500 mm dia | 142 R.ft. | 10 R.M. | 654.41 | 322.43 | 642.78 | 1619.62 | 535.85 | 252.49 | 193.13 | 124.38 | 122.29 | 121.84 |
| s) | 1650 mm dia | 9 R.ft. | 10 R.M. | 799.83 | 394.08 | 785.62 | 1979.54 | 654.92 | 308.60 | 236.05 | 152.02 | 149.47 | 148.92 |
| t) | 1800 mm dia | 7 R.ft. | 10 R.M. | 1028.36 | 506.68 | 1010.08 | 2545.12 | 842.05 | 396.77 | 303.49 | 195.45 | 192.17 | 191.47 |
| 1-14 | P.V.C pipes of any class including fittings such as sockets, tees, bends and crosses nominal diameter below 50 mm. | | | | | | | | | | | | |
| a) | 10 mm dia | 203125 R.ft. | 1000 R.M. | 3.54 | 1.75 | 3.48 | 8.77 | 2.90 | 1.37 | 1.05 | 0.67 | 0.66 | 0.66 |
| b) | 15 mm dia | 130000 R.ft. | 1000 R.M. | 5.54 | 2.73 | 5.44 | 13.70 | 4.53 | 2.14 | 1.63 | 1.05 | 1.03 | 1.03 |
| c) | 20 mm dia | 87410 R.ft. | 1000 R.M. | 8.24 | 4.06 | 8.09 | 20.38 | 6.74 | 3.18 | 2.43 | 1.57 | 1.54 | 1.53 |
| d) | 25 mm dia | 51600 R.ft. | 1000 R.M. | 13.95 | 6.87 | 13.70 | 34.53 | 11.42 | 5.38 | 4.12 | 2.65 | 2.61 | 2.60 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| e) | 32 mm dia | 32500 R.ft. | 1000 R.M. | 22.15 | 10.91 | 21.76 | 54.82 | 18.14 | 8.55 | 6.54 | 4.21 | 4.14 | 4.12 |
| f) | 40 mm dia | 25170 R.ft. | 1000 R.M. | 28.60 | 14.09 | 28.09 | 70.78 | 23.42 | 11.03 | 8.44 | 5.44 | 5.34 | 5.32 |
| 1-15 | P.V.C. pipes of any class including fittings such as sockets, tees, bends & crosses nominal diameter 50mm and above. | | | | | | | | | | | | |
| a) | 50 mm dia | 15925 R.ft. | 100 R.M. | 4.52 | 2.23 | 4.44 | 11.19 | 3.70 | 1.74 | 1.33 | 0.86 | 0.84 | 0.84 |
| b) | 65 mm dia | 10190 R.ft. | 100 R.M. | 7.06 | 3.48 | 6.94 | 17.48 | 5.78 | 2.73 | 2.08 | 1.34 | 1.32 | 1.32 |
| c) | 75 mm dia | 7490 R.ft. | 100 R.M. | 9.61 | 4.74 | 9.44 | 23.79 | 7.87 | 3.71 | 2.84 | 1.83 | 1.80 | 1.79 |
| d) | 100 mm dia | 4210 R.ft. | 100 R.M. | 17.10 | 8.42 | 16.79 | 42.32 | 14.00 | 6.60 | 5.05 | 3.25 | 3.20 | 3.18 |
| e) | 125 mm dia | 2925 R.ft. | 100 R.M. | 24.61 | 12.13 | 24.17 | 60.91 | 20.15 | 9.50 | 7.26 | 4.68 | 4.60 | 4.58 |
| f) | 150 mm dia | 1870 R.ft. | 100 R.M. | 38.49 | 18.97 | 37.81 | 95.27 | 31.52 | 14.85 | 11.36 | 7.32 | 7.19 | 7.17 |
| g) | 200 mm dia | 1050 R.ft. | 100 R.M. | 68.56 | 33.78 | 67.34 | 169.67 | 56.14 | 26.45 | 20.23 | 13.03 | 12.81 | 12.76 |
| h) | 250 mm dia | 610 R.ft. | 100 R.M. | 118.01 | 58.14 | 115.91 | 292.06 | 96.63 | 45.53 | 34.83 | 22.43 | 22.05 | 21.97 |
| i) | 300 mm dia | 470 R.ft. | 100 R.M. | 153.16 | 75.46 | 150.44 | 379.06 | 125.41 | 59.09 | 45.20 | 29.11 | 28.62 | 28.52 |
| j) | 350 mm dia | 325 R.ft. | 100 R.M. | 221.49 | 109.13 | 217.56 | 548.18 | 181.36 | 85.46 | 65.37 | 42.10 | 41.39 | 41.24 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| k) | 400 mm dia | 210 R.ft. | 100 R.M. | 342.79 | 168.89 | 336.69 | 848.37 | 280.68 | 132.26 | 101.16 | 65.15 | 64.06 | 63.82 |
| 1-16 | Asbestos cement pipes class B with comets or gibault joint. | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 30.50 | 15.03 | 29.96 | 75.49 | 24.98 | 11.77 | 9.00 | 5.80 | 5.70 | 5.68 |
| b) | 100 mm dia | 1770 R.ft. | 100 R.M. | 40.67 | 20.04 | 39.95 | 100.65 | 33.30 | 15.69 | 12.00 | 7.73 | 7.60 | 7.57 |
| c) | 150 mm dia | 1180 R.ft. | 100 R.M. | 61.00 | 30.06 | 59.92 | 150.98 | 49.95 | 23.54 | 18.00 | 11.59 | 11.40 | 11.36 |
| d) | 200 mm dia | 710 R.ft. | 100 R.M. | 101.39 | 49.95 | 99.59 | 250.93 | 83.02 | 39.12 | 29.92 | 19.27 | 18.95 | 18.88 |
| e) | 250 mm dia | 525 R.ft. | 100 R.M. | 137.11 | 67.56 | 134.68 | 339.35 | 112.27 | 52.90 | 40.47 | 26.06 | 25.62 | 25.53 |
| f) | 300 mm dia | 410 R.ft. | 100 R.M. | 175.57 | 86.51 | 172.45 | 434.53 | 143.76 | 67.74 | 51.82 | 33.37 | 32.81 | 32.69 |
| g) | 400 mm dia | 250 R.ft. | 100 R.M. | 287.94 | 141.87 | 282.82 | 712.63 | 235.77 | 111.09 | 84.98 | 54.73 | 53.81 | 53.61 |
| h) | 500 mm dia | 185 R.ft. | 100 R.M. | 389.11 | 191.72 | 382.19 | 963.02 | 318.61 | 150.13 | 114.84 | 73.96 | 72.71 | 72.45 |
| i) | 600 mm dia | 130 R.ft. | 100 R.M. | 553.73 | 272.83 | 543.89 | 1370.45 | 453.41 | 213.64 | 163.42 | 105.24 | 103.48 | 103.10 |
| 1-17 | Asbestos cement pipes Class C with comete or gibault joint. | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 30.50 | 15.03 | 29.96 | 75.49 | 24.98 | 11.77 | 9.00 | 5.80 | 5.70 | 5.68 |
| b) | 100 mm dia | 1420 R.ft. | 100 R.M. | 50.69 | 24.98 | 49.79 | 125.46 | 41.51 | 19.56 | 14.96 | 9.64 | 9.47 | 9.44 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| c) | 150 mm dia | 1010 R.ft. | 100 R.M. | 71.27 | 35.12 | 70.01 | 176.39 | 58.36 | 27.50 | 21.03 | 13.55 | 13.32 | 13.27 |
| d) | 200 mm dia | 685 R.ft. | 100 R.M. | 105.09 | 51.78 | 103.22 | 260.09 | 86.05 | 40.55 | 31.01 | 19.97 | 19.64 | 19.57 |
| e) | 250 mm dia | 460 R.ft. | 100 R.M. | 156.49 | 77.10 | 153.71 | 387.30 | 128.14 | 60.38 | 46.18 | 29.74 | 29.24 | 29.14 |
| f) | 300 mm dia | 370 R.ft. | 100 R.M. | 194.55 | 95.86 | 191.10 | 481.51 | 159.31 | 75.06 | 57.42 | 36.98 | 36.36 | 36.22 |
| g) | 400 mm dia | 170 R.ft. | 100 R.M. | 423.44 | 208.63 | 415.92 | 1047.99 | 346.72 | 163.37 | 124.97 | 80.48 | 79.13 | 78.84 |
| h) | 500 mm dia | 130 R.ft. | 100 R.M. | 553.73 | 272.83 | 543.89 | 1370.45 | 453.41 | 213.64 | 163.42 | 105.24 | 103.48 | 103.10 |
| i) | 600 mm dia | 90 R.ft. | 100 R.M. | 799.83 | 394.08 | 785.62 | 1979.54 | 654.92 | 308.60 | 236.05 | 152.02 | 149.47 | 148.92 |
| 1-18 | Asbestos cement pipes Class D with comete or gibault joint. | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 30.50 | 15.03 | 29.96 | 75.49 | 24.98 | 11.77 | 9.00 | 5.80 | 5.70 | 5.68 |
| b) | 100 mm dia | 1905 R.ft. | 100 R.M. | 37.79 | 18.62 | 37.12 | 93.52 | 30.94 | 14.58 | 11.15 | 7.18 | 7.06 | 7.04 |
| c) | 150 mm dia | 945 R.ft. | 100 R.M. | 76.17 | 37.53 | 74.82 | 188.53 | 62.37 | 29.39 | 22.48 | 14.48 | 14.24 | 14.18 |
| d) | 200 mm dia | 525 R.ft. | 100 R.M. | 137.11 | 67.56 | 134.68 | 339.35 | 112.27 | 52.90 | 40.47 | 26.06 | 25.62 | 25.53 |
| e) | 250 mm dia | 340 R.ft. | 100 R.M. | 211.72 | 104.32 | 207.96 | 524.00 | 173.36 | 81.69 | 62.48 | 40.24 | 39.57 | 39.42 |
| f) | 300 mm dia | 240 R.ft. | 100 R.M. | 299.94 | 147.78 | 294.61 | 742.33 | 245.60 | 115.72 | 88.52 | 57.01 | 56.05 | 55.85 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 219.40 | 108.10 | 215.50 | 543.00 | 179.65 | 84.65 | 64.75 | 41.70 | 41.00 |
| g) | 400 mm dia | 135 R.ft. | 100 R.M. | 533.22 | 262.72 | 523.74 | 1319.69 | 436.62 | 205.73 | 157.37 | 101.35 | 99.65 | 99.28 |
| h) | 500 mm dia | 90 R.ft. | 100 R.M. | 799.83 | 394.08 | 785.62 | 1979.54 | 654.92 | 308.60 | 236.05 | 152.02 | 149.47 | 148.92 |
| i) | 600 mm dia | 65 R.ft. | 100 R.M. | 1107.46 | 545.66 | 1087.78 | 2740.90 | 906.82 | 427.29 | 326.84 | 210.49 | 206.96 | 206.20 |
| 1-19 | Coal, white lime, and other type of material measured by weight not specified above. | 5 Tons | Tonne | 43.19 | 21.28 | 42.42 | 106.88 | 35.36 | 16.66 | 12.75 | 8.21 | 8.07 | 8.04 |