

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
	a. 1st Km	Km		147.6	
	b. 2nd Km	Km		147.6	
	c. 3rd Km	Km		107.0	
	d. 4th Km	Km		85.2	
	e. 5th Km	Km		71.5	
	f. 6th Km	Km		62.1	
	g. 7th Km	Km		55.2	
	h. 8th Km	Km		49.9	
	i. 9th Km	Km		45.7	
	j. 10th Km	Km		42.3	
	k. 11th Kms to 200Kms	Km		13.7	
	l. 201 Kms to 250 Kms	Km		12.2	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.				1.1
	a. 1st Km	Km		106.9	
	b. 2nd Km	Km		106.5	
	c. 3rd Km	Km		79.4	
	d. 4th Km	Km		64.8	
	e. 5th Km	Km		55.5	
	f. 6th Km	Km		49.0	
	g. 7th Km	Km		44.3	
	h. 8th Km	Km		40.6	
	i. 9th Km	Km		37.7	
	j. 10th Km	Km		35.3	
	k. 11th Kms to 200Kms	Km		15.5	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	I. 201 Kms to 250 Kms	Km	14.5		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor: or any other means owned by the contractor:					
	a. 1st Km	Km	52.2			
	b. 2nd Km	Km	51.7			
	c. 3rd Km	Km	37.1			
	d. 4th Km	Km	30.5			
	e. 5th Km	Km	26.7			
	f. 6th Km	Km	24.2			
	g. 7th Km	Km	22.4			
	h. 8th Km	Km	21.1			
	i. 9th Km	Km	20.0			
	j. 10th Km	Km	19.2			
	k. 11th to 200 Kms	Km	13.2			
4	M. 251 Kms & subsequent Kms				1.1	
	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km	56.0			
	b. 2nd Km	Km	55.8			
	c. 3rd Km	Km	36.1			
	d. 4th Km	Km	27.7			
	e. 5th Km	Km	23.2			
	f. 6th Km	Km	20.4			
	g. 7th Km	Km	18.5			
	h. 8th Km	Km	17.1			
	i. 9th Km	Km	16.1			
	j. 10th Km	Km	15.3			
	k. 11th & subsequent Kms	Km	9.9			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	232.2		
	b. 2nd Km	Km	135.1		
	c. 3rd Km	Km	97.4		
	d. 4th Km	Km	77.3		
	e. 5th Km	Km	64.7		
	f. 6th Km	Km	56.2		
	g. 7th Km	Km	49.9		
	h. 8th Km	Km	45.1		
	i. 9th Km	Km	41.4		
	j. 10th Km	Km	38.3		
	k. 11th Kms to 200Kms	Km	12.6		
	l. 201 Kms to 250 Kms	Km	11.1		
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	151.4		
	b. 2nd Km	Km	90.8		
	c. 3rd Km	Km	67.2		
	d. 4th Km	Km	54.6		
	e. 5th Km	Km	46.6		
	f. 6th Km	Km	41.2		
	g. 7th Km	Km	37.2		
	h. 8th Km	Km	34.2		
	i. 9th Km	Km	31.8		
	j. 10th Km	Km	29.8		
	k. 11th Kms to 200Kms	Km	13.4		
	l. 201 Kms to 250 Kms	Km	12.5		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	544.9		
	b. 2nd Km	Km	309.0		
	c. 3rd Km	Km	217.8		
	d. 4th Km	Km	169.2		
	e. 5th Km	Km	138.8		
	f. 6th Km	Km	118.2		
	g. 7th Km	Km	103.1		
	h. 8th Km	Km	91.7		
	i. 9th Km	Km	91.7		
	j. 10th Km	Km	75.5		
	k. 11th & subsequent Kms	Km	13.9		
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	547.4		
	b. 2nd Km	Km	311.0		
	c. 3rd Km	Km	219.6		
	d. 4th Km	Km	170.8		
	e. 5th Km	Km	140.4		
	f. 6th Km	Km	119.7		
	g. 7th Km	Km	104.6		
	h. 8th Km	Km	93.2		
	i. 9th Km	Km	84.1		
	j. 10th Km	Km	76.9		
	k. 11th & subsequent Kms	Km	15.1		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		544.9	
b.	2nd Km	Km		309.0	
c.	3rd Km	Km		217.8	
d.	4th Km	Km		169.2	
e.	5th Km	Km		138.8	
f.	6th Km	Km		118.2	
g.	7th Km	Km		103.1	
h.	8th Km	Km		91.7	
i.	9th Km	Km		82.7	
j.	10th Km	Km		75.5	
k.	11th & subsequent Kms	Km		13.9	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		272.5	
b.	2nd Km	Km		154.5	
c.	3rd Km	Km		108.9	
d.	4th Km	Km		84.6	
e.	5th Km	Km		69.4	
f.	6th Km	Km		59.1	
g.	7th Km	Km		51.6	
h.	8th Km	Km		45.9	
i.	9th Km	Km		41.4	
j.	10th Km	Km		37.7	
k.	11th & subsequent Kms	Km		7.0	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		332.1	
b.	2nd Km	Km		332.8	
c.	3rd Km	Km		237.2	
d.	4th Km and subsequent kilometers.	Km		186.1	
12	Carriage of 100 Nos. empty cement bags including bundling.				

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
13	25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	6.4		
	b. 2nd Km	Km	3.6		
	c. 3rd Km	Km	2.5		
	d. 4th Km & subsequent Kms	Km	1.9		
14	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area				
	a. 1st Km	Km	232.2		
	b. 2nd Km	Km	135.1		
	c. 3rd Km	Km	97.4		
	d. 4th Km	Km	77.3		
	e. 5th Km	Km	64.7		
	f. 6th Km	Km	56.2		
	g. 7th Km	Km	49.9		
	h. 8th Km	Km	45.1		
	i. 9th Km	Km	41.4		
	j. 10th Km	Km	38.3		
	k. 11th Km & subsequent	Km	12.6		
	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 25 % Extra to be paid for hilly area				
	a. 1st Km	Km	90.9		
b. 2nd Km	Km	54.5			
c. 3rd Km	Km	40.3			
d. 4th Km	Km	32.7			
e. 5th Km	Km	28.0			
f. 6th Km	Km	24.7			
g. 7th Km	Km	22.3			
h. 8th Km	Km	20.5			
i. 9th Km	Km	19.1			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
15	j. 10th Km	Km		17.9	1.1
	k. 11th Km & subsequent	Km		8.1	
	Cooly load for distance:-				
	a. Upto 1000 ft. (300 metre)			135.4	
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)			107.6	
16	c. 1st Km	Km		92.4	1.1
	d. 2nd Km	Km		79.7	
	e. 3rd Km & subsequent			63.5	
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :				
	(i) Carriage of consignments odd jobs.				
	(a) Donkey load for distance upto 500 feet.	Each		37.9	
	(b) Upto 1000 feet	Each		26.5	
	(c) Upto ½ Mile/ 0.8 Km	Each		17.8	
	(d) Upto one Mile/ 1.6 Km	Each		14.0	
	(e) Upto three Miles/ 4.8 Km	Each		11.1	
	(f) Exceeding 3 Miles/ 16 km	Each		9.6	
	(ii) Cart load for a distance :-				
	(a) upto 4 Miles/ 6.4 Km	Each		12.5	
(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		12.0		
17	Hire charges of:-				1.1
	(i) truck (10 Ton Capacity)	Per Hour		649.0	
	(ii) tractor with trolley	Per Hour		360.6	
	(iii) tractor without trolley	Per Hour		240.4	
18	Carriage of bitumen, tar or other lubricants, in drums:				1.1
	a. 1st Km	ton		90.5	
	b. 2nd Km	ton		90.7	
	c. 3rd & subsequent Km	ton		64.3	
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-				1.1

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	<b>(i) 3" (75 mm) i/d pipes:-</b>				
	a. 1st Km	Km		94.3	
	b. 2nd Km	Km		94.6	
	c. 3rd Km	Km		66.7	
	d. 4th Km	Km		51.8	
	e. 5th Km	Km		42.6	
	f. 6th Km	Km		36.2	
	g. 7th Km	Km		31.6	
	h. 8th Km	Km		28.1	
	i. 9th Km	Km		25.3	
	j. 10th Km	Km		23.1	
	k. 11th Km & subsequent	Km		4.2	
	<b>(ii) 4" (100 mm) i/d pipes:-</b>				
	a. 1st Km	Km		116.9	
	b. 2nd Km	Km		117.3	
	c. 3rd Km	Km		82.7	
	d. 4th Km	Km		64.3	
	e. 5th Km	Km		52.8	
	f. 6th Km	Km		44.9	
	g. 7th Km	Km		39.2	
	h. 8th Km	Km		34.9	
	i. 9th Km	Km		31.4	
	j. 10th Km	Km		28.7	
	k. 11th Km & subsequent	Km		5.2	
	<b>(iii) 6" (150 mm) i/d pipes:-</b>				
	a. 1st Km	Km		154.6	
	b. 2nd Km	Km		155.1	
	c. 3rd Km	Km		109.4	





Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	d. 4th Km	Km	85.0		
	e. 5th Km	Km	69.8		
	f. 6th Km	Km	59.4		
	g. 7th Km	Km	51.8		
	h. 8th Km	Km	46.1		
	i. 9th Km	Km	41.5		
	j. 10th Km	Km	37.9		
	k. 11th Km & subsequent	Km	6.9		
(iv)	<b>9" (225 mm) i/d pipes:</b>				
	a. 1st Km	Km	252.6		
	b. 2nd Km	Km	253.4		
	c. 3rd Km	Km	178.8		
	d. 4th Km	Km	139.0		
	e. 5th Km	Km	114.0		
	f. 6th Km	Km	97.1		
	g. 7th Km	Km	84.7		
	h. 8th Km	Km	75.3		
	i. 9th Km	Km	67.9		
	j. 10th Km	Km	61.9		
	k. 11th Km & subsequent	Km	11.2		
(v)	<b>12" (300 mm) i/d pipes:-</b>				
	a. 1st Km	Km	392.1		
	b. 2nd Km	Km	393.4		
	c. 3rd Km	Km	277.5		
	d. 4th Km	Km	215.7		
	e. 5th Km	Km	177.0		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	150.7		
	g. 7th Km	Km	131.5		
	h. 8th Km	Km	116.9		
	i. 9th Km	Km	105.4		
	j. 10th Km	Km	96.1		
	k. 11th Km & subsequent	Km	17.4		
<b>(vi)</b>	<b>16" (400 mm) i/d pipes:-</b>				
	a. 1st Km	Km	531.6		
	b. 2nd Km	Km	533.3		
	c. 3rd Km	Km	376.3		
	d. 4th Km	Km	292.4		
	e. 5th Km	Km	240.0		
	f. 6th Km	Km	204.3		
	g. 7th Km	Km	178.3		
	h. 8th Km	Km	158.5		
	i. 9th Km	Km	142.9		
	j. 10th Km	Km	130.4		
	k. 11th Km & subsequent	Km	23.6		
<b>(viii)</b>	<b>18" (450 mm) i/d pipes:-</b>				
	a. 1st Km	Km	772.9		
	b. 2nd Km	Km	775.4		
	c. 3rd Km	Km	547.0		
	d. 4th Km	Km	425.1		
	e. 5th Km	Km	348.9		
	f. 6th Km	Km	297.1		
	g. 7th Km	Km	259.2		
	h. 8th Km	Km	230.5		
	i. 9th Km	Km	207.7		
	j. 10th Km	Km	189.5		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
(ix)	k. 11th Km & subsequent	Km	34.3		
	<b>20" (500 mm) i/d pipes:-</b>				
	a. 1st Km	Km	848.3		
	b. 2nd Km	Km	851.1		
	c. 3rd Km	Km	600.4		
	d. 4th Km	Km	466.6		
	e. 5th Km	Km	383.0		
	f. 6th Km	Km	326.1		
	g. 7th Km	Km	284.5		
	h. 8th Km	Km	253.0		
	i. 9th Km	Km	228.0		
	j. 10th Km	Km	208.0		
	k. 11th Km & subsequent Kms	Km	37.6		
(x)	<b>24" (600 mm) i/d pipes:-</b>				
	a. 1st Km	Km	1,131.0		
	b. 2nd Km	Km	1,134.8		
	c. 3rd Km	Km	800.5		
	d. 4th Km	Km	622.2		
	e. 5th Km	Km	510.6		
	f. 6th Km	Km	434.8		
	g. 7th Km	Km	379.3		
	h. 8th Km	Km	337.3		
	i. 9th Km	Km	304.0		
	j. 10th Km	Km	277.3		
	k. 11th Km & subsequent Kms	Km	50.2		
	20	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			
(i)	<b>3" (75 mm) i/d pipes:-</b>				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	a. 1st Km	Km		23.9	
	b. 2nd Km	Km		24.0	
	c. 3rd Km	Km		17.1	
	d. 4th Km	Km		13.4	
	e. 5th Km	Km		11.1	
	f. 6th Km	Km		9.5	
	g. 7th Km	Km		8.4	
	h. 8th Km	Km		7.5	
	i. 9th Km	Km		6.8	
	j. 10th Km	Km		6.2	
	k. 11th Km & subsequent Kms	Km		1.5	
	<b>(ii) 4" (100 mm) i/d pipes:-</b>				
	a. 1st Km	Km		35.9	
	b. 2nd Km	Km		35.9	
	c. 3rd Km	Km		25.6	
	d. 4th Km	Km		20.1	
	e. 5th Km	Km		16.6	
	f. 6th Km	Km		14.3	
	g. 7th Km	Km		12.5	
	h. 8th Km	Km		11.2	
	i. 9th Km	Km		10.2	
	j. 10th Km	Km		9.4	
	k. 11th Km & subsequent Kms	Km		2.3	
	<b>(iii) 5" (125 mm) i/d pipes:-</b>				
	a. 1st Km	Km		55.8	
	b. 2nd Km	Km		55.9	
	c. 3rd Km	Km		39.8	
	d. 4th Km	Km		31.3	
	e. 5th Km	Km		25.9	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
(iv)	f. 6th Km		Km	22.2		
	g. 7th Km		Km	19.5		
	h. 8th Km		Km	17.5		
	i. 9th Km		Km	15.9		
	j. 10th Km		Km	14.6		
	k. 11th Km & subsequent Kms		Km	3.5		
	<b>6" (150 mm) i/d pipes:</b>					
	a. 1st Km		Km	77.7		
	b. 2nd Km		Km	77.9		
	c. 3rd Km		Km	55.5		
	d. 4th Km		Km	43.5		
(v)	e. 5th Km		Km	36.0		
	f. 6th Km		Km	30.9		
	g. 7th Km		Km	27.2		
	h. 8th Km		Km	24.3		
	i. 9th Km		Km	22.1		
	j. 10th Km		Km	20.3		
	k. 11th Km & subsequent Kms		Km	4.9		
	<b>8" (200 mm) i/d pipes:-</b>					
	a. 1st Km		Km	159.4		
	b. 2nd Km		Km	159.7		
	c. 3rd Km		Km	113.8		
d. 4th Km		Km	89.3			
e. 5th Km		Km	73.9			
f. 6th Km		Km	63.4			
g. 7th Km		Km	55.7			
h. 8th Km		Km	49.9			
i. 9th Km		Km	45.3			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
(vi)	j. 10th Km	Km	41.6		
	k. 11th Km & subsequent Kms	Km	10.0		
	<b>10" (250 mm) i/d pipes:-</b>				
	a. 1st Km	Km	219.2		
	b. 2nd Km	Km	219.6		
	c. 3rd Km	Km	156.5		
	d. 4th Km	Km	122.8		
	e. 5th Km	Km	101.6		
	f. 6th Km	Km	87.2		
	g. 7th Km	Km	76.7		
	h. 8th Km	Km	68.6		
	i. 9th Km	Km	62.3		
	j. 10th Km	Km	57.2		
(vii)	k. 11th Km & subsequent Kms	Km	13.8		
	<b>12" (300 mm) i/d pipes:-</b>				
	a. 1st Km	Km	298.9		
	b. 2nd Km	Km	299.5		
	c. 3rd Km	Km	213.5		
	d. 4th Km	Km	167.4		
	e. 5th Km	Km	138.6		
	f. 6th Km	Km	118.9		
	g. 7th Km	Km	104.5		
	h. 8th Km	Km	93.6		
	i. 9th Km	Km	84.9		
	j. 10th Km	Km	78.0		
	k. 11th Km & subsequent Kms	Km	18.8		

