Sr. No	Description	Unit		e (Rs.)	Ref. Tech.
51.140	Description	- Crinc	Labour	Composite	Specs.
11-1	Providing and laying sundried clay bricks set in mud mortar including scaffolding in foundation and substructure				11.7.2 (i) 11.17
,	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	2,350.00 66.55	13,040.25 369.30	
	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	5,909.70 167.35	12,202.10 345.55	
11-2	Providing and laying first class solid burnt brick masonry set in mud mortar including and raking out joints in foundation and substructure				11.4.1 11.7.2(i)
i	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	1,842.65 52.20	15,042.05 426.00	11.7.4
	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	1,367.65 38.75	13,642.05 386.35	
11-3	Providing and laying first class solid burnt brick masonry including scaffolding, raking out joints and curing in foundation and substructure				11.4.1 11.7.2(ii) 11.7.4
i	Upto 4.5" (115 mm) nominal thick brick work i) Cement sand 1 : 2	Cu.m. Cu.ft.	1,842.65 52.20	16,877.60 478.00	11.7.4
	i) Cement sand 1 : 3	Cu.m. Cu.ft.	1,842.65 52.20	16,239.49 459.90	
i	i) Cement sand 1 : 4	Cu.m. Cu.ft.	1,842.65 52.20	15,628.25 442.60	
	v Cement sand 1 : 5	Cu.m. Cu.ft.	1,842.65 52.20	15,097.48 427.55	
	Cement sand 1 : 6	Cu.m. Cu.ft.	1,842.65 52.20	14,665.98 415.35	
	vi Cement sand 1 : 7	Cu.m. Cu.ft.	1,842.65 52.20	14,235.38 403.15	
,	ii Cement sand 1 : 8	Cu.m. Cu.ft.	1,842.65 52.20	13,808.05 391.05	

Cr N-	Description	l lm!4	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
	Above 4.5" (115mm) nominal thick brickwork				
i)	Cement sand 1 : 2	Cu.m. Cu.ft.	1,367.65 38.75	16,285.35 461.20	
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	1,367.65 38.75	15,545.32 440.25	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	1,367.65 38.75	14,803.76 419.25	
iv	Cement sand 1 : 5	Cu.m. Cu.ft.	1,367.65 38.75	14,181.94 401.65	
V)	Cement sand 1 : 6	Cu.m. Cu.ft.	1,367.65 38.75	13,652.25 386.65	
v	Cement sand 1 : 7	Cu.m. Cu.ft.	1,367.65 38.75		
vi	Cement sand 1 : 8	Cu.m. Cu.ft.	1,367.65 38.75	12,736.48 360.70	
11-4	Extra for providing and laying first class burnt brick masonry for arches of any kind of wall including scaffolding, formwork and its removal, raking out joints and curing in basement etc.				11.80
a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	981.96 26.70	3,576.79 89.55	
b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	943.53 27.80	3,161.64 101.30	
11-5	Extra for providing and laying first class tile masonry for arches of any kind of walls including scaffolding, formwork and its removal, raking out joints and curing in foundations, basement and plinth.				11.80 11.90
a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,435.27 40.65	3,978.13 112.65	
b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,356.10 38.40	3,621.88 102.55	
11-6	Extra for every additional 6 ft (2 m) or part thereof in foundation and basement masonry deeper than 6 ft (2 m)	Cu.m. Cu.ft.	329.40 9.35	329.40 9.35	11.7.4

C 1.1		Description	1114	Rate	e (Rs.)	Ref. Tech.
Sr. No).	Description	Unit	Labour	Composite	
11 7		Extra for exert additional E ft (1 E m) or part thereof in	Cum		-	11.7.4
11-7		Extra for every additional 5 ft (1.5 m) or part thereof in plinth higher than 5 ft (1.5m)	Cu.m. Cu.ft.	245.00 6.95	245.00 6.95	11.7.4
11-8		Extra for every additional 6 ft (2m) or part thereof for		329.40	378.80	11.80
		arch brick or tile masonry in foundation and basement masonry deeper than 6ft (2m)	Cu.ft.	9.35	10.75	11.90
11-9		Extra for every additional 5 ft (1.5m) or part thereof for		245.00	281.75	11.80
		arch brick or tile masonry in plinth higher than 5ft (1.5m)	Cu.ft.	6.95	8.00	11.90
11-10		Providing and laying sundried clay bricks set in mud mortar including scaffolding in ground floor				11.7.2(i) 11.18
	a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m.	1,465.52		
			Cu.ft.	41.50	360.25	
	b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	1,650.00 46.75	7,344.66 208.00	
11-11		Providing and laying first class solid burnt brick				11.4.1
		masonry set in mud mortar including scaffolding,				11.7.2(i)
		raking out joints and curing in ground floor				11.7.4
	a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m.	2,292.65	15,399.76	
			Cu.ft.	64.95	436.15	
	b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m.	1,698.74	8,664.27	
			Cu.ft.	48.10	245.40	
11-12		Providing and laying first class solid burnt brick				11.4.1
	,	masonry including scaffolding, raking out joints and curing in ground floor superstructure				11.7.2(ii)
	,	Upto 4.5" (115 mm) nominal thick brick work Cement sand 1 : 2	Cu.m.	2,292.65	17,623.59	11.7.4
	,		Cu.ft.	64.95	499.10	
	ii)	Cement sand 1 : 3	Cu.m.	2,292.65	16,978.93	
			Cu.ft.	64.95	480.85	
i	iii)	Cement sand 1 : 4	Cu.m.	2,292.65	•	
			Cu.ft.	64.95	463.35	
	iv	Cement sand 1 : 5	Cu.m.	2,292.65	*	
			Cu.ft.	64.95	448.25	
ı	v)	Cement sand 1 : 6	Cu.m.	2,292.65	•	
			Cu.ft.	64.95	436.65	

Os N	December 1	112	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	
vi	Cement sand 1 : 7	Cu.m. Cu.ft.	2,292.65 64.95	14,990.88 424.55	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,292.65 64.95		
	Above 4.5" (115mm) nominal thick brickwork Cement sand 1:2	Cu.m. Cu.ft.	1,817.65 51.50	16,925.25 479.35	
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	1,817.65 51.50	16,181.68 458.25	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	1,817.65 51.50	15,434.86 437.10	
iv	Cement sand 1 : 5	Cu.m. Cu.ft.	1,817.65 51.50	14,847.30 420.50	
v)	Cement sand 1 : 6	Cu.m. Cu.ft.	1,817.65 51.50	14,308.42 405.20	
Vi	Cement sand 1 : 7	Cu.m. Cu.ft.	1,817.65 51.50	13,879.73 393.10	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	1,817.65 51.50	13,447.80 380.85	
11-13	Extra for providing and laying first class burnt brick masonry for arches of any kind of wall including scaffolding, formwork and its removal, raking out joints and curing in ground floor superstructures.				11.80
a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	334.80 9.50	3,034.87 85.95	
b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	293.30 8.30	2,766.90 78.35	
11-14	Extra for providing and laying first class tile masonry for arches of any kind of walls including scaffolding, formwork and its removal, raking out joints and curing in ground floor superstructures.				11.80 11.90
a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	4,093.30 115.90	6,864.31 169.80	

0			11. 1/	Rate	e (Rs.)	Ref. Tech.
Sr. No	ο.	Description	Unit	Labour	Composite	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	3,618.30 102.45	5,995.19 194.40	
11-15		Extra for masonry in pillars and columns in foundation				11.18
	a)	Rectangular or square shape	Cu.m. Cu.ft.	1,255.80 35.55	1,708.82 48.40	
	b)	Round shape	Cu.m. Cu.ft.	2,787.05 78.95	3,523.10 99.80	
11-16		Extra for masonry in pillars and cloumns in ground floor superstructure				11.7.4
	a)	Rectangular or square shape	Cu.m. Cu.ft.	1,343.00 38.05	2,546.10 72.10	
	b)	Round shape	Cu.m. Cu.ft.	2,596.72 73.55	5,034.00 142.55	
11-17		Extra for masonry of any description in steps.	Cu.m. Cu.ft.	805.46 22.80	805.46 22.80	11.17.4
11-18		Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured)		330.85 9.35	473.15 13.40	11.11
11-19		Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).				11.10
	- 1	Upto 4.5" (115 mm) nominal thick brick work Cement sand 1 : 2	Cu.m. Cu.ft.	1,436.70 40.70	13,610.95 385.45	
	ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	1,436.70 40.70	13,418.85 380.05	
	iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	1,436.70 40.70	13,225.85 374.55	
	iv	Cement sand 1 : 5	Cu.m. Cu.ft.	1,436.70 40.70	13,113.25 371.35	

0: N-	B. a. arindan	1124	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
v)	Cement sand 1 : 6	Cu.m.	1,436.70	13,032.80	
		Cu.ft.	40.70	369.10	
vi	Cement sand 1 : 7	Cu.m.	1,436.70	12,984.55	
		Cu.ft.	40.70	367.75	
vii	Cement sand 1:8	Cu.m.	1,436.70	12,936.30	
		Cu.ft.	40.70	366.35	
	Above 4.5" (115mm) nominal thick brickwork				
i)	Cement sand 1:2	Cu.m.	1,405.45	7,512.14	
		Cu.ft.	39.80	212.75	
li)	Cement sand 1 : 3	Cu.m.	1,405.45	7,145.58	
		Cu.ft.	39.80	202.35	
:::\	Compart aged 4 . 4	C	4 405 45	0.004.04	
"")	Cement sand 1 : 4	Cu.m. Cu.ft.	1,405.45 39.80	6,824.91 193.30	
	(*) [系统]	Cu.ii.	39.60	193.30	
iv	Cement sand 1:5	Cu.m.	1,405.45	6,543.17	
	ochicht sand 1.5	Cu.ft.	39.80	185.30	
	Z. C.	Ou.it.	00.00	100.00	
(v)	Cement sand 1:6	Cu.m.	1,405.45	6,240.03	
,		Cu.ft.	39.80	176.70	
vi	Cement sand 1 : 7	Cu.m.	1,405.45	6,025.34	
		Cu.ft.	39.80	170.65	
vii	Cement sand 1:8	Cu.m.	1,405.45	5,776.30	
		Cu.ft.	39.80	163.60	
11-20	Extra for providing and laying first class burnt brick				11.12
	masonry architrave of required shape of any kind of				
	walls including cutting bricks to required shape, scaffolding, raking out joints and curing in ground floor				
	superstructure.				
a)	Upto 9" (230 mm) nominal thick brick work	Cu.m.	1,888.90	4,620.45	
,		Cu.ft.	53.50	130.85	
b)	Above 13.5" (345 mm) nominal thick brick work	Cu.m.	1,058.09	2,763.63	
		Cu.ft.	29.95	78.25	
11-21	Extra for providing and laying first class burnt tile				11.80
	masonry architrave of required shape of any kind of				11.12
	walls including cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor				
	scandiding, taking out joints and curing in ground noor				

Cr. N.	_	Description	l lmi4	Rate	e (Rs.)	Ref. Tech.
Sr. No	0.	Description	Unit	Labour	Composite	Specs.
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	2,137.70 60.55	3,661.27 103.70	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,974.09 55.90	3,244.21 91.90	
11-22		Extra for providing and laying first class burnt brick masonry coping of required shape any kind of walls including cutting bricks to required shape, scaffolding, raking out joints and curing in ground floor superstructure.				11.17
	a)	Upto 9" (230 mm) nominal thick brick work	Cu.m. Cu.ft.	1,099.50 31.15	3,075.65 87.10	
	b)	Above 13.5" (345 mm) nominal thick brick work	Cu.m. Cu.ft.	1,010.56 28.60	2,600.65 73.65	
11-23		Extra for providing and laying first class burnt tile masonry coping of required shape any kind of walls including cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor superstructure.				11.17
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,855.00 52.55	8,220.83 232.80	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,730.63 49.00	7,512.00 212.75	
11-24	2)	Extra for providing and laying first class burnt brick masonry cornice, moulding, string course and drip course of required shape in any kind of walls including cutting of bricks to required shape, scaffolding, raking out joints and curing in ground floor superstructure Upto 9" (230 mm) nominal thick brick work		871.59	1,830.34	11.12
	a)	opto 9 (230 mm) norminal trick blick work	Cu.ft.	24.70	51.85	
	b)	Above 13.5" (345 mm) nominal thick brick work	Cu.m. Cu.ft.	777.79 22.05	1,711.13 48.45	
11-25	a)	Extra for providing and laying first class burnt tile masonry cornice, moulding, barges, string course and drip course of required shape in any kind of walls including cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor superstructure Upto 9" (230 mm) nominal thick tile masonry		1,855.00	6,011.89	11.17
			Cu.ft.	52.55	170.25	

Sr. N	_	Description	Unit	Rate	e (Rs.)	Ref. Tech.
or. IN	υ.	Description	Unit	Labour	Composite	Specs.
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,225.95 34.70	4,971.69 140.80	
11-26	a)	Extra for brick masonry in first floor	Cu.m. Cu.ft.	650.65 18.45	670.15 19.00	11.17
	b)	Extra for brick or tile masonry in every additional floor over first floor.		392.95	404.75	
			Cu.ft.	11.15	11.45	
11-27	a)	Extra for brick or tile masonry arches in first floor.	Cu.m. Cu.ft.	819.40 23.20	937.35 26.55	11.17
	b)	Extra for brick or tile masonry in every additional floor		561.70	642.60	11.17
			Cu.ft.	15.90	18.20	
11-28	a)	Extra for honey comb masonry in first floor	Cu.m. Cu.ft.	481.90 13.65	496.35 14.05	11.10
	b)	Extra for honey comb masonry in every additional floor over first floor		392.95	404.75	
11-29		Providing and laying first class brick masonry in steining of walls including scaffolding and curing upto 10 ft (3 m) depth.		11.15	11.45	11.70
	,	Upto 13.5" (345 mm) nominal thick brick masonry Cement sand 1 : 2	Cu.m. Cu.ft.	2,373.90 67.25	13,514.42 382.75	
	ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	2,373.90 67.25	13,018.50 368.70	
	iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	2,373.90 67.25	12,606.95 357.05	
	iv	Cement sand 1 : 5	Cu.m. Cu.ft.	2,373.90 67.25	12,156.03 344.25	
	v)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,373.90 67.25	11,708.52 331.60	
	vi	Cement sand 1 : 7	Cu.m. Cu.ft.	2,373.90 67.25	11,705.77 331.50	
	vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,373.90 67.25	11,375.43 322.15	

0. 1:	.		Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	
b)	Above 13.5" (345 mm) nominal thick brick masonry				
i)	Cement sand 1 : 2	Cu.m.	1,811.40	12,257.03	
		Cu.ft.	51.30	347.15	
ii)	Cement sand 1 : 3	Cu.m.	1,811.40	11,900.41	
,		Cu.ft.	51.30	337.05	
iii)	Cement sand 1 : 4	Cu.m.	1,811.40	11,603.52	
,		Cu.ft.	51.30	328.60	
iv	Cement sand 1 : 5	Cu.m.	1,811.40	11,430.31	
		Cu.ft.	51.30	323.70	
v)	Cement sand 1 : 6	Cu.m.	1,811.40	11,306.59	
		Cu.ft.	51.30	320.20	
vi	Cement sand 1:7	Cu.m.	1,811.40	11,232.38	
	The second secon	Cu.ft.	51.30	318.10	
vii	Cement sand 1 : 8	Cu.m.	1,811.40	11,158.14	
	Cement sand 1:8	Cu.ft.	51.30	316.00	
c)	Extra for every additional 5 ft (1.5 m) depth or part	Cu.m.	301.25	310.30	
,	thereof for brick masonry in steining of walls.	Cu.ft.	8.55	8.80	
11-30	Providing and laying first class burnt brick masonry cavity walls bonded with wall ties of approved design at required horizontal and vertical spacings including				11.14
	scaffolding, raking out joints and curing in ground floor				
	superstructure but excluding the cost of wall ties (No deduction will be made from the measurement for cavity in the wall).				
a)	2" to 3" (50 mm to 75 mm) nominal cavity and 4.5" (115 mm) wall width on either side.				
i)	Cement sand 1 : 2	Cu.m. Cu.ft.	2,885.95 81.75	15,652.55 443.30	
l ii)	Cement sand 1 : 3	Cu.m.	2,885.95	15,362.60	
,	Comon cana 1.0	Cu.ft.	81.75	435.10	
iii)	Cement sand 1 : 4	Cu.m.	2,885.95	15,071.20	
		Cu.ft.	81.75	426.85	
iv	Cement sand 1 : 5	Cu.m.	2,885.95	14,901.20	
		Cu.ft.	81.75	422.00	

Cr N-	Description	1164	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
v)	Cement sand 1:6	Cu.m.	2,885.95	14,779.75	
		Cu.ft.	81.75	418.55	
vi	Cement sand 1 : 7	Cu.m.	2,885.95	14,706.90	
••		Cu.ft.	81.75	416.50	
		Guiti	01170	110.00	
vii	Cement sand 1 : 8	Cu.m.	2,885.95	14,634.05	
		Cu.ft.	81.75	414.45	
b)	2" to 3" (50 mm to 75 mm) nominal cavity and 4.5" (115 mm) wall width on one side and 9" (230 mm) wall				
	width on the other side.			40 -04	
i)	Cement sand 1 : 2	Cu.m.	3,060.95	16,794.75	
		Cu.ft.	86.70	475.65	
ii)	Cement sand 1:3	Cu.m.	3,060.95	16,437.00	
,	(*) march	Cu.ft.	86.70	465.50	
iii)	Cement sand 1:4	Cu.m.	3,060.95	16,077.40	
,	(S.)	Cu.ft.	86.70	455.30	
	E. Julie				
iv	Cement sand 1:5	Cu.m.	3,060.95	15,867.60	
	The state of the s	Cu.ft.	86.70	449.40	
	Compant agend 4 + C	Cm	2.000.05	45 747 00	
(v)	Cement sand 1 : 6	Cu.m. Cu.ft.	3,060.95 86.70	15,717.80	
		Cu.it.	00.70	445.15	
vi	Cement sand 1 : 7	Cu.m.	3,060.95	15,627.90	
		Cu.ft.	86.70	442.60	
vii	Cement sand 1 : 8	Cu.m.	3,060.95	15,538.00	
		Cu.ft.	86.70	440.05	
c)	2" to 3" (50 mm to 75 mm) nominal cavity and 9" (230 mm) wall width on either side.				
i)	Cement sand 1 : 2	Cu.m.	2,735.95	17,098.70	
"	Comment dana 1 . 2	Cu.ft.	77.50	484.25	
		Ou.it.	77.00	10 1.20	
ii)	Cement sand 1:3	Cu.m.	2,735.95	16,583.20	
ĺ		Cu.ft.	77.50	469.65	
iii)	Cement sand 1 : 4	Cu.m.	2,735.95	16,065.15	
		Cu.ft.	77.50	454.95	
	0		0.705.05	45 700 05	
Ìν	Cement sand 1 : 5	Cu.m.	2,735.95		
		Cu.ft.	77.50	446.40	

Cr N-	Description	1154	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
v)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,735.95 77.50	15,547.05 440.30	
vi	Cement sand 1 : 7	Cu.m. Cu.ft.	2,735.95 77.50	15,417.55 436.65	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,735.95 77.50	15,288.05 432.95	
d)	2" to 3" (50mm to 75mm) nominal cavity and 4.5" (115mm) wall width on one side and 13.5" (345mm) wall width on other side.				
i)	Cement sand 1 : 2	Cu.m. Cu.ft.	2,973.45 84.20	17,226.65 487.85	
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	2,973.45 84.20	16,832.70 476.70	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	2,973.45 84.20	16,436.75 465.50	
 iv 	Cement sand 1 : 5	Cu.m. Cu.ft.	2,973.45 84.20	16,205.80 458.95	
v)	Cement sand 1 : 6	Cu.m.	2,973.45 84.20		
vi	Cement sand 1 : 7	Cu.m.	2,973.45	15,941.85	
		Cu.ft.	84.20	451.50	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,973.45 84.20	15,842.85 448.70	
e)	Extra for brick masonry in cavity walls in first floor	Cu.m. Cu.ft.	737.95 20.90	745.35 21.10	
f)	Extra for brick masonry in cavity walls in every additional floor above first floor	Cu.m. Cu.ft.	471.10 13.35	475.80 13.45	
11-31	Providing and laying first class hollow burnt brick masonry in walls including scaffolding, raking out joints and curing in ground floor superstructure.				11.70 11.10
· · · · · · · · · · · · · · · · · · ·	Upto 4.5" (115 mm) nominal thick brick work Cement sand 1 : 2	Cu.m. Cu.ft.	2,379.40 67.40	19,861.50 562.50	

Cr. N.	Description	1114	Rate	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	
ii)	Cement sand 1 : 3	Cu.m.	2,379.40		
		Cu.ft.	67.40	512.50	
(iii	Cement sand 1 : 4	Cu.m.	2,379.40	17,916.90	
,		Cu.ft.	67.40	507.40	
			01110		
iv	Cement sand 1 : 5	Cu.m.	2,379.40	17,812.75	
		Cu.ft.	67.40	504.45	
v)	Cement sand 1 : 6	Cu.m.	2,379.40	17,738.30	
·	Cernent sand 1.0	Cu.ft.	67.40	502.35	
		Ou.it.	07.40	002.00	
vi	Cement sand 1:7	Cu.m.	2,379.40	17,693.65	
		Cu.ft.	67.40	501.10	
			0.070.40	47.040.00	
VII	Cement sand 1 : 8	Cu.m.			
	(*) 22 (2)	Cu.ft.	67.40	499.85	
b)	Above 4.5" (115mm) nominal thick brickwork				
	Cement sand 1 : 2	Cu.m.	2,241.05	19,258.30	
-/		Cu.ft.	63.45	545.40	
	ERO JAMMU & KASHNIC				
ii)	Cement sand 1:3	Cu.m.	2,241.05	17,855.65	
		Cu.ft.	63.45	505.70	
l ;;;\	Cement sand 1 : 4	Cu.m.	2,241.05	17,584.50	
111)	Cernent Sand 1 . 4	Cu.ft.	63.45	498.00	
		Ou.it.	00.40	430.00	
iv	Cement sand 1 : 5	Cu.m.	2,241.05	17,426.35	
		Cu.ft.	63.45	493.50	
	Company count 4 + C	0	0.044.05	47.040.40	
V)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,241.05 63.45	17,313.40 490.35	
		Cu.it.	03.43	490.33	
vi	Cement sand 1 : 7	Cu.m.	2,241.05	17,245.60	
		Cu.ft.	63.45	488.40	
vii	Cement sand 1:8	Cu.m.	2,241.05		
		Cu.ft.	63.45	486.50	
11-32	Providing and laying first class perforated brick				11.10
1102	in tortaing and laying mot diabs periorated blick				
a)	Upto 4.5" (115 mm) nominal thick brick work				
-	Cement sand 1 : 2	Cu.m.	2,735.42	18,942.75	
,		Cu.ft.	77.45	536.45	

Sr. No.	Description Unit Rate (Rs.)		e (Rs.)	Ref. Tech.	
31. NO.	Description	Onit	Labour	Composite	Specs.
li)	Cement sand 1 : 3	Cu.m.	2,735.42	· ·	
		Cu.ft.	77.45	514.00	
:::\	Coment and 1 . 4	Cum	2,735.42	17 074 05	
"")	Cement sand 1 : 4	Cu.m. Cu.ft.	77.45	17,874.05 506.20	
		Cu.it.	77.43	300.20	
iv	Cement sand 1 : 5	Cu.m.	2,735.42	17,713.55	
		Cu.ft.	77.45	501.65	
		o a.i.t.	777.10	001100	
V)	Cement sand 1:6	Cu.m.	2,735.42	17,598.90	
ĺ		Cu.ft.	77.45	498.40	
vi	Cement sand 1:7	Cu.m.	2,735.42	17,530.10	
		Cu.ft.	77.45	496.45	
vii	Cement sand 1:8	Cu.m.	*	· ·	
		Cu.ft.	77.45	494.50	
	AL				
	Above 4.5" (115mm) nominal thick brickwork	O	0.570.00	40 440 55	
1)	Cement sand 1:2	Cu.m. Cu.ft.	2,576.80	18,443.55 522.35	
	WIND 8 10	Cu.it.	73.00	322.33	
l ii)	Cement sand 1 : 3	Cu.m.	2,576.80	17,727.75	
,		Cu.ft.	73.00	502.05	
iii)	Cement sand 1:4	Cu.m.	2,576.80	17,332.10	
		Cu.ft.	73.00	490.85	
			0.550.00	1= 101.00	
IV	Cement sand 1 : 5	Cu.m.	2,576.80	17,101.30 484.30	
		Cu.ft.	73.00	404.30	
\/\	Cement sand 1 : 6	Cu.m.	2,576.80	16,936.40	
		Cu.ft.	73.00	479.65	
vi	Cement sand 1:7	Cu.m.	2,576.80	16,837.50	
		Cu.ft.	73.00	476.85	
vii	Cement sand 1 : 8	Cu.m.	2,576.80	16,738.60	
		Cu.ft.	73.00	474.05	
	E to for hells and sorte to the to		050.05	070.45	
11-33 a)	Extra for hollow and perforated brick masonry in first floor	Cu.m.	650.65	670.15	
	liooi	Cu.ft.	18.45	19.00	
b)	Extra for hollow and perforated brick masonry in every		392.95	404.75	
	additional floor over first floor.	Cu.ft.	11.15	11.45	

Cr No	Description	l lmi4	Rate (Rs.)		Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
11-34	Providing and laying fabric steel reinforcement 1" (25	Kg.	22.05	167.90	11.15
11 04	mm) wire mesh weighing not less than 2 kg/sq.m.	Lb.	10.00	76.15	
	including cutting to required shape and size, overlaps,	Lo.	10.00	70.10	
	wastage etc. the reinforcement shall be embeded in				
	every third horizontal course in basement, plinth and				
11-35	ground floor. Providing and laying mild steel reinforcement bars in	Ton	9,854.70	99,069.95	11.15
	brick work including straightening, removing rust,		0,001110	00,000.00	
	cutting, bending, wastage, overlaps, placing in				
	position, tying with binding wire (cost of binding wire				
	included) in basement, plinth and ground floor.				
11-36	Providing and laying hoop iron reinforcement in brick	Kg.	28.55	152.80	11.15
	work including straightening, cutting, punching,	Lb.	12.95	69.30	
	overlaps, wastage and placing in position including anti-corrosive bitumastic paint two coats in basement,				
	plinth and ground floor.				
11-37	Flat iron wall ties size 8" x 3/4" x 1/4" (200 mm x 20	Kg.	32.50	152.95	11.14.3
	mm x 5 mm) weighing 39.25 kg per sq.m or 200 mm x	Lb.	14.75	69.40	
	20 mm x 4 mm weighing 31.4 kg./ Sq.m.				
11-38	Providing and placing mild steel reinforcement bars in				11.15
11 00	steining of brick work in wells. Vertical bars are to be		1,695.55	92,259.50	
	placed in two staggered rows and at 10" (250mm)			,	
	centered in each row including straightening,				
	removing of rust, cutting, bending, binding, wastage, overlaps, placing in position and tying with binding				
	wire unto 5ft (1.5m) denth or part thereof				
11-39	Providing and placing hoop iron in steining of brick	Kg.	32.15	156.40	11.15
	work in wells including cutting, straightening, bending,	Lb.	14.60	70.95	
	wastage, overlaps and placing in position upto 5 ft.(1.5				
	m) depth or part thereof.				
11-40 a)	Extra for mild steel bars or hoop iron reinforcement in	Kg.	5.70	6.15	11.15
,	first floor.	3			
		Lb.	2.60	2.80	
h)	Providing and placing hoop iron in steining of brick	Kg.	3.45	3.75	
5)	work in wells including cutting, straightening, bending,	Lb.	1.55	1.70	
	wastage, overlaps and placing in position upto 5 ft.(1.5				
	m) depth or part thereof.				
11-41	Extra for mild steel or hoop iron reinforcement in	Kg.	6.30	6.75	11.15
	steining of brickwork in wells for every additional 5 ft	_	2.85	3.05	
	(1.5m) depth or part thereof beyond 5ft (1.5m) depth.				
11-42	Providing and laying fire brick lining in walls for fire				11.19
11342	places laid in mortar of high alumina cement and fine				11.10
	aggregate of crushed fire brick 1:2 including				
	scaffolding in basement, plinth and ground floor				

Sr. No.		Description	Unit	Rate (Rs.)		Ref. Tech.
		Description	Unit	Labour	Composite	Specs.
	a)	4.5" (115 mm) nominal thick fire brick lining in walls of	Cu.m.	4,230.15	20,298.60	
	,	fire places.	Cu.ft.	119.80	574.85	
	,	9" (230 mm) nominal thick fire brick lining in walls of fire places.	Cu.m.	3,636.40	14,341.40	
		me places.	Cu.ft.	103.00	406.15	
11-43		Providing and laying fire brick lining in arches for fire places laid in mortar of high alumina cement and fine aggregate of crushed fire brick 1:2 including scaffolding in basement, plinth and ground floor				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in arches	Cu.m.	4,823.45	24,215.45	
		of fire places.	Cu.ft.	136.60	685.80	
		9" (230 mm) nominal thick fire brick lining in arches of fire places.	Cu.m.	4,229.70	23,750.15	
		Z TO STATE OF THE PARTY OF THE	Cu.ft.	119.80	672.60	
11-44		Providing and laying fire brick lining in walls for fire places laid in vitrified fire clay mortar including scaffolding in basement, plinth and ground floor.				11.19
	,	4.5" (115 mm) nominal thick fire brick lining in walls of fire places.	Cu.m.	4,230.15	20,694.95	
			Cu.ft.	119.80	586.10	
	,	9" (230 mm) nominal thick fire brick lining in walls of	Cu.m.	3,636.40	20,054.55	
		fire places.	Cu.ft.	103.00	567.95	
11-45		Providing and laying fire brick lining in arches for fire places with vitrified fire clay mortar including scaffolding, formwork and its removal in basement, plinth & ground floor.				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in arches of fire places.	Cu.m. Cu.ft.	4,823.45 136.60	22,051.20 624.50	
	,	9" (230 mm) nominal thick fire brick lining in arches of	Cu.m.	4,229.70	21,342.10	
		fire places.	Cu.ft.	119.80	604.40	

Cr. Na	_	Description	Unit	Rate	e (Rs.)	Ref. Tech.
Sr. No). 	Description	Unit	Labour	Composite	Specs.
11 16	٥)	Extra for first floor over item 11-42 to 11-45	Cu.m.	650.65	670.15	
11-46	a)	Extra for first floor over item 11-42 to 11-45	Cu.ft.	18.45	19.00	
			Ou.it.	10.40	15.00	
	b)	Extra for every additional floor above first floor over	Cu.m.	392.95	404.75	
		item 11-46(a)	.			
			Cu.ft.	11.15	11.45	
11-47		Providing and laying reinforced first class burnt bricks set in cement sand mortar 1:3 in lintel including scaffolding, fromwork and its removal, curing but excluding the cost of reinforcement in basement, plinth and ground floor.	Cu.ft.	2,671.90 75.65	19,830.85 561.60	11.70
11-48		Providing and laying reinforced first class burnt bricks with cement concrete in ribs and on top using screened graded shingle/bajri 3/4" and down gauge, mix not leaner than 1:2:4 including formwork and its removal, compacting, curing but excluding the cost of reinforcement in basement and ground floor.				
	a)	R.B. Slab 4.5" nominal thick including 1.5" thick R.C.C. ribs and 1.5" thick cover on top.	Cu.m. Cu.ft.	3,846.90 108.95	16,129.20 456.80	
	b)	R.B. Slab 6" nominal thick including 1.5" (38mm) thick	Cu.m.	2,671.90	14,286.45	
		R.C.C. ribs and 1.5" thick cover on top.	Cu.ft.	75.65	404.60	
	c)	R.B. Slab 8" nominal thick including 2" thick R.C. ribs, 1.5" thick cover on top and 4 brick panel laid in cement sand mortar 1:3	Cu.m. Cu.ft.	2,421.90 68.60	13,383.17 379.00	
11-49		Providing and laying reinforced first class burnt bricks set in cement sand mortar 1:3 in cantilever slab, sun shade etc. including formwork and its removal curing but excluding the cost of reinforcement in basement and ground floor.				11.70
	a)	3" nominal thick cantilever slab and sun shade etc.	Cu.m. Cu.ft.	3,367.31 95.35	23,956.69 678.45	
	b)	4.5" (115mm) nominal thick cantilever slab and sun shade etc.	Cu.m.	2,834.20	21,074.95	
			Cu.ft.	80.25	596.85	
11-50		Providing and laying reinforced first class burnt bricks set in cement sand mortar 1:3 in stair case waist slab and landing of required section including scaffolding and formwork and its removal, curing but excluding the cost of reinforcement in basement and ground	Cu.m.	3,877.71	24,055.60	11.70

Sr. No. Description Cu.ft. Labour Composite Specs.	0:- 11:-	B	1124	Rate	e (Rs.)	Ref. Tech.
11-51 a) Extra for R.B. masonry for first floor. Cu.m. 317.95 409.38 Cu.ft. 9.00 11.60	Sr. No.	Description	Unit		` '	
11-51 a) Extra for R.B. masonry for first floor. Cu.m. 317.95 409.38 11.60						
b) Extra for every additional floor above first floor over item 11-46(a) b) Extra for every additional floor above first floor over item 11-46(a) Cu.m. 317.95 327.50 Cu.ft. 9.00 9.25 11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 Cu.ft. 14.65 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. 749.20 771.70 Cu.ft. 11.40 11.75 Cu.m. 749.20 771.70 Cu.ft. 21.20 21.85 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying shilati brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80			Cu.ft.	109.80	681.25	
b) Extra for every additional floor above first floor over item 11-46(a) b) Extra for every additional floor above first floor over item 11-46(a) Cu.m. 317.95 327.50 Cu.ft. 9.00 9.25 11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 Cu.ft. 14.65 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. 749.20 771.70 Cu.ft. 11.40 11.75 Cu.m. 749.20 771.70 Cu.ft. 21.20 21.85 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying shilati brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80						
b) Extra for every additional floor above first floor over item 11-46(a) b) Extra for every additional floor above first floor over item 11-46(a) Cu.m. 317.95 327.50 Cu.ft. 9.00 9.25 11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 Cu.ft. 14.65 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. 749.20 771.70 Cu.ft. 11.40 11.75 Cu.m. 749.20 771.70 Cu.ft. 21.20 21.85 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying shilati brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80						
b) Extra for every additional floor above first floor over item 11-46(a) b) Extra for every additional floor above first floor over item 11-46(a) Cu.m. 317.95 327.50 Cu.ft. 9.00 9.25 11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 Cu.ft. 14.65 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. 749.20 771.70 Cu.ft. 11.40 11.75 Cu.m. 749.20 771.70 Cu.ft. 21.20 21.85 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying shilati brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80						
b) Extra for every additional floor above first floor over learn 11-46(a) Extra labour for profile and flared out walls. Cu.m. 517.95	11-51 a)	Extra for R.B. masonry for first floor.				
Item 11-46(a) Cu.ft. 9.00 9.25			Cu.π.	9.00	11.60	
11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.ft. 11.40 11.75 b) Above 20 ft (6 m) height Cu.m. Cu.ft. 11.40 11.75 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 1,740.10 12,077.20 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	b)		Cu.m.	317.95	327.50	
11-52 Extra labour for profile and flared out walls. Cu.m. 517.95 533.50 15.10 11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.ft. 11.40 11.75 b) Above 20 ft (6 m) height Cu.m. Cu.ft. 11.40 11.75 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 1,740.10 12,077.20 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75			Cu.ft.	9.00	9.25	
11-53 Extra labour for pucca brick work in piers and a Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. 402.35 414.40 11.75						
11-53 Extra labour for pucca brick work in piers and a) Above 10 ft to 20 ft (3 m to 6 m) height Cu.m. Cu.m. 11.40 11.75 b) Above 20 ft (6 m) height Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-54 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-55 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	11-52	Extra labour for profile and flared out walls.	Cu.m.	517.95	533.50	
a) Above 10 ft to 20 ft (3 m to 6 m) height b) Above 20 ft (6 m) height Cu.m. Cu.m. Cu.m. Cu.m. 749.20 771.70 Cu.ft. 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 78 Nos. All other purposes 79 Nos. 414.40 11.75 Cu.m. Cu.m. Cu.ft. 749.20 Cu.ft. 3.60 3.95 140.25 3.95 140.25 3.95 11-55 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 D) Walls in superstructure Cu.m. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. Cu.m. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 14.80			Cu.ft.	14.65	15.10	
a) Above 10 ft to 20 ft (3 m to 6 m) height b) Above 20 ft (6 m) height Cu.m. Cu.m. Cu.m. Cu.m. 749.20 771.70 Cu.ft. 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 78 Nos. All other purposes 79 Nos. 414.40 11.75 Cu.m. Cu.m. Cu.ft. 749.20 Cu.ft. 3.60 3.95 140.25 3.95 140.25 3.95 11-55 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 D) Walls in superstructure Cu.m. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. Cu.m. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 14.80						
b) Above 20 ft (6 m) height	11-53	Extra labour for pucca brick work in piers and				
b) Above 20 ft (6 m) height	3)	Above 10 ft to 20 ft (3 m to 6 m) beight	Cum	402 35	414.40	
b) Above 20 ft (6 m) height Cu.m. Cu.ft. Cu.ft. Cu.m. Cu.ft. 11-54 Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	(a)	Above 10 it to 20 it (3 iii to 0 iii) fleight				
Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75		M	0 4.11.11			
Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. Cu.ft. 19.80 14.80 11-58 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75	b)	Above 20 ft (6 m) height	Cu.m.	749.20	771.70	
Extra to face work 4.5" (115 mm) nominal thick using special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. Cu.ft. 19.80 14.80 11-58 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75	ĺ	E CHINE		21.20	21.85	
special bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 20.49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75		AMMU & KAS				
proper ancharage,arrangment as directed by Enigneer incharge. 11-55 Extra for dressing or chamfering bricks. a) Special architectural bricks b) All other purposes Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	11-54	, ,				
incharge. Extra for dressing or chamfering bricks. a) Special architectural bricks		· ·		3.60	3.95	
Extra for dressing or chamfering bricks. a) Special architectural bricks						
a) Special architectural bricks % Nos. 862.50 862.50 b) All other purposes % Nos. 431.25 431.25 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75		3				
b) All other purposes % Nos. 431.25 431.25 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	11-55	Extra for dressing or chamfering bricks.				
b) All other purposes % Nos. 431.25 431.25 11-56 Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75						
Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	a)	Special architectural bricks	% Nos.	862.50	862.50	
Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 Cu.ft. 49.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 Cu.ft. 51.95 344.70 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	L.	All other management	0/ NI==	404.05	404.05	
nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 249.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75 11.20	(D)	All other purposes	% NOS.	431.25	431.25	
nominal thick including scaffolding and raking out joints with 1:5 mortar a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 249.30 342.05 b) Walls in superstructure Cu.m. 1,833.85 Cu.ft. 51.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 668.75 16,918.75 11.20	11-56	Providing and laving ghilafi brick work 13.5" (345mm)				
a) Foundation, basement and plinth Cu.m. 1,740.10 12,077.20 342.05 b) Walls in superstructure Cu.m. 1,833.85 12,170.95 344.70 11-57 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 700.00 15,835.70 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75		, , ,				11.20
Cu.ft. 49.30 342.05 Walls in superstructure						
b) Walls in superstructure Cu.m. 1,833.85 Cu.ft. 51.95 344.70 Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.m. 700.00 15,835.70 Cu.ft. 19.80 448.50 14.80 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	a)	Foundation, basement and plinth	Cu.m.	1,740.10	12,077.20	
Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.ft. 51.95 344.70 Cu.m. 700.00 15,835.70 448.50 14.80 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75			Cu.ft.	49.30	342.05	
Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Cu.ft. 51.95 344.70 Cu.m. 700.00 15,835.70 448.50 14.80 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75						
Providing and laying first class burnt bricks flooring or pitching dry bricks laid flat. Providing pise wall (mud walling) in superstructure. Cu.m. 700.00 15,835.70 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	b)	Walls in superstructure				
pitching dry bricks laid flat. Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75			Cu.ft.	51.95	344.70	
pitching dry bricks laid flat. Cu.ft. 19.80 448.50 14.80 11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	11.57	Providing and laving first class burnt bricks flooring or	C	700.00	15 925 70	
11-58 Providing pise wall (mud walling) in superstructure. Cu.m. 668.75 16,918.75	11237	• • •			· ·	14.80
			Ju.it.	10.00		
	11-58	Providing pise wall (mud walling) in superstructure.	Cu.m.	668.75	16,918.75	
		3, , , , , , , , , , , , , , , , , , ,				11.7.2(A)

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech.	
31. NO.	Description	Offic	Labour	Composite	Specs.	
11-59	Стеантну риску изгланией потт каспа расса	% Nos.	315.00	315.00		
11-60	Scraping bricks dismantled from pacca masonry.	% Nos.	607.50	607.50	4.10	
					4.10	
11-61	Supplying and filling sand under floor or plugging in wells.with lead upto 800 ft (250m)	Cu.m. Cu.ft.	358.93 10.15	1,281.88 36.30	3.8.5	
11-62	Chamiening sides of nead regulators to increase	Cu.m.	831.25	1,204.71		
11-02	width	Cu.ft.	23.55	34.10		
11-63	Replacing Kallar eaten bricks	Each	47.50	85.55		
11-64	Repairing corners of bridges and other hydraulic masonry works.	Each	475.00	1,236.25		
11-65	Extra labour for drains of bath rooms etc.	R.M. R.ft.	118.75 36.20	118.75 36.20		
11-66	Extra work for Marrow corners.	Each	237.50	287.50	11.7.4.4 (c)	
11-67	Extra for first class burnt solid or hollow block or tile	Cu.m.	80.20	94.60	()	
	masonry of any description in any floor or other than building for every 1.50 m. height or part thereof beyond 4.5m.	Cu.ft.	2.25	2.70	11.70	
11-68	Extra for reinforcement in brick work of any description for every 5 ft 1.5m height or part thereof beyond 15 ft or 4.5m.		1,710.00 1,737.45	1,744.20 1,772.20	5.40	