

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
a.	1st Km	Km		146.6	
b.	2nd Km	Km		146.6	
c.	3rd Km	Km		106.0	
d.	4th Km	Km		84.2	
e.	5th Km	Km		70.5	
f.	6th Km	Km		61.1	
g.	7th Km	Km		54.2	
h.	8th Km	Km		48.9	
i.	9th Km	Km		44.7	
j.	10th Km	Km		41.3	
k.	11th Kms to 200Kms	Km		12.7	
l.	201 Kms to 250 Kms	Km		11.2	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.				1.1
a.	1st Km	Km		105.7	
b.	2nd Km	Km		105.3	
c.	3rd Km	Km		78.2	
d.	4th Km	Km		63.6	
e.	5th Km	Km		54.3	
f.	6th Km	Km		47.8	
g.	7th Km	Km		43.1	
h.	8th Km	Km		39.4	
i.	9th Km	Km		36.5	
j.	10th Km	Km		34.1	
k.	11th Kms to 200Kms	Km		14.3	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	I. 201 Kms to 250 Kms	Km	13.3		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km	51.1			
	b. 2nd Km	Km	50.6			
	c. 3rd Km	Km	36.0			
	d. 4th Km	Km	29.3			
	e. 5th Km	Km	25.5			
	f. 6th Km	Km	23.0			
	g. 7th Km	Km	21.3			
	h. 8th Km	Km	19.9			
	i. 9th Km	Km	18.9			
	j. 10th Km	Km	18.0			
	k. 11th to 200 Kms	Km	12.1			
M. 251 Kms & subsequent Kms						
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km	55.2		1.1	
	b. 2nd Km	Km	55.0			
	c. 3rd Km	Km	35.3			
	d. 4th Km	Km	26.9			
	e. 5th Km	Km	22.4			
	f. 6th Km	Km	19.6			
	g. 7th Km	Km	17.7			
	h. 8th Km	Km	16.3			
	i. 9th Km	Km	15.2			
	j. 10th Km	Km	14.4			
	k. 11th & subsequent Kms	Km	9.1			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	231.1		
b.	2nd Km	Km	134.0		
c.	3rd Km	Km	96.4		
d.	4th Km	Km	76.3		
e.	5th Km	Km	63.7		
f.	6th Km	Km	55.1		
g.	7th Km	Km	48.8		
h.	8th Km	Km	44.1		
i.	9th Km	Km	40.3		
j.	10th Km	Km	37.3		
k.	11th Kms to 200Kms	Km	11.5		
l.	201 Kms to 250 Kms	Km	10.1		
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	150.1		
b.	2nd Km	Km	89.5		
c.	3rd Km	Km	65.9		
d.	4th Km	Km	53.3		
e.	5th Km	Km	45.3		
f.	6th Km	Km	39.9		
g.	7th Km	Km	35.9		
h.	8th Km	Km	32.9		
i.	9th Km	Km	30.5		
j.	10th Km	Km	28.6		
k.	11th Kms to 200Kms	Km	12.2		
l.	201 Kms to 250 Kms	Km	11.3		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
7	Carriage of 100 maunds of fuel wood, by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	544.2	
	b. 2nd Km	Km	308.3	
	c. 3rd Km	Km	217.0	
	d. 4th Km	Km	168.4	
	e. 5th Km	Km	138.0	
	f. 6th Km	Km	117.4	
	g. 7th Km	Km	102.3	
	h. 8th Km	Km	91.0	
	i. 9th Km	Km	91.0	
	j. 10th Km	Km	74.7	
	k. 11th & subsequent Kms	Km	13.2	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	546.5	
	b. 2nd Km	Km	310.1	
	c. 3rd Km	Km	218.7	
	d. 4th Km	Km	169.9	
	e. 5th Km	Km	139.5	
	f. 6th Km	Km	118.8	
	g. 7th Km	Km	103.7	
	h. 8th Km	Km	92.3	
	i. 9th Km	Km	83.2	
	j. 10th Km	Km	76.0	
	k. 11th & subsequent Kms	Km	14.2	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	544.2	
b.	2nd Km	Km	308.3	
c.	3rd Km	Km	217.0	
d.	4th Km	Km	168.4	
e.	5th Km	Km	138.0	
f.	6th Km	Km	117.4	
g.	7th Km	Km	102.3	
h.	8th Km	Km	91.0	
i.	9th Km	Km	82.0	
j.	10th Km	Km	74.7	
k.	11th & subsequent Kms	Km	13.2	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	272.1	
b.	2nd Km	Km	154.1	
c.	3rd Km	Km	108.5	
d.	4th Km	Km	84.2	
e.	5th Km	Km	69.0	
f.	6th Km	Km	58.7	
g.	7th Km	Km	51.2	
h.	8th Km	Km	45.5	
i.	9th Km	Km	41.0	
j.	10th Km	Km	37.4	
k.	11th & subsequent Kms	Km	6.6	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	330.9	
b.	2nd Km	Km	331.6	
c.	3rd Km	Km	236.0	
d.	4th Km and subsequent kilometers.	Km	184.8	
12	Carriage of 100 Nos. empty cement bags including bundling.			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
13	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	6.4	1.1
	b. 2nd Km	Km	3.6	
	c. 3rd Km	Km	2.5	
	d. 4th Km & subsequent Kms	Km	1.9	
	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			
	a. 1st Km	Km	231.1	
	b. 2nd Km	Km	134.0	
	c. 3rd Km	Km	96.4	
	d. 4th Km	Km	76.3	
	e. 5th Km	Km	63.7	
	f. 6th Km	Km	55.1	
	g. 7th Km	Km	48.8	
h. 8th Km	Km	44.1		
i. 9th Km	Km	40.3		
j. 10th Km	Km	37.3		
k. 11th Km & subsequent	Km	11.5		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre)			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	90.1	
	b. 2nd Km	Km	53.7	
	c. 3rd Km	Km	39.6	
	d. 4th Km	Km	32.0	
	e. 5th Km	Km	27.2	
	f. 6th Km	Km	24.0	
	g. 7th Km	Km	21.6	
	h. 8th Km	Km	19.7	
	i. 9th Km	Km	18.3	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	j. 10th Km	Km	17.1		
	k. 11th Km & subsequent	Km	7.3		
15	Cooly load for distance:-			1.1	
	a. Upto 1000 ft. (300 metre)		135.4		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6		
	c. 1st Km	Km	92.4		
	d. 2nd Km	Km	79.7		
	e. 3rd Km & subsequent		63.5		
16	Carriage of small consignments weighing upto 2.5 maunds (job rates) :			1.1	
	(i) Carriage of consignments odd jobs.				
	(a) Donkey load for distance upto 500 feet.	Each	37.9		
	(b) Upto 1000 feet	Each	26.5		
	(c) Upto ½ Mile/ 0.8 Km	Each	17.8		
	(d) Upto one Mile/ 1.6 Km	Each	14.0		
	(e) Upto three Miles/ 4.8 Km	Each	11.1		
	(f) Exceeding 3 Miles/ 16 km	Each	9.6		
	(ii) Cart load for a distance :-				
	(a) upto 4 Miles/ 6.4 Km	Each	12.5		
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each	12.0		
17	Hire charges of:-			1.1	
	(i) truck (10 Ton Capacity)	Per Hour	649.0		
	(ii) tractor with trolley	Per Hour	360.6		
	(iii) tractor without trolley	Per Hour	240.4		
18	Carriage of bitumen, tar or other lubricants, in drums:			1.1	
	a. 1st Km	ton	90.2		
	b. 2nd Km	ton	90.5		
	c. 3rd & subsequent Km	ton	64.1		
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km	94.1		
b.	2nd Km	Km	94.4		
c.	3rd Km	Km	66.5		
d.	4th Km	Km	51.7		
e.	5th Km	Km	42.4		
f.	6th Km	Km	36.0		
g.	7th Km	Km	31.4		
h.	8th Km	Km	27.9		
i.	9th Km	Km	25.2		
j.	10th Km	Km	22.9		
k.	11th Km & subsequent	Km	4.0		
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km	116.7		
b.	2nd Km	Km	117.0		
c.	3rd Km	Km	82.5		
d.	4th Km	Km	64.1		
e.	5th Km	Km	52.5		
f.	6th Km	Km	44.7		
g.	7th Km	Km	39.0		
h.	8th Km	Km	34.6		
i.	9th Km	Km	31.2		
j.	10th Km	Km	28.4		
k.	11th Km & subsequent	Km	5.0		
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km	154.3		
b.	2nd Km	Km	154.8		
c.	3rd Km	Km	109.1		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
				Labour	
d.	4th Km	Km		84.7	
e.	5th Km	Km		69.5	
f.	6th Km	Km		59.1	
g.	7th Km	Km		51.5	
h.	8th Km	Km		45.8	
i.	9th Km	Km		41.3	
j.	10th Km	Km		37.6	
k.	11th Km & subsequent	Km		6.6	
(iv)	9" (225 mm) i/d pipes:				
a.	1st Km	Km		252.1	
b.	2nd Km	Km		252.9	
c.	3rd Km	Km		178.3	
d.	4th Km	Km		138.5	
e.	5th Km	Km		113.6	
f.	6th Km	Km		96.6	
g.	7th Km	Km		84.2	
h.	8th Km	Km		74.8	
i.	9th Km	Km		67.4	
j.	10th Km	Km		61.5	
k.	11th Km & subsequent	Km		10.7	
(v)	12" (300 mm) i/d pipes:-				
a.	1st Km	Km		391.3	
b.	2nd Km	Km		392.6	
c.	3rd Km	Km		276.8	
d.	4th Km	Km		214.9	
e.	5th Km	Km		176.3	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
f.	6th Km	Km	150.0		
g.	7th Km	Km	130.7		
h.	8th Km	Km	116.2		
i.	9th Km	Km	104.6		
j.	10th Km	Km	95.4		
k.	11th Km & subsequent	Km	16.6		
(vi)	16" (400 mm) i/d pipes:-				
a.	1st Km	Km	530.6		
b.	2nd Km	Km	532.3		
c.	3rd Km	Km	375.2		
d.	4th Km	Km	291.4		
e.	5th Km	Km	239.0		
f.	6th Km	Km	203.3		
g.	7th Km	Km	177.2		
h.	8th Km	Km	157.5		
i.	9th Km	Km	141.9		
j.	10th Km	Km	129.3		
k.	11th Km & subsequent	Km	22.6		
(viii)	18" (450 mm) i/d pipes:-				
a.	1st Km	Km	771.4		
b.	2nd Km	Km	773.9		
c.	3rd Km	Km	545.6		
d.	4th Km	Km	423.7		
e.	5th Km	Km	347.4		
f.	6th Km	Km	295.6		
g.	7th Km	Km	257.7		
h.	8th Km	Km	229.0		
i.	9th Km	Km	206.3		
j.	10th Km	Km	188.0		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.	
		Labour			
(ix)	k. 11th Km & subsequent	Km	32.8		
	20" (500 mm) i/d pipes:-				
	a. 1st Km	Km	846.7		
	b. 2nd Km	Km	849.4		
	c. 3rd Km	Km	598.8		
	d. 4th Km	Km	465.0		
	e. 5th Km	Km	381.3		
	f. 6th Km	Km	324.4		
	g. 7th Km	Km	282.8		
	h. 8th Km	Km	251.3		
	i. 9th Km	Km	226.4		
	j. 10th Km	Km	206.4		
	k. 11th Km & subsequent Kms	Km	36.0		
	(x)	24" (600 mm) i/d pipes:-			
a. 1st Km		Km	1,128.9		
b. 2nd Km		Km	1,132.6		
c. 3rd Km		Km	798.4		
d. 4th Km		Km	620.0		
e. 5th Km		Km	508.5		
f. 6th Km		Km	432.6		
g. 7th Km		Km	377.1		
h. 8th Km		Km	335.1		
i. 9th Km		Km	301.9		
j. 10th Km		Km	275.2		
k. 11th Km & subsequent Kms		Km	48.0		
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1
(i)		3" (75 mm) i/d pipes:-			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	a. 1st Km	Km	23.8		
	b. 2nd Km	Km	23.9		
	c. 3rd Km	Km	17.0		
	d. 4th Km	Km	13.3		
	e. 5th Km	Km	11.0		
	f. 6th Km	Km	9.4		
	g. 7th Km	Km	8.3		
	h. 8th Km	Km	7.4		
	i. 9th Km	Km	6.7		
	j. 10th Km	Km	6.1		
	k. 11th Km & subsequent Kms	Km	1.4		
	(ii) 4" (100 mm) i/d pipes:-				
	a. 1st Km	Km	35.7		
	b. 2nd Km	Km	35.8		
	c. 3rd Km	Km	25.5		
	d. 4th Km	Km	20.0		
	e. 5th Km	Km	16.5		
	f. 6th Km	Km	14.1		
	g. 7th Km	Km	12.4		
	h. 8th Km	Km	11.1		
	i. 9th Km	Km	10.1		
	j. 10th Km	Km	9.2		
	k. 11th Km & subsequent Kms	Km	2.1		
	(iii) 5" (125 mm) i/d pipes:-				
	a. 1st Km	Km	55.6		
	b. 2nd Km	Km	55.7		
	c. 3rd Km	Km	39.6		
	d. 4th Km	Km	31.1		
	e. 5th Km	Km	25.7		

Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
		Labour		
	f. 6th Km	Km	22.0	
	g. 7th Km	Km	19.3	
	h. 8th Km	Km	17.3	
	i. 9th Km	Km	15.7	
	j. 10th Km	Km	14.3	
	k. 11th Km & subsequent Kms	Km	3.3	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	77.4	
	b. 2nd Km	Km	77.6	
	c. 3rd Km	Km	55.2	
	d. 4th Km	Km	43.3	
	e. 5th Km	Km	35.8	
	f. 6th Km	Km	30.6	
	g. 7th Km	Km	26.9	
	h. 8th Km	Km	24.1	
	i. 9th Km	Km	21.8	
	j. 10th Km	Km	20.0	
	k. 11th Km & subsequent Kms	Km	4.6	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	158.8	
	b. 2nd Km	Km	159.1	
	c. 3rd Km	Km	113.3	
	d. 4th Km	Km	88.7	
	e. 5th Km	Km	73.3	
	f. 6th Km	Km	62.9	
	g. 7th Km	Km	55.2	
	h. 8th Km	Km	49.3	
	i. 9th Km	Km	44.7	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
(vi)	j. 10th Km	Km		41.0		
	k. 11th Km & subsequent Kms	Km		9.4		
	10" (250 mm) i/d pipes:-					
	a. 1st Km	Km		218.4		
	b. 2nd Km	Km		218.8		
	c. 3rd Km	Km		155.7		
	d. 4th Km	Km		122.0		
	e. 5th Km	Km		100.9		
	f. 6th Km	Km		86.4		
	g. 7th Km	Km		75.9		
	h. 8th Km	Km		67.8		
	i. 9th Km	Km		61.5		
	j. 10th Km	Km		56.4		
(vii)	k. 11th Km & subsequent Kms	Km		13.0		
	12" (300 mm) i/d pipes:-					
	a. 1st Km	Km		297.8		
	b. 2nd Km	Km		298.4		
	c. 3rd Km	Km		212.4		
	d. 4th Km	Km		166.4		
	e. 5th Km	Km		137.5		
	f. 6th Km	Km		117.9		
	g. 7th Km	Km		103.4		
	h. 8th Km	Km		92.5		
	i. 9th Km	Km		83.8		
	j. 10th Km	Km		76.9		
	k. 11th Km & subsequent Kms	Km		17.7		

