

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
a.	1st Km	Km		148.1	
b.	2nd Km	Km		148.1	
c.	3rd Km	Km		107.5	
d.	4th Km	Km		85.7	
e.	5th Km	Km		71.9	
f.	6th Km	Km		62.5	
g.	7th Km	Km		55.6	
h.	8th Km	Km		50.4	
i.	9th Km	Km		46.1	
j.	10th Km	Km		42.8	
k.	11th Kms to 200Kms	Km		14.2	
l.	201 Kms to 250 Kms	Km		12.6	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.				1.1
a.	1st Km	Km		107.4	
b.	2nd Km	Km		107.1	
c.	3rd Km	Km		80.0	
d.	4th Km	Km		65.3	
e.	5th Km	Km		56.0	
f.	6th Km	Km		49.6	
g.	7th Km	Km		44.8	
h.	8th Km	Km		41.2	
i.	9th Km	Km		38.3	
j.	10th Km	Km		35.9	
k.	11th Kms to 200Kms	Km		16.1	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	I. 201 Kms to 250 Kms	Km	15.1		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km	52.7			
	b. 2nd Km	Km	52.3			
	c. 3rd Km	Km	37.6			
	d. 4th Km	Km	31.0			
	e. 5th Km	Km	27.2			
	f. 6th Km	Km	24.7			
	g. 7th Km	Km	22.9			
	h. 8th Km	Km	21.6			
	i. 9th Km	Km	20.5			
	j. 10th Km	Km	19.7			
	k. 11th to 200 Kms	Km	13.7			
4	M. 251 Kms & subsequent Kms				1.1	
	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km	56.4			
	b. 2nd Km	Km	56.2			
	c. 3rd Km	Km	36.5			
	d. 4th Km	Km	28.1			
	e. 5th Km	Km	23.6			
	f. 6th Km	Km	20.8			
	g. 7th Km	Km	18.9			
	h. 8th Km	Km	17.5			
	i. 9th Km	Km	16.5			
	j. 10th Km	Km	15.6			
	k. 11th & subsequent Kms	Km	10.3			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	232.7		
b.	2nd Km	Km	135.6		
c.	3rd Km	Km	97.9		
d.	4th Km	Km	77.8		
e.	5th Km	Km	65.2		
f.	6th Km	Km	56.7		
g.	7th Km	Km	50.4		
h.	8th Km	Km	45.6		
i.	9th Km	Km	41.8		
j.	10th Km	Km	38.8		
k.	11th Kms to 200Kms	Km	13.1		
l.	201 Kms to 250 Kms	Km	11.6		
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	152.0		
b.	2nd Km	Km	91.4		
c.	3rd Km	Km	67.8		
d.	4th Km	Km	55.1		
e.	5th Km	Km	47.2		
f.	6th Km	Km	41.8		
g.	7th Km	Km	37.8		
h.	8th Km	Km	34.8		
i.	9th Km	Km	32.4		
j.	10th Km	Km	30.4		
k.	11th Kms to 200Kms	Km	14.0		
l.	201 Kms to 250 Kms	Km	13.1		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area			1.1
	a. 1st Km	Km	545.3	
	b. 2nd Km	Km	309.4	
	c. 3rd Km	Km	218.1	
	d. 4th Km	Km	169.5	
	e. 5th Km	Km	139.1	
	f. 6th Km	Km	118.5	
	g. 7th Km	Km	103.4	
	h. 8th Km	Km	92.1	
	i. 9th Km	Km	92.1	
	j. 10th Km	Km	75.8	
	k. 11th & subsequent Kms	Km	14.3	
	8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area		
a. 1st Km		Km	547.8	
b. 2nd Km		Km	311.4	
c. 3rd Km		Km	220.0	
d. 4th Km		Km	171.2	
e. 5th Km		Km	140.8	
f. 6th Km		Km	120.1	
g. 7th Km		Km	105.0	
h. 8th Km		Km	93.6	
i. 9th Km		Km	84.5	
j. 10th Km		Km	77.3	
k. 11th & subsequent Kms		Km	15.5	




Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	545.3	
b.	2nd Km	Km	309.4	
c.	3rd Km	Km	218.1	
d.	4th Km	Km	169.5	
e.	5th Km	Km	139.1	
f.	6th Km	Km	118.5	
g.	7th Km	Km	103.4	
h.	8th Km	Km	92.1	
i.	9th Km	Km	83.1	
j.	10th Km	Km	75.8	
k.	11th & subsequent Kms	Km	14.3	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	272.6	
b.	2nd Km	Km	154.7	
c.	3rd Km	Km	109.1	
d.	4th Km	Km	84.8	
e.	5th Km	Km	69.6	
f.	6th Km	Km	59.3	
g.	7th Km	Km	51.7	
h.	8th Km	Km	46.0	
i.	9th Km	Km	41.5	
j.	10th Km	Km	37.9	
k.	11th & subsequent Kms	Km	7.1	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	332.6	
b.	2nd Km	Km	333.3	
c.	3rd Km	Km	237.7	
d.	4th Km and subsequent kilometers.	Km	186.6	
12	Carriage of 100 Nos. empty cement bags including bundling.			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
13	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	6.4	1.1
	b. 2nd Km	Km	3.6	
	c. 3rd Km	Km	2.5	
	d. 4th Km & subsequent Kms	Km	1.9	
	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			
	a. 1st Km	Km	232.7	
	b. 2nd Km	Km	135.6	
	c. 3rd Km	Km	97.9	
	d. 4th Km	Km	77.8	
	e. 5th Km	Km	65.2	
	f. 6th Km	Km	56.7	
	g. 7th Km	Km	50.4	
h. 8th Km	Km	45.6		
i. 9th Km	Km	41.8		
j. 10th Km	Km	38.8		
k. 11th Km & subsequent	Km	13.1		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre)			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	91.2	
	b. 2nd Km	Km	54.8	
	c. 3rd Km	Km	40.7	
	d. 4th Km	Km	33.1	
	e. 5th Km	Km	28.3	
	f. 6th Km	Km	25.1	
	g. 7th Km	Km	22.7	
	h. 8th Km	Km	20.9	
	i. 9th Km	Km	19.4	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
15	j. 10th Km	Km	18.3	1.1	
	k. 11th Km & subsequent	Km	8.4		
16	Cooly load for distance:-			1.1	
	a. Upto 1000 ft. (300 metre)		135.4		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6		
	c. 1st Km	Km	92.4		
	d. 2nd Km	Km	79.7		
	e. 3rd Km & subsequent		63.5		
16	Carriage of small consignments weighing upto 2.5 maunds (job rates) :			1.1	
	(i) Carriage of consignments odd jobs.				
	(a)	Donkey load for distance upto 500 feet.	Each		37.9
	(b)	Upto 1000 feet	Each		26.5
	(c)	Upto ½ Mile/ 0.8 Km	Each		17.8
	(d)	Upto one Mile/ 1.6 Km	Each		14.0
	(e)	Upto three Miles/ 4.8 Km	Each		11.1
	(f)	Exceeding 3 Miles/ 16 km	Each		9.6
	(ii) Cart load for a distance :-				
	(a)	upto 4 Miles/ 6.4 Km	Each		12.5
	(b)	Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		12.0
	17	Hire charges of:-			
(i)		truck (10 Ton Capacity)	Per Hour	649.0	
(ii)		tractor with trolley	Per Hour	360.6	
(iii)		tractor without trolley	Per Hour	240.4	
18	Carriage of bitumen, tar or other lubricants, in drums:			1.1	
	a.	1st Km	ton		90.6
	b.	2nd Km	ton		90.8
	c.	3rd & subsequent Km	ton		64.4
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km	94.3		
b.	2nd Km	Km	94.6		
c.	3rd Km	Km	66.8		
d.	4th Km	Km	51.9		
e.	5th Km	Km	42.6		
f.	6th Km	Km	36.3		
g.	7th Km	Km	31.7		
h.	8th Km	Km	28.2		
i.	9th Km	Km	25.4		
j.	10th Km	Km	23.2		
k.	11th Km & subsequent	Km	4.3		
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km	117.0		
b.	2nd Km	Km	117.4		
c.	3rd Km	Km	82.8		
d.	4th Km	Km	64.4		
e.	5th Km	Km	52.9		
f.	6th Km	Km	45.0		
g.	7th Km	Km	39.3		
h.	8th Km	Km	35.0		
i.	9th Km	Km	31.5		
j.	10th Km	Km	28.8		
k.	11th Km & subsequent	Km	5.3		
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km	154.7		
b.	2nd Km	Km	155.2		
c.	3rd Km	Km	109.5		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
d.	4th Km	Km	85.2		
e.	5th Km	Km	69.9		
f.	6th Km	Km	59.6		
g.	7th Km	Km	52.0		
h.	8th Km	Km	46.2		
i.	9th Km	Km	41.7		
j.	10th Km	Km	38.0		
k.	11th Km & subsequent	Km	7.0		
(iv)	9" (225 mm) i/d pipes:				
a.	1st Km	Km	252.8		
b.	2nd Km	Km	253.7		
c.	3rd Km	Km	179.0		
d.	4th Km	Km	139.2		
e.	5th Km	Km	114.3		
f.	6th Km	Km	97.3		
g.	7th Km	Km	84.9		
h.	8th Km	Km	75.5		
i.	9th Km	Km	68.1		
j.	10th Km	Km	62.2		
k.	11th Km & subsequent	Km	11.4		
(v)	12" (300 mm) i/d pipes:-				
a.	1st Km	Km	392.4		
b.	2nd Km	Km	393.7		
c.	3rd Km	Km	277.9		
d.	4th Km	Km	216.0		
e.	5th Km	Km	177.4		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	151.1		
	g. 7th Km	Km	131.8		
	h. 8th Km	Km	117.3		
	i. 9th Km	Km	105.7		
	j. 10th Km	Km	96.5		
	k. 11th Km & subsequent	Km	17.7		
(vi)	16" (400 mm) i/d pipes:-				
	a. 1st Km	Km	532.1		
	b. 2nd Km	Km	533.8		
	c. 3rd Km	Km	376.7		
	d. 4th Km	Km	292.9		
	e. 5th Km	Km	240.5		
	f. 6th Km	Km	204.8		
	g. 7th Km	Km	178.7		
	h. 8th Km	Km	159.0		
	i. 9th Km	Km	143.4		
	j. 10th Km	Km	130.8		
	k. 11th Km & subsequent	Km	24.1		
(viii)	18" (450 mm) i/d pipes:-				
	a. 1st Km	Km	773.6		
	b. 2nd Km	Km	776.1		
	c. 3rd Km	Km	547.7		
	d. 4th Km	Km	425.8		
	e. 5th Km	Km	349.6		
	f. 6th Km	Km	297.8		
	g. 7th Km	Km	259.9		
	h. 8th Km	Km	231.2		
	i. 9th Km	Km	208.4		
	j. 10th Km	Km	190.2		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.	
		Labour			
(ix)	k. 11th Km & subsequent	Km	35.0		
	20" (500 mm) i/d pipes:-				
	a. 1st Km	Km	849.0		
	b. 2nd Km	Km	851.8		
	c. 3rd Km	Km	601.2		
	d. 4th Km	Km	467.4		
	e. 5th Km	Km	383.7		
	f. 6th Km	Km	326.8		
	g. 7th Km	Km	285.2		
	h. 8th Km	Km	253.7		
	i. 9th Km	Km	228.8		
	j. 10th Km	Km	208.8		
	k. 11th Km & subsequent Kms	Km	38.4		
	(x)	24" (600 mm) i/d pipes:-			
a. 1st Km		Km	1,132.0		
b. 2nd Km		Km	1,135.8		
c. 3rd Km		Km	801.5		
d. 4th Km		Km	623.2		
e. 5th Km		Km	511.6		
f. 6th Km		Km	435.8		
g. 7th Km		Km	380.3		
h. 8th Km		Km	338.3		
i. 9th Km		Km	305.0		
j. 10th Km		Km	278.3		
k. 11th Km & subsequent Kms		Km	51.2		
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1
(i)		3" (75 mm) i/d pipes:-			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	a. 1st Km	Km		23.9	
	b. 2nd Km	Km		24.0	
	c. 3rd Km	Km		17.1	
	d. 4th Km	Km		13.4	
	e. 5th Km	Km		11.1	
	f. 6th Km	Km		9.6	
	g. 7th Km	Km		8.4	
	h. 8th Km	Km		7.5	
	i. 9th Km	Km		6.8	
	j. 10th Km	Km		6.3	
	k. 11th Km & subsequent Kms	Km		1.5	
	(ii) 4" (100 mm) i/d pipes:-				
	a. 1st Km	Km		35.9	
	b. 2nd Km	Km		36.0	
	c. 3rd Km	Km		25.7	
	d. 4th Km	Km		20.2	
	e. 5th Km	Km		16.7	
	f. 6th Km	Km		14.3	
	g. 7th Km	Km		12.6	
	h. 8th Km	Km		11.3	
	i. 9th Km	Km		10.3	
	j. 10th Km	Km		9.4	
	k. 11th Km & subsequent Kms	Km		2.3	
	(iii) 5" (125 mm) i/d pipes:-				
	a. 1st Km	Km		55.9	
	b. 2nd Km	Km		56.0	
	c. 3rd Km	Km		39.9	
	d. 4th Km	Km		31.3	
	e. 5th Km	Km		26.0	

Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	22.3	
	g. 7th Km	Km	19.6	
	h. 8th Km	Km	17.6	
	i. 9th Km	Km	15.9	
	j. 10th Km	Km	14.6	
	k. 11th Km & subsequent Kms	Km	3.6	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	77.8	
	b. 2nd Km	Km	78.0	
	c. 3rd Km	Km	55.6	
	d. 4th Km	Km	43.7	
	e. 5th Km	Km	36.2	
	f. 6th Km	Km	31.1	
	g. 7th Km	Km	27.3	
	h. 8th Km	Km	24.5	
	i. 9th Km	Km	22.2	
	j. 10th Km	Km	20.4	
	k. 11th Km & subsequent Kms	Km	5.0	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	159.7	
	b. 2nd Km	Km	160.0	
	c. 3rd Km	Km	114.1	
	d. 4th Km	Km	89.6	
	e. 5th Km	Km	74.2	
	f. 6th Km	Km	63.7	
	g. 7th Km	Km	56.0	
	h. 8th Km	Km	50.2	
	i. 9th Km	Km	45.6	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
(vi)	j. 10th Km	Km		41.8		
	k. 11th Km & subsequent Kms	Km		10.3		
	10" (250 mm) i/d pipes:-					
	a. 1st Km	Km		219.5		
	b. 2nd Km	Km		220.0		
	c. 3rd Km	Km		156.9		
	d. 4th Km	Km		123.2		
	e. 5th Km	Km		102.0		
	f. 6th Km	Km		87.6		
	g. 7th Km	Km		77.0		
	h. 8th Km	Km		69.0		
	i. 9th Km	Km		62.6		
	j. 10th Km	Km		57.5		
(vii)	k. 11th Km & subsequent Kms	Km		14.1		
	12" (300 mm) i/d pipes:-					
	a. 1st Km	Km		299.4		
	b. 2nd Km	Km		300.0		
	c. 3rd Km	Km		214.0		
	d. 4th Km	Km		167.9		
	e. 5th Km	Km		139.1		
	f. 6th Km	Km		119.4		
	g. 7th Km	Km		105.0		
	h. 8th Km	Km		94.1		
	i. 9th Km	Km		85.4		
	j. 10th Km	Km		78.4		
	k. 11th Km & subsequent Kms	Km		19.3		

