

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
a.	1st Km	Km		148.5	
b.	2nd Km	Km		148.5	
c.	3rd Km	Km		107.9	
d.	4th Km	Km		86.1	
e.	5th Km	Km		72.4	
f.	6th Km	Km		62.9	
g.	7th Km	Km		56.0	
h.	8th Km	Km		50.8	
i.	9th Km	Km		46.6	
j.	10th Km	Km		43.2	
k.	11th Kms to 200Kms	Km		14.6	
l.	201 Kms to 250 Kms	Km		13.0	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.				1.1
a.	1st Km	Km		107.9	
b.	2nd Km	Km		107.6	
c.	3rd Km	Km		80.5	
d.	4th Km	Km		65.8	
e.	5th Km	Km		56.5	
f.	6th Km	Km		50.1	
g.	7th Km	Km		45.3	
h.	8th Km	Km		41.7	
i.	9th Km	Km		38.7	
j.	10th Km	Km		36.4	
k.	11th Kms to 200Kms	Km		16.6	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	I. 201 Kms to 250 Kms	Km	15.5		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km	53.2			
	b. 2nd Km	Km	52.7			
	c. 3rd Km	Km	38.1			
	d. 4th Km	Km	31.4			
	e. 5th Km	Km	27.6			
	f. 6th Km	Km	25.2			
	g. 7th Km	Km	23.4			
	h. 8th Km	Km	22.1			
	i. 9th Km	Km	21.0			
	j. 10th Km	Km	20.2			
	k. 11th to 200 Kms	Km	14.2			
M. 251 Kms & subsequent Kms						
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km	56.8		1.1	
	b. 2nd Km	Km	56.6			
	c. 3rd Km	Km	36.9			
	d. 4th Km	Km	28.5			
	e. 5th Km	Km	24.0			
	f. 6th Km	Km	21.2			
	g. 7th Km	Km	19.3			
	h. 8th Km	Km	17.9			
	i. 9th Km	Km	16.8			
	j. 10th Km	Km	16.0			
	k. 11th & subsequent Kms	Km	10.7			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		233.1	
b.	2nd Km	Km		136.0	
c.	3rd Km	Km		98.4	
d.	4th Km	Km		78.2	
e.	5th Km	Km		65.7	
f.	6th Km	Km		57.1	
g.	7th Km	Km		50.8	
h.	8th Km	Km		46.0	
i.	9th Km	Km		42.3	
j.	10th Km	Km		39.2	
k.	11th Kms to 200Kms	Km		13.5	
l.	201 Kms to 250 Kms	Km		12.1	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		152.5	
b.	2nd Km	Km		91.9	
c.	3rd Km	Km		68.3	
d.	4th Km	Km		55.7	
e.	5th Km	Km		47.7	
f.	6th Km	Km		42.3	
g.	7th Km	Km		38.3	
h.	8th Km	Km		35.3	
i.	9th Km	Km		32.9	
j.	10th Km	Km		30.9	
k.	11th Kms to 200Kms	Km		14.5	
l.	201 Kms to 250 Kms	Km		13.6	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		545.6	
b.	2nd Km	Km		309.7	
c.	3rd Km	Km		218.4	
d.	4th Km	Km		169.8	
e.	5th Km	Km		139.4	
f.	6th Km	Km		118.8	
g.	7th Km	Km		103.8	
h.	8th Km	Km		92.4	
i.	9th Km	Km		92.4	
j.	10th Km	Km		76.1	
k.	11th & subsequent Kms	Km		14.6	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		548.1	
b.	2nd Km	Km		311.8	
c.	3rd Km	Km		220.3	
d.	4th Km	Km		171.6	
e.	5th Km	Km		141.1	
f.	6th Km	Km		120.4	
g.	7th Km	Km		105.3	
h.	8th Km	Km		93.9	
i.	9th Km	Km		84.9	
j.	10th Km	Km		77.6	
k.	11th & subsequent Kms	Km		15.9	




Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	545.6		
b.	2nd Km	Km	309.7		
c.	3rd Km	Km	218.4		
d.	4th Km	Km	169.8		
e.	5th Km	Km	139.4		
f.	6th Km	Km	118.8		
g.	7th Km	Km	103.8		
h.	8th Km	Km	92.4		
i.	9th Km	Km	83.4		
j.	10th Km	Km	76.1		
k.	11th & subsequent Kms	Km	14.6		
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	272.8		
b.	2nd Km	Km	154.8		
c.	3rd Km	Km	109.2		
d.	4th Km	Km	84.9		
e.	5th Km	Km	69.7		
f.	6th Km	Km	59.4		
g.	7th Km	Km	51.9		
h.	8th Km	Km	46.2		
i.	9th Km	Km	41.7		
j.	10th Km	Km	38.1		
k.	11th & subsequent Kms	Km	7.3		
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	333.1		
b.	2nd Km	Km	333.8		
c.	3rd Km	Km	238.2		
d.	4th Km and subsequent kilometers.	Km	187.1		
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
13	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	6.4	1.1
	b. 2nd Km	Km	3.6	
	c. 3rd Km	Km	2.5	
	d. 4th Km & subsequent Kms	Km	1.9	
	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			
	a. 1st Km	Km	233.1	
	b. 2nd Km	Km	136.0	
	c. 3rd Km	Km	98.4	
	d. 4th Km	Km	78.2	
	e. 5th Km	Km	65.7	
	f. 6th Km	Km	57.1	
	g. 7th Km	Km	50.8	
h. 8th Km	Km	46.0		
i. 9th Km	Km	42.3		
j. 10th Km	Km	39.2		
k. 11th Km & subsequent	Km	13.5		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre)			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	91.5	
	b. 2nd Km	Km	55.1	
	c. 3rd Km	Km	41.0	
	d. 4th Km	Km	33.4	
	e. 5th Km	Km	28.6	
	f. 6th Km	Km	25.4	
	g. 7th Km	Km	23.0	
	h. 8th Km	Km	21.2	
	i. 9th Km	Km	19.7	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.		
			Labour			
15	j. 10th Km	Km	18.6	1.1		
	k. 11th Km & subsequent	Km	8.7			
16	Cooly load for distance:-			1.1		
	a. Upto 1000 ft. (300 metre)		135.4			
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6			
	c. 1st Km	Km	92.4			
	d. 2nd Km	Km	79.7			
	e. 3rd Km & subsequent		63.5			
16	Carriage of small consignments weighing upto 2.5 maunds (job rates) :			1.1		
	(i) Carriage of consignments odd jobs.					
	(a)	Donkey load for distance upto 500 feet.	Each			37.9
	(b)	Upto 1000 feet	Each			26.5
	(c)	Upto ½ Mile/ 0.8 Km	Each			17.8
	(d)	Upto one Mile/ 1.6 Km	Each			14.0
	(e)	Upto three Miles/ 4.8 Km	Each			11.1
	(f)	Exceeding 3 Miles/ 16 km	Each			9.6
	(ii) Cart load for a distance :-					
	(a)	upto 4 Miles/ 6.4 Km	Each			12.5
	(b)	Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each			12.0
	17	Hire charges of:-				
(i)		truck (10 Ton Capacity)	Per Hour	649.0		
(ii)		tractor with trolley	Per Hour	360.6		
(iii)		tractor without trolley	Per Hour	240.4		
18	Carriage of bitumen, tar or other lubricants, in drums:			1.1		
	a.	1st Km	ton			90.7
	b.	2nd Km	ton			90.9
	c.	3rd & subsequent Km	ton			64.5
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km	94.4		
b.	2nd Km	Km	94.7		
c.	3rd Km	Km	66.9		
d.	4th Km	Km	52.0		
e.	5th Km	Km	42.7		
f.	6th Km	Km	36.4		
g.	7th Km	Km	31.8		
h.	8th Km	Km	28.3		
i.	9th Km	Km	25.5		
j.	10th Km	Km	23.3		
k.	11th Km & subsequent	Km	4.3		
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km	117.1		
b.	2nd Km	Km	117.5		
c.	3rd Km	Km	82.9		
d.	4th Km	Km	64.5		
e.	5th Km	Km	53.0		
f.	6th Km	Km	45.1		
g.	7th Km	Km	39.4		
h.	8th Km	Km	35.0		
i.	9th Km	Km	31.6		
j.	10th Km	Km	28.9		
k.	11th Km & subsequent	Km	5.4		
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km	154.8		
b.	2nd Km	Km	155.3		
c.	3rd Km	Km	109.7		



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
				Labour	
d.	4th Km	Km		85.3	
e.	5th Km	Km		70.0	
f.	6th Km	Km		59.7	
g.	7th Km	Km		52.1	
h.	8th Km	Km		46.4	
i.	9th Km	Km		41.8	
j.	10th Km	Km		38.2	
k.	11th Km & subsequent	Km		7.1	
(iv)	9" (225 mm) i/d pipes:				
a.	1st Km	Km		253.0	
b.	2nd Km	Km		253.8	
c.	3rd Km	Km		179.2	
d.	4th Km	Km		139.4	
e.	5th Km	Km		114.5	
f.	6th Km	Km		97.5	
g.	7th Km	Km		85.1	
h.	8th Km	Km		75.7	
i.	9th Km	Km		68.3	
j.	10th Km	Km		62.4	
k.	11th Km & subsequent	Km		11.6	
(v)	12" (300 mm) i/d pipes:-				
a.	1st Km	Km		392.7	
b.	2nd Km	Km		394.0	
c.	3rd Km	Km		278.2	
d.	4th Km	Km		216.3	
e.	5th Km	Km		177.7	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
f.	6th Km	Km	151.4		
g.	7th Km	Km	132.1		
h.	8th Km	Km	117.6		
i.	9th Km	Km	106.0		
j.	10th Km	Km	96.8		
k.	11th Km & subsequent	Km	18.0		
(vi)	16" (400 mm) i/d pipes:-				
a.	1st Km	Km	532.5		
b.	2nd Km	Km	534.2		
c.	3rd Km	Km	377.1		
d.	4th Km	Km	293.3		
e.	5th Km	Km	240.9		
f.	6th Km	Km	205.2		
g.	7th Km	Km	179.1		
h.	8th Km	Km	159.4		
i.	9th Km	Km	143.8		
j.	10th Km	Km	131.2		
k.	11th Km & subsequent	Km	24.5		
(viii)	18" (450 mm) i/d pipes:-				
a.	1st Km	Km	774.2		
b.	2nd Km	Km	776.7		
c.	3rd Km	Km	548.3		
d.	4th Km	Km	426.4		
e.	5th Km	Km	350.2		
f.	6th Km	Km	298.4		
g.	7th Km	Km	260.4		
h.	8th Km	Km	231.8		
i.	9th Km	Km	209.0		
j.	10th Km	Km	190.8		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.	
		Labour			
(ix)	k. 11th Km & subsequent	Km	35.6		
	20" (500 mm) i/d pipes:-				
	a. 1st Km	Km	849.7		
	b. 2nd Km	Km	852.5		
	c. 3rd Km	Km	601.8		
	d. 4th Km	Km	468.0		
	e. 5th Km	Km	384.4		
	f. 6th Km	Km	327.5		
	g. 7th Km	Km	285.9		
	h. 8th Km	Km	254.4		
	i. 9th Km	Km	229.4		
	j. 10th Km	Km	209.4		
	k. 11th Km & subsequent Kms	Km	39.0		
	(x)	24" (600 mm) i/d pipes:-			
a. 1st Km		Km	1,132.9		
b. 2nd Km		Km	1,136.6		
c. 3rd Km		Km	802.4		
d. 4th Km		Km	624.0		
e. 5th Km		Km	512.5		
f. 6th Km		Km	436.6		
g. 7th Km		Km	381.1		
h. 8th Km		Km	339.2		
i. 9th Km		Km	305.9		
j. 10th Km		Km	279.2		
k. 11th Km & subsequent Kms		Km	52.1		
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1
(i)		3" (75 mm) i/d pipes:-			



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	a. 1st Km	Km		24.0	
	b. 2nd Km	Km		24.0	
	c. 3rd Km	Km		17.2	
	d. 4th Km	Km		13.5	
	e. 5th Km	Km		11.2	
	f. 6th Km	Km		9.6	
	g. 7th Km	Km		8.4	
	h. 8th Km	Km		7.6	
	i. 9th Km	Km		6.9	
	j. 10th Km	Km		6.3	
	k. 11th Km & subsequent Kms	Km		1.6	
	(ii) 4" (100 mm) i/d pipes:-				
	a. 1st Km	Km		36.0	
	b. 2nd Km	Km		36.1	
	c. 3rd Km	Km		25.7	
	d. 4th Km	Km		20.2	
	e. 5th Km	Km		16.7	
	f. 6th Km	Km		14.4	
	g. 7th Km	Km		12.7	
	h. 8th Km	Km		11.3	
	i. 9th Km	Km		10.3	
	j. 10th Km	Km		9.5	
	k. 11th Km & subsequent Kms	Km		2.4	
	(iii) 5" (125 mm) i/d pipes:-				
	a. 1st Km	Km		56.0	
	b. 2nd Km	Km		56.1	
	c. 3rd Km	Km		40.0	
	d. 4th Km	Km		31.4	
	e. 5th Km	Km		26.0	

Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	22.4	
	g. 7th Km	Km	19.7	
	h. 8th Km	Km	17.6	
	i. 9th Km	Km	16.0	
	j. 10th Km	Km	14.7	
	k. 11th Km & subsequent Kms	Km	3.7	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	77.9	
	b. 2nd Km	Km	78.1	
	c. 3rd Km	Km	55.7	
	d. 4th Km	Km	43.8	
	e. 5th Km	Km	36.3	
	f. 6th Km	Km	31.2	
	g. 7th Km	Km	27.4	
	h. 8th Km	Km	24.6	
	i. 9th Km	Km	22.3	
	j. 10th Km	Km	20.5	
	k. 11th Km & subsequent Kms	Km	5.1	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	159.9	
	b. 2nd Km	Km	160.2	
	c. 3rd Km	Km	114.3	
	d. 4th Km	Km	89.8	
	e. 5th Km	Km	74.4	
	f. 6th Km	Km	63.9	
	g. 7th Km	Km	56.2	
	h. 8th Km	Km	50.4	
	i. 9th Km	Km	45.8	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
(vi)	j. 10th Km	Km		42.1		
	k. 11th Km & subsequent Kms	Km		10.5		
	10" (250 mm) i/d pipes:-					
	a. 1st Km	Km		219.8		
	b. 2nd Km	Km		220.3		
	c. 3rd Km	Km		157.2		
	d. 4th Km	Km		123.5		
	e. 5th Km	Km		102.3		
	f. 6th Km	Km		87.9		
	g. 7th Km	Km		77.3		
	h. 8th Km	Km		69.3		
	i. 9th Km	Km		63.0		
	j. 10th Km	Km		57.8		
(vii)	k. 11th Km & subsequent Kms	Km		14.5		
	12" (300 mm) i/d pipes:-					
	a. 1st Km	Km		299.8		
	b. 2nd Km	Km		300.4		
	c. 3rd Km	Km		214.4		
	d. 4th Km	Km		168.4		
	e. 5th Km	Km		139.5		
	f. 6th Km	Km		119.9		
	g. 7th Km	Km		105.5		
	h. 8th Km	Km		94.5		
	i. 9th Km	Km		85.9		
	j. 10th Km	Km		78.9		
	k. 11th Km & subsequent Kms	Km		19.7		

