<u> </u>			Rat	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
11-1	Providing and laying sundried clay bricks set in mud mortar including scaffolding in foundation and substructure				11.7.2 (i) 11.17
a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	2,350.00 66.55	11,719.68 331.90	
b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	5,909.70 167.35	12,202.10 345.55	
11-2	Providing and laying first class solid burnt brick masonry set in mud mortar including and raking out joints in foundation and substructure				11.4.1 11.7.2(i) 11.7.4
a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	1,842.65 52.20	13,080.80 370.45	11.7.4
b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	1,367.65 38.75	11,819.55 334.75	
11-3	Providing and laying first class solid burnt brick masonry including scaffolding, raking out joints and curing in foundation and substructure				11.4.1 11.7.2(ii)
-	Upto 4.5" (115 mm) nominal thick brick work Cement sand 1 : 2	Cu.m. Cu.ft.	1,842.65 52.20	14,761.70 418.05	11.7.4
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	1,842.65 52.20	14,245.60 403.45	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	1,842.65 52.20	13,689.05 387.70	
iv)	Cement sand 1 : 5	Cu.m. Cu.ft.	1,842.65 52.20	13,212.35 374.20	
V)	Cement sand 1 : 6	Cu.m. Cu.ft.	1,842.65 52.20	12,826.45 363.25	
vi	Cement sand 1 : 7	Cu.m. Cu.ft.	1,842.65 52.20	12,444.98 352.45	
vi	Cement sand 1 : 8	Cu.m. Cu.ft.	1,842.65 52.20	12,066.62 341.75	
-	Above 4.5" (115mm) nominal thick brickwork Cement sand 1 : 2	Cu.m. Cu.ft.	1,367.65 38.75	14,249.30 403.55	

T

-

/

		X DEAR		Pat	e (Rs.)	Ref. Tech.
Sr. No	o.	Description	Unit	Labour	Composite	Specs.
				Labour	composite	
	ii)	Cement sand 1:3	Cu.m.	1,367.65	13,665.17	
		Cement sand 1 : 3	Cu.ft.	38.75	387.00	
	iii)	Cement sand 1 : 4	Cu.m.	1,367.65	12,984.33	
			Cu.ft.	38.75	367.70	
	iv)	Cement sand 1 : 5	Cu.m.	1,367.65	12,421.99	
			Cu.ft.	38.75	351.80	
			_			
	V)	Cement sand 1 : 6	Cu.m.	1,367.65	11,946.17	
			Cu.ft.	38.75	338.30	
	VI)	Cement sand 1 : 7	Cu.m.	1,367.65	11,549.91 327.10	
			Cu.ft.	38.75	327.10	
	vii	Cement sand 1 : 8	Cu.m.	1,367.65	11,131.20	
	v II		Cu.ft.	38.75	315.25	
			Ou.it.	50.75	515.25	
11-4		Extra for providing and laying first class burnt brick masonry for arches of any kind of wall including scaffolding, formwork and its removal, raking out joints and curing in basement etc.				11.80
	a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m.	981.96	3,452.00	
	a)		Cu.ft.	26.70	87.40	
			Ou.it.	20.70	07.40	
	b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m.	943.53	3,086.96	
	,		Cu.ft.	27.80	97.75	
11-5		Extra for providing and laying first class tile masonry for arches of any kind of walls including scaffolding, formwork and its removal, raking out joints and curing in foundations, basement and plinth.				11.80 11.90
	、		0	4 405 07	0 500 45	
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,435.27 40.65	3,539.45 100.25	
			Cu.it.	40.05	100.25	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m.	1,356.10	3,201.10	
	5)		Cu.ft.	38.40	90.65	
			ounu	00.10	00.00	
11-6		Extra for every additional 6 ft (2 m) or part thereof in	Cu.m.	329.40	329.40	11.7.4
		foundation and basement masonry deeper than 6 ft (2 m)	Cu.ft.	9.35	9.35	
11-7		Extra for every additional 5 ft (1.5 m) or part thereof in plinth	Cu.m.	245.00	245.00	11.7.4
		higher than 5 ft (1.5m)	Cu.ft.	6.95	6.95	
11-8		Extra for every additional 6 ft (2m) or part thereof for arch brick or tile masonry in foundation and basement masonry		329.40	378.80	11.80
		deeper than 6ft (2m)	Cu.ft.	9.35	10.75	11.90

/

		(x) mar		Pat	e (Rs.)	D (T)
Sr. No	ο.	Description	Unit	Labour	Composite	Ref. Tech. Specs.
				Labour	Composito	-
11-9		Extra for every additional 5 ft (1.5m) or part thereof for arch brick or tile masonry in plinth higher than 5ft (1.5m)	Cu.m. Cu.ft.	245.00 6.95	281.75 8.00	11.80 11.90
11-10		Providing and laying sundried clay bricks set in mud mortar including scaffolding in ground floor superstructure				11.7.2(i) 11.18
	a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	1,465.52 41.50	11,407.06 323.05	
	b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	1,650.00 46.75	7,344.66 208.00	
11-11		Providing and laying first class solid burnt brick masonry set in mud mortar including scaffolding, raking out joints and curing in ground floor superstructure.				11.4.1 11.7.2(i) 11.7.4
	a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m. Cu.ft.	2,292.65 64.95	13,830.65 391.70	
	b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m. Cu.ft.	1,698.74 48.10	8,664.27 245.40	
11-12		Providing and laying first class solid burnt brick masonry including scaffolding, raking out joints and curing in ground floor superstructure				11.4.1 11.7.2(ii)
	a)	Upto 4.5" (115 mm) nominal thick brick work				11.7.4
	i)	Cement sand 1 : 2	Cu.m. Cu.ft.	2,292.65 64.95	15,467.32 438.05	
	ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	2,292.65 64.95	14,945.19 423.25	
	iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	2,292.65 64.95	14,380.67 407.25	
	iv)	Cement sand 1 : 5	Cu.m. Cu.ft.	2,292.65 64.95	13,901.60 393.70	
	v)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,292.65 64.95	13,533.66 383.30	
	vi)	Cement sand 1 : 7	Cu.m. Cu.ft.	2,292.65 64.95	13,153.21 372.50	
	vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,292.65 64.95	12,779.25 361.90	

-

	×) (1)		Rate (Rs.)		Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
b)	Above 4.5" (115mm) nominal thick brickwork				
i)	Cement sand 1 : 2	Cu.m.	1,817.65	14,862.77	
	VAMMU & KA	Cu.ft.	51.50	420.90	
ii)	Cement sand 1 : 3	Cu.m.	1,817.65	14,275.24	
		Cu.ft.	51.50	404.30	
iii)	Cement sand 1 : 4	Cu.m.	1,817.65	13,588.10	
		Cu.ft.	51.50	384.80	
iv)	Cement sand 1 : 5	Cu.m.	1,817.65	13,054.37	
		Cu.ft.	51.50	369.70	
v)	Cement sand 1 : 6	Cu.m.	1,817.65	12,568.87	
		Cu.ft.	51.50	355.95	
vi)	Cement sand 1 : 7	Cu.m.	1,817.65	12,185.42	
		Cu.ft.	51.50	345.10	
vii	Cement sand 1 : 8	Cu.m.	1,817.65	11,799.44	
		Cu.ft.	51.50	334.15	
11-13	Extra for providing and laying first class burnt brick masonry for arches of any kind of wall including scaffolding, formwork and its removal, raking out joints and curing in ground floor superstructures.				11.80
a)	Upto 4.5" (115 mm) nominal thick brick work	Cu.m.	334.80	2,792.26	
		Cu.ft.	9.50	79.10	
b)	Above 4.5" (115mm) nominal thick brickwork	Cu.m.	293.30	2,606.07	
		Cu.ft.	8.30	73.80	
11-14	Extra for providing and laying first class tile masonry for arches of any kind of walls including scaffolding, formwork and its removal, raking out joints and curing in ground floor superstructures.				11.80 11.90
a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	4,093.30 115.90	6,071.31 147.85	
b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	3,618.30 102.45	5,220.08 171.95	
11-15	Extra for masonry in pillars and columns in foundation				11.18
a)	Rectangular or square shape	Cu.m. Cu.ft.	1,255.80 35.55	1,708.82 48.40	

-

Sr. No.DescriptionUnitLabourCompositeb)Round shapeCu.m.2,787.053,430.5011-16Extra for masonry in pillars and cloumns in ground floor superstructureCu.m.1,343.002,546.10a)Rectangular or square shapeCu.m.1,343.002,546.10b)Round shapeCu.m.2,596.724,879.6711-17Extra for masonry of any description in steps.Cu.m.2,596.724,879.6711-18Extra for masonry of any description for bonding old and new masonry inserted in old masonry to be measured)Cu.m.330.85473.1511-19Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).a)Upto 4.5" (115 mm) nominal thick brick work i) Cement sand 1 : 2Cu.m.1,436.7011,885.95 332.75iii)Cement sand 1 : 4Cu.m.1,436.7011,749.15 332.75	Ref. Tech. Specs.
b) Round shape Cu.m. 2,787.05 3,430.50 11-16 Extra for masonry in pillars and cloumns in ground floor Cu.m. 2,787.05 3,430.50 a) Rectangular or square shape Cu.m. 1,343.00 2,546.10 b) Round shape Cu.m. 1,343.00 2,546.10 cu.m. 2,596.72 4,879.67 73.55 138.20 11-17 Extra for masonry of any description in steps. Cu.m. 2,596.72 4,879.67 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). 30.085 473.15 a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40	
11-16Extra for masonry in pillars and cloumns in ground floor superstructureCu.ft.78.9597.1511-16Extra for masonry in pillars and cloumns in ground floor superstructureCu.ft.1.343.002.546.10a)Rectangular or square shapeCu.m. Cu.ft.1.343.002.546.10b)Round shapeCu.m. 	
11-16Extra for masonry in pillars and cloumns in ground floor superstructureCu.ft.78.9597.1511-16Extra for masonry in pillars and cloumns in ground floor superstructureCu.ft.1.343.00 38.052.546.10 72.10a)Rectangular or square shapeCu.m. Cu.ft.1.343.00 38.052.546.10 72.10b)Round shapeCu.m. Cu.ft.2.596.72 73.554.879.67 138.2011-17Extra for masonry of any description in steps.Cu.m. Cu.ft.22.8022.8011-18Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including making recesses as required (New masonry including making recesses as required (New masonry including ing round floor superstructure (opening not to be deducted for the purpose of measurem).Cu.m. cu.ft.330.85 9.35473.15 13.4011-19Providing and laying first class burnt brick honey comb masonry including ing ground floor superstructure (opening not to be deducted for the purpose of measurement).Cu.m. cu.ft.1.436.70 336.6011.885.95 336.60i)Cement sand 1 : 2Cu.m. 40.701.436.70 332.7511.749.15 327.50ii)Cement sand 1 : 4Cu.m. 40.701.436.70 327.5011.564.40 27.50	
11-16Extra for masonry in pillars and cloumns in ground floor superstructureImage: cloumns in ground floor superstructureImage: cloumns in ground floor Cu.ft.Image: cloumns in ground floor Sa.05Image: cloumns in ground floor Sa.05Image: cloumns in ground floor Cu.ft.Image: cloumns in ground floor Sa.05Image: cloumns in ground floor superstructure (opening out to be deducted for the purpose of measurement).Image: cloumns in ground floor superstructure (opening out, fluor in ground flo	
11-16Extra for masonry in pillars and cloumns in ground floor superstructureImage: cloumns in ground floor superstructureImage: cloumns in ground floor Cu.ft.Image: cloumns in ground floor Sa.05Image: cloumns in ground floor Sa.05Image: cloumns in ground floor Cu.ft.Image: cloumns in ground floor Sa.05Image: cloumns in ground floor superstructure (opening out to be deducted for the purpose of measurement).Image: cloumns in ground floor superstructure (opening out, fluor in ground flo	
a) Rectangular or square shape Cu.m. Cu.ft. 1,343.00 38.05 2,546.10 72.10 b) Round shape Cu.m. Cu.ft. 2,596.72 73.55 4,879.67 138.20 11-17 Extra for masonry of any description in steps. Cu.m. Cu.ft. 805.46 22.80 805.46 22.80 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). 30.85 9.35 473.15 13.40 a) Upto 4.5" (115 mm) nominal thick brick work i) Cu.m. Cu.ft. 1,436.70 40.70 11,885.95 336.60 ii) Cement sand 1 : 2 Cu.m. iii) 1,436.70 Cu.ft. 11,749.15 332.75	11.7.4
k Cu.ft. 38.05 72.10 b) Round shape Cu.m. 2,596.72 4,879.67 11-17 Extra for masonry of any description in steps. Cu.m. 805.46 805.46 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). 330.85 473.15 11-19 Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 327.50	
Note Cu.ft. 38.05 72.10 b) Round shape Cu.m. 2,596.72 4,879.67 11-17 Extra for masonry of any description in steps. Cu.m. 805.46 805.46 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). 330.85 473.15 11-19 Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 327.50 327.50	
b) Round shape Cu.m. Cu.ft. 2,596.72 73.55 4,879.67 138.20 11-17 Extra for masonry of any description in steps. Cu.m. Cu.ft. 805.46 22.80 805.46 22.80 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). 30.85 9.35 473.15 13.40 a) Upto 4.5" (115 mm) nominal thick brick work i) Cu.m. 1,436.70 11,885.95 Cu.ft. 11,885.95 336.60 ii) Cement sand 1 : 3 Cu.m. iii) 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 2,750 1,436.70 11,749.15 327.50	
11-17 Extra for masonry of any description in steps. Cu.ft. 73.55 138.20 11-17 Extra for masonry of any description in steps. Cu.m. 805.46 22.80 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured) Cu.m. 330.85 473.15 11-19 Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40	
11-17 Extra for masonry of any description in steps. Cu.ft. 73.55 138.20 11-17 Extra for masonry of any description in steps. Cu.m. 805.46 22.80 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured) Cu.m. 330.85 473.15 11-19 Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 332.75 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40	
11-17 Extra for masonry of any description in steps. Cu.m. 805.46 22.80 11-18 Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured) Cu.m. 330.85 473.15 11-19 Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 ii) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 cu.ft. 40.70 327.50 11,564.40	
11-18Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured)Cu.ft.22.8022.8011-18Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).Cu.m. a)330.85473.15a)Upto 4.5" (115 mm) nominal thick brick work i)Cu.m.1,436.7011,885.95ii)Cement sand 1 : 2Cu.m.1,436.7011,749.15iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	
11-18Extra for masonry of any description for bonding old and new masonry including making recesses as required (New masonry inserted in old masonry to be measured)Cu.ft.22.8022.8011-18Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).Cu.m. a)330.85473.15a)Upto 4.5" (115 mm) nominal thick brick work i)Cu.m.1,436.7011,885.95ii)Cement sand 1 : 2Cu.m.1,436.7011,749.15iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	11.17.4
masonry including making recesses as required (New masonry inserted in old masonry to be measured)Cu.ft.9.3513.4011-19Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).Cu.m.1,436.7011,885.95a)Upto 4.5" (115 mm) nominal thick brick work i)Cu.m.1,436.7011,885.9511,749.15ii)Cement sand 1 : 3Cu.m.1,436.7011,749.15332.75iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	
masonry including making recesses as required (New masonry inserted in old masonry to be measured)Cu.ft.9.3513.4011-19Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).Cu.m.1,436.7011,885.95a)Upto 4.5" (115 mm) nominal thick brick work i)Cu.m.1,436.7011,885.9511,749.15ii)Cement sand 1 : 3Cu.m.1,436.7011,749.15332.75iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	
InterviewInterviewInterview11-19Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).Interviewa)Upto 4.5" (115 mm) nominal thick brick work i)Cu.m.1,436.7011,885.95ii)Cement sand 1 : 2Cu.m.1,436.7011,749.15iii)Cement sand 1 : 3Cu.m.1,436.7011,749.15iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	11.11
11-19Providing and laying first class burnt brick honey comb masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement).a)Upto 4.5" (115 mm) nominal thick brick worka)Upto 4.5" (115 mm) nominal thick brick work Cement sand 1 : 2Cu.m.1,436.7011,885.95ii)Cement sand 1 : 3Cu.m.1,436.7011,749.15iii)Cement sand 1 : 4Cu.m.1,436.7011,749.15iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40iii)Cement sand 1 : 4Cu.m.1,436.7011,564.40	
masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work b) cu.m. 1,436.70 11,885.95 i) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40	
masonry including scaffolding, raking out joints where required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work b) cu.m. 1,436.70 11,885.95 i) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40	
required and curing in ground floor superstructure (opening not to be deducted for the purpose of measurement). Image: constraint of the purpose of measurement). a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 i) Cement sand 1 : 2 Cu.m. 1,436.70 11,749.15 ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 cu.ft. 40.70 332.75	11.10
a) Upto 4.5" (115 mm) nominal thick brick work Cu.m. 1,436.70 11,885.95 i) Cement sand 1 : 2 Cu.ft. 1,436.70 11,749.15 ii) Cement sand 1 : 3 Cu.ft. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,749.15 iiii) Cement sand 1 : 4 Cu.ft. 1,436.70 11,564.40 iiii) Cement sand 1 : 4 Cu.ft. 1,436.70 11,564.40	
i) Cement sand 1 : 2 Cu.m. 1,436.70 11,885.95 Cu.ft. 40.70 336.60 ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.ft. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.ft. 1,436.70 11,564.40 iii) Cement sand 1 : 4 Cu.ft. 1,436.70 11,564.40	
ii) Cement sand 1 : 3 Cu.ft. 40.70 336.60 iii) Cement sand 1 : 3 Cu.m. 40.70 1,436.70 332.75 11,749.15 332.75 iiii) Cement sand 1 : 4 Cu.m. 40.70 1,436.70 327.50 11,564.40 327.50	
ii) Cement sand 1 : 3 Cu.m. 1,436.70 11,749.15 iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 Cu.ft. 1,436.70 11,564.40 327.50	
iii) Cement sand 1 : 4 Cu.ft. 40.70 332.75 Cu.m. 1,436.70 11,564.40 Cu.ft. 40.70 327.50	
iii) Cement sand 1 : 4 Cu.ft. 40.70 332.75 Cu.m. 1,436.70 11,564.40 Cu.ft. 40.70 327.50	
iii) Cement sand 1 : 4 Cu.m. 1,436.70 11,564.40 Cu.ft. 40.70 327.50	
Cu.ft. 40.70 327.50	
Cu.ft. 40.70 327.50	
iv) Cement sand 1:5 Cu.m. 1,436.70 11,456.60	
Cu.ft. 40.70 324.45	
v) Cement sand 1 : 6 Cu.m. 1,436.70 11,379.60	
Cu.ft. 40.70 322.30	
vi) Cement sand 1 : 7 Cu.m. 1,436.70 11,333.40 Cu.ft. 40.70 320.95	
vii Cement sand 1 : 8 Cu.m. 1,436.70 11,287.20	
Cu.ft. 40.70 319.65	
b) Above 4.5" (115mm) nominal thick brickwork	
i) Cement sand 1 : 2 Cu.m. 1,405.45 6,580.94	
Cu.ft. 39.80 186.40	

-

		X D Inflat		Bot	o (Po)	
Sr. No	b .	Description	Unit	Labour	e (Rs.) Composite	Ref. Tech. Specs.
				Labour	Composite	
	ii)	Cement sand 1:3	Cu.m.	1,405.45	6,276.19	
	,	A Row CHANNE	Cu.ft.	39.80	177.75	
		AMMU & KASHMIT				
	iii)	Cement sand 1 : 4	Cu.m.	1,405.45	5,986.88	
			Cu.ft.	39.80	169.55	
			-		5 705 05	
	IV)	Cement sand 1 : 5	Cu.m. Cu.ft.	1,405.45 39.80	5,735.35 162.45	
			Cu.n.	39.00	102.45	
	v)	Cement sand 1 : 6	Cu.m.	1,405.45	5,466.58	
	,		Cu.ft.	39.80	154.80	
	vi)	Cement sand 1 : 7	Cu.m.	1,405.45	5,276.71	
			Cu.ft.	39.80	149.45	
	vii	Cement sand 1 : 8	Cu.m.	1,405.45	5,056.92	
			Cu.ft.	39.80	143.20	
11-20		Extra for providing and laying first class burnt brick masonry				11.12
		architrave of required shape of any kind of walls including				
		cutting bricks to required shape, scaffolding, raking out joints and curing in ground floor superstructure.				
	a)	Upto 9" (230 mm) nominal thick brick work	Cu.m.	1,888.90	4,522.40	
			Cu.ft.	53.50	128.10	
	F)	Above 42 5" (245 mm) nominal thick brick work	0	4 050 00	0.000.07	
	D)	Above 13.5" (345 mm) nominal thick brick work	Cu.m. Cu.ft.	1,058.09 29.95	2,698.27 76.40	
			Cu.n.	29.95	70.40	
11-21		Extra for providing and laying first class burnt tile masonry				11.80
		architrave of required shape of any kind of walls including				11.12
		cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor superstructure.				
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m.	2,137.70	3,113.47	
			Cu.ft.	60.55	88.20	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m.	1,974.09	2,657.29	
	2)		Cu.ft.	55.90	75.25	
11-22		Extra for providing and laying first class burnt brick masonry				11.17
		coping of required shape any kind of walls including cutting bricks to required shape, scaffolding, raking out joints and				
		curing in ground floor superstructure.				
	a)	Upto 9" (230 mm) nominal thick brick work	Cu.m.	1,099.50	3,026.60	
			Cu.ft.	31.15	85.70	
	b)	Above 13.5" (345 mm) nominal thick brick work	Cu.m.	1,010.56	2,551.60	
	~)		Cu.ft.	28.60	72.25	
				1		

T

		×) (197)		Rat	e (Rs.)	Ref. Tech.
Sr. No	0.	Description	Unit	Labour	Composite	Specs.
11-23		Extra for providing and laying first class burnt tile masonry coping of required shape any kind of walls including cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor superstructure.				11.17
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,855.00 52.55	9,336.14 264.40	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,730.63 49.00	8,582.69 243.05	
11-24		Extra for providing and laying first class burnt brick masonry cornice, moulding, string course and drip course of required shape in any kind of walls including cutting of bricks to required shape, scaffolding, raking out joints and curing in ground floor superstructure				11.12
	a)	Upto 9" (230 mm) nominal thick brick work	Cu.m. Cu.ft.	871.59 24.70	1,830.34 51.85	
	b)	Above 13.5" (345 mm) nominal thick brick work	Cu.m. Cu.ft.	777.79 22.05	1,711.13 48.45	
11-25		Extra for providing and laying first class burnt tile masonry cornice, moulding, barges, string course and drip course of required shape in any kind of walls including cutting tiles to required shape, scaffolding, raking out joints and curing in ground floor superstructure				11.17
	a)	Upto 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,855.00 52.55	6,902.40 195.50	
	b)	Above 9" (230 mm) nominal thick tile masonry	Cu.m. Cu.ft.	1,225.95 34.70	5,812.22 164.60	
11-26	a)	Extra for brick masonry in first floor	Cu.m. Cu.ft.	650.65 18.45	670.15 19.00	11.17
	b)	Extra for brick or tile masonry in every additional floor over first floor.	Cu.m. Cu.ft.	392.95 11.15	404.75 11.45	
11-27	a)	Extra for brick or tile masonry arches in first floor.	Cu.m. Cu.ft.	819.40 23.20	937.35 26.55	11.17
	b)	Extra for brick or tile masonry in every additional floor over first floor.	Cu.m. Cu.ft.	561.70 15.90	642.60 18.20	11.17
11-28	a)	Extra for honey comb masonry in first floor	Cu.n. Cu.m. Cu.ft.	481.90 13.65	496.35 14.05	11.10
	b)	Extra for honey comb masonry in every additional floor over first floor.	Cu.m.	392.95	404.75	

	×) (5/19)		Rat	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
		Cu.ft.	11.15	11.45	
11-29	Providing and laying first class brick masonry in steining of				11.70
	walls including scaffolding and curing upto 10 ft (3 m) depth.				-
a)	Upto 13.5" (345 mm) nominal thick brick masonry				
	Cement sand 1 : 2	Cu.m.	2,373.90	11,885.72	
.,		Cu.ft.	67.25	336.60	
		ount	01.20	000.00	
ii)	Cement sand 1 : 3	Cu.m.	2,373.90	11,491.31	
,		Cu.ft.	67.25	325.45	
		Ou.it.	07.20	020.40	
;;;;)	Cement sand 1 : 4	Cu.m.	2,373.90	11,109.59	
,		Cu.ft.	67.25	314.65	
		Cu.n.	07.25	514.05	
iv)	Cement sand 1 : 5	Cu.m.	2,373.90	10,701.51	
10)		Cu.ft.	67.25	303.05	
		Gu.n.	07.25	303.05	
	Cement sand 1 : 6	Cu.m.	2,373.90	10,297.61	
v)			2,373.90 67.25	291.65	
, ci)	Compart cound 1 + 7	Cu.ft.			
VI)	Cement sand 1 : 7	Cu.m.	2,373.90	10,290.83	
		Cu.ft.	67.25	291.45	
::	Compart could 1 - 0	C	0.070.00	40.000.57	
VII	Cement sand 1 : 8	Cu.m.	2,373.90	10,002.57	
		Cu.ft.	67.25	283.30	
b)	Above 42 5" (245 mm) coming thick brick process				
	Above 13.5" (345 mm) nominal thick brick masonry Cement sand 1 : 2	C	1 011 10	40.704.40	
1)		Cu.m.	1,811.40	10,761.48 304.75	
		Cu.ft.	51.30	304.75	
::)	Compart and 4 · 2	C	1 011 10	40,400,00	
II <i>)</i>	Cement sand 1 : 3	Cu.m. Cu.ft.	1,811.40	10,499.03 297.35	
		Cu.n.	51.30	297.35	
	Cement sand 1 : 4	Cu.m.	1,811.40	10,214.83	
···· <i>)</i>		Cu.ft.	51.30	289.30	
		Cu.n.	51.50	209.30	
ыA	Cement sand 1 : 5	Cu.m.	1,811.40	10,049.03	
10)					
		Cu.ft.	51.30	284.60	
	Compart cound 1 + 6	<u>Cu m</u>	1 011 10	0.020.62	
v)	Cement sand 1 : 6	Cu.m.	1,811.40	9,930.62	
		Cu.ft.	51.30	281.25	
	Compart agend 1 - 7	C	1 014 40		
VI)	Cement sand 1 : 7	Cu.m.	1,811.40	9,859.55	
		Cu.ft.	51.30	279.25	
		0	4 04 4 40	0 700 50	
vii	Cement sand 1 : 8	Cu.m.	1,811.40	9,788.52	
		Cu.ft.	51.30	277.20	

	(*) (*)		Rat	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
c)	Extra for every additional 5 ft (1.5 m) depth or part thereof for	Cu.m.	301.25	310.30	
	Extra for every additional 5 ft (1.5 m) depth or part thereof for brick masonry in steining of walls.	Cu.ft.	8.55	8.80	
11-30	Providing and laying first class burnt brick masonry cavity walls bonded with wall ties of approved design at required horizontal and vertical spacings including scaffolding, raking out joints and curing in ground floor superstructure but excluding the cost of wall ties (No deduction will be made from the measurement for cavity in the wall).				11.14
a)	2" to 3" (50 mm to 75 mm) nominal cavity and 4.5" (115 mm) wall width on either side.				
i)	Cement sand 1 : 2	Cu.m.	2,885.95	13,890.30	
		Cu.ft.	81.75	393.40	
ii)	Cement sand 1 : 3	Cu.m.	2,885.95	13,683.80	
		Cu.ft.	81.75	387.55	
iii)	Cement sand 1 : 4	Cu.m.	2,885.95	13,404.80	
,		Cu.ft.	81.75	379.65	
iv)	Cement sand 1 : 5	Cu.m.	2,885.95	13,242.10	
,		Cu.ft.	81.75	375.00	
v)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,885.95 81.75	13,125.85 371.75	
vi)	Cement sand 1 : 7	Cu.m.	2,885.95	13,056.10	
		Cu.ft.	81.75	369.75	
vii	Cement sand 1 : 8	Cu.m.	2,885.95	12,986.35	
		Cu.ft.	81.75	367.80	
b)	2" to 3" (50 mm to 75 mm) nominal cavity and 4.5" (115 mm) wall width on one side and 9" (230 mm) wall width on the				
i)	other side. Cement sand 1 : 2	Cu.m.	3,060.95	14,923.15	
		Cu.ft.	86.70	422.65	
ii)	Cement sand 1 : 3	Cu.m.	3,060.95	14,668.35	
		Cu.ft.	86.70	415.40	
iii)	Cement sand 1 : 4	Cu.m.	3,060.95	14,324.10	
		Cu.ft.	86.70	405.65	
iv)	Cement sand 1 : 5	Cu.m.	3,060.95	14,123.30	
		Cu.ft.	86.70	400.00	
v)	Cement sand 1 : 6	Cu.m.	3,060.95	13,979.90	
		Cu.ft.	86.70	395.90	

	X Detter		Det	o (Bo)	
Sr. No.	Description	Unit	Labour	e (Rs.) Composite	Ref. Tech. Specs.
			Labour	Composite	•
vi)	Cement sand 1 : 7	Cu.m.	3,060.95	13,893.80	
	AMMU & KA	Cu.ft.	86.70	393.50	
vii	Cement sand 1 : 8	Cu.m.	3,060.95	13,807.75	
vii 、		Cu.ft.	86.70	391.05	
c)	2" to 3" (50 mm to 75 mm) nominal cavity and 9" (230 mm) wall width on either side.				
i)	Cement sand 1 : 2	Cu.m.	2,735.95	15,215.80	
		Cu.ft.	77.50	430.90	
		•			
н)	Cement sand 1 : 3	Cu.m.	2,735.95	14,848.65 420.50	
		Cu.ft.	77.50	420.50	
iii)	Cement sand 1 : 4	Cu.m.	2,735.95	14,352.75	
		Cu.ft.	77.50	406.50	
iv)	Cement sand 1 : 5	Cu.m.	2,735.95	14,063.45	
		Cu.ft.	77.50	398.30	
V)	Cement sand 1 : 6	Cu.m.	2,735.95	13,856.80	
- ,		Cu.ft.	77.50	392.45	
vi)	Cement sand 1 : 7	Cu.m.	2,735.95	13,732.80	
		Cu.ft.	77.50	388.90	
vii	Cement sand 1 : 8	Cu.m.	2,735.95	13,608.85	
vii 、		Cu.ft.	77.50	385.40	
d)	2" to 3" (50mm to 75mm) nominal cavity and 4.5" (115mm) wall width on one side and 13.5" (345mm) wall width on other				
i)	side. Cement sand 1 : 2	Cu.m.	2,973.45	15,296.20	
		Cu.ft.	84.20	433.20	
_					
ii)	Cement sand 1 : 3	Cu.m.	2,973.45	15,015.60	
		Cu.ft.	84.20	425.25	
iii)	Cement sand 1 : 4	Cu.m.	2,973.45	14,636.60	
,		Cu.ft.	84.20	414.50	
iv)	Cement sand 1 : 5	Cu.m.	2,973.45	14,415.50	
		Cu.ft.	84.20	408.25	
V)	Cement sand 1 : 6	Cu.m.	2,973.45	14,257.60	
v)		Cu.ft.	84.20	403.80	
		-	_		
vi)	Cement sand 1 : 7	Cu.m.	2,973.45	14,162.80	

	(*) ENT		Rat	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
	Z CONST	Cu.ft.	84.20	401.10	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,973.45 84.20	14,068.05 398.40	
e)	Extra for brick masonry in cavity walls in first floor	Cu.m. Cu.ft.	737.95 20.90	745.35 21.10	
f)	Extra for brick masonry in cavity walls in every additional floor above first floor	Cu.m. Cu.ft.	471.10 13.35	475.80 13.45	
11-31	Providing and laying first class hollow burnt brick masonry in walls including scaffolding, raking out joints and curing in ground floor superstructure.				11.70 11.10
-	Upto 4.5" (115 mm) nominal thick brick work	0	0.070.40	47 574 05	
1)	Cement sand 1 : 2	Cu.m. Cu.ft.	2,379.40 67.40	17,571.05 497.60	
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	2,379.40 67.40	15,856.20 449.05	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	2,379.40 67.40	15,685.25 444.20	
iv)	Cement sand 1 : 5	Cu.m. Cu.ft.	2,379.40 67.40	15,585.50 441.40	
v)	Cement sand 1 : 6	Cu.m. Cu.ft.	2,379.40 67.40	15,514.25 439.35	
vi)	Cement sand 1 : 7	Cu.m. Cu.ft.	2,379.40 67.40	15,471.50 438.15	
vii	Cement sand 1 : 8	Cu.m. Cu.ft.	2,379.40 67.40	15,428.75 436.95	
b)	Above 4.5" (115mm) nominal thick brickwork				
i)	Cement sand 1 : 2	Cu.m. Cu.ft.	2,241.05 63.45	17,017.75 481.95	
ii)	Cement sand 1 : 3	Cu.m. Cu.ft.	2,241.05 63.45	15,692.75 444.45	
iii)	Cement sand 1 : 4	Cu.m. Cu.ft.	2,241.05 63.45	15,433.20 437.10	

	(*) Perfor		Rat	e (Rs.)	Ref. Tech.
Sr. No.	Description	Unit	Labour	Composite	Specs.
iv)	Cement sand 1 : 5	Cu.m.	2,241.05	15,281.80	
	ERO JAMMU & KASHMA	Cu.ft.	63.45	432.80	
	Cement sand 1 : 6	<u></u>	2 244 05	15 172 65	
V)		Cu.m. Cu.ft.	2,241.05 63.45	15,173.65 429.75	
		ou.n.	00.40	420.70	
vi)	Cement sand 1 : 7	Cu.m.	2,241.05	15,108.75	
		Cu.ft.	63.45	427.90	
vii	Cement sand 1 : 8	Cu.m.	2,241.05	15,043.85	
		Cu.ft.	63.45	426.05	
11-32	Providing and laying first class perforated brick masonry in				11.10
a)	Upto 4.5" (115 mm) nominal thick brick work				
	Cement sand 1 : 2	Cu.m.	2,735.42	16,733.80	
		Cu.ft.	77.45	473.90	
		-			
ii)	Cement sand 1 : 3	Cu.m.	2,735.42	16,019.05	
		Cu.ft.	77.45	453.65	
iii)	Cement sand 1 : 4	Cu.m.	2,735.42	15,755.65	
,		Cu.ft.	77.45	446.20	
iv)	Cement sand 1 : 5	Cu.m.	2,735.42	15,602.00	
		Cu.ft.	77.45	441.85	
V)	Cement sand 1 : 6	Cu.m.	2,735.42	15,492.25	
-)		Cu.ft.	77.45	438.75	
vi)	Cement sand 1 : 7	Cu.m.	2,735.42	15,426.40	
		Cu.ft.	77.45	436.90	
vii	Cement sand 1 : 8	Cu.m.	2,735.42	15,360.55	
VII		Cu.m. Cu.ft.	77.45	435.00	
		•••••			
b)	Above 4.5" (115mm) nominal thick brickwork				
i)	Cement sand 1 : 2	Cu.m.	2,576.80	16,319.20	
		Cu.ft.	73.00	462.15	
;:\	Cement sand 1 : 3	Cu.m.	2,576.80	15,716.70	
")	Centent Sanu 1. S	Cu.m. Cu.ft.	2,576.80	445.10	
		00.11.	. 0.00	. 10.10	
iii)	Cement sand 1 : 4	Cu.m.	2,576.80	15,337.95	
		Cu.ft.	73.00	434.40	

				Rate (Rs.)		Ref. Tech.
Sr. No.		Description	Unit	Labour Composite		Specs.
	iv)	Cement sand 1:5	Cu.m.	2,576.80	15,117.00	
		AMMU & KASHMIN	Cu.ft.	73.00	428.10	
	V)	Cement sand 1 : 6	Cu.m.	2,576.80	14,959.20	
	• • •		Cu.ft.	73.00	423.65	
	vi)	Cement sand 1 : 7	Cu.m.	2,576.80	14,864.50	
			Cu.ft.	73.00	420.95	
	vii	Cement sand 1 : 8	Cu.m.	2,576.80	14,769.85	
	•		Cu.ft.	73.00	418.30	
11-33	a)	Extra for hollow and perforated brick masonry in first floor	Cu.m.	650.65	670.15	
			Cu.ft.	18.45	19.00	
	b)	Extra for hollow and perforated brick masonry in every	Cu.m.	392.95	404.75	
		additional floor over first floor.	Cu.ft.	11.15	11.45	
11-34		Providing and laying fabric steel reinforcement 1" (25 mm)	Kg.	22.05	167.90	11.15
		wire mesh weighing not less than 2 kg/sq.m. including cutting	Lb.	10.00	76.15	
		to required shape and size, overlaps, wastage etc. the reinforcement shall be embeded in every third horizontal				
		course in basement, plinth and ground floor.				
11-35		Providing and laying mild steel reinforcement bars in brick work including straightening, removing rust, cutting, bending,	Ton	9,854.70	99,069.95	11.15
		wastage, overlaps, placing in position, tying with binding wire				
		(cost of binding wire included) in basement, plinth and ground				
		floor.				
11-36		Providing and laying hoop iron reinforcement in brick work	•	28.55	152.80	11.15
		including straightening, cutting, punching, overlaps, wastage and placing in position including anti-corrosive bitumastic	Lb.	12.95	69.30	
		paint two coats in basement, plinth and ground floor.				
11-37		Flat iron wall ties size 8" x 3/4" x 1/4" (200 mm x 20 mm x 5	Kg.	32.50	152.95	11.14.3
		mm) weighing 39.25 kg per sq.m or 200 mm x 20 mm x 4 mm	Lb.	14.75	69.40	
		weighing 31.4 kg./ Sq.m.				
11-38		Providing and placing mild steel reinforcement bars in				11.15
		steining of brick work in wells. Vertical bars are to be placed in two staggered rows and at 10" (250mm) centered in each	Ton	1,695.55	92,259.50	
		row including straightening, removing of rust, cutting,				
		bending, binding, wastage, overlaps, placing in position and tying with binding wire upto 5ft. (1.5m) depth or part thereof.				
11-39		Providing and placing hoop iron in steining of brick work in wells including cutting, straightening, bending, wastage,	Kg.	32.15	156.40	11.15
		overlaps and placing in position upto 5 ft.(1.5 m) depth or part	Lb.	14.60	70.95	
		thereof.				
11-40	a)	Extra for mild steel bars or hoop iron reinforcement in first	Kg.	5.70	6.15	11.15
		^^	Lb.	2.60	2.80	

	(*) (*)			Rate (Rs.)		Ref. Tech.
Sr. No.		Description	Unit	Labour Composite		Specs.
	b)	Providing and placing hoop iron in steining of brick work in	Kg.	3.45	3.75	
		wells including cutting, straightening, bending, wastage, overlaps and placing in position upto 5 ft.(1.5 m) depth or part thereof.	Lb.	1.55	1.70	
11-41		Extra for mild steel or hoop iron reinforcement in steining of	Kg.	6.30	6.75	11.15
		brickwork in wells for every additional 5 ft (1.5m) depth or part thereof beyond 5ft (1.5m) depth.	Lb.	2.85	3.05	
11-42		Providing and laying fire brick lining in walls for fire places laid in mortar of high alumina cement and fine aggregate of crushed fire brick 1:2 including scaffolding in basement, plinth and ground floor superstructures.				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in walls of fire	Cu.m.	4,230.15	18,054.55	
	,		Cu.ft.	119.80	511.30	
	b)	9" (230 mm) nominal thick fire brick lining in walls of fire	Cu.m.	3,636.40	12,898.95	
			Cu.ft.	103.00	365.30	
11-43		Providing and laying fire brick lining in arches for fire places laid in mortar of high alumina cement and fine aggregate of crushed fire brick 1:2 including scaffolding in basement, plinth and ground floor superstructures.				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in arches of fire places.	Cu.m.	4,823.45	21,778.95	
		pid003.	Cu.ft.	136.60	616.80	
	b)	9" (230 mm) nominal thick fire brick lining in arches of fire places.	Cu.m.	4,229.70	21,308.35	
			Cu.ft.	119.80	603.45	
11-44		Providing and laying fire brick lining in walls for fire places laid in vitrified fire clay mortar including scaffolding in basement, plinth and ground floor.				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in walls of fire places.	Cu.m.	4,230.15	18,611.30	
		piaces.	Cu.ft.	119.80	527.10	
	b)	9" (230 mm) nominal thick fire brick lining in walls of fire places.	Cu.m.	3,636.40	17,970.90	
			Cu.ft.	103.00	508.95	
11-45		Providing and laying fire brick lining in arches for fire places				11.19
	a)	4.5" (115 mm) nominal thick fire brick lining in arches of fire	Cu.m. Cu.ft.	4,823.45 136.60	19,872.85 562.80	

Updated for 1st Semi-Annual (July - December) 20 Covernment of AJ&KCSR-2016, Volume-1 Muzaffarabad

T

Specs.
11.70
11.70
11.70

Sr. No.		Description	Unit	Rate (Rs.)		Ref. Tech.
				Labour	Composite	Specs.
		RED VAMMU & KASHING				
11-51	a)	Extra for R.B. masonry for first floor.	Cu.m.	317.95	409.38	
	,		Cu.ft.	9.00	11.60	
	b)	Extra for every additional floor above first floor over item 11-	Cu.m.	317.95	327.50	
			Cu.ft.	9.00	9.25	
11-52		Extra labour for profile and flared out walls.	Cu.m.	517.95	533.50	
			Cu.ft.	14.65	15.10	
11-53		Extra labour for pucca brick work in piers and abutment.				
	a)	Above 10 ft to 20 ft (3 m to 6 m) height	Cu.m.	402.35	414.40	
			Cu.ft.	11.40	11.75	
	b)	Above 20 ft (6 m) height	Cu.m.	749.20	771.70	
			Cu.ft.	21.20	21.85	
11-54		Extra to face work 4.5" (115 mm) nominal thick using special	Cu.m.	0.00	0.00	
		bricks instead of first class burnt bricks with proper ancharage, arrangment as directed by Enigneer incharge.	Cu.ft.	0.00	0.00	
11-55		Extra for dressing or chamfering bricks.				
	a)	Special architectural bricks	% Nos.	862.50	862.50	
	b)	All other purposes	% Nos.	431.25	431.25	
11-56		Providing and laying ghilafi brick work 13.5" (345mm) nominal thick including scaffolding and raking out joints with 1:5 mortar				11.20
	a)	Foundation, basement and plinth	Cu.m.	1,740.10	11,106.35	
			Cu.ft.	49.30	314.55	
	b)	Walls in superstructure	Cu.m.	1,833.85	11,200.10	
			Cu.ft.	51.95	317.20	
11-57		Providing and laying first class burnt bricks flooring or pitching		700.00	13,565.35	
		dry bricks laid flat.	Cu.ft.	19.80	384.20	14.80
11-58		Providing pise wall (mud walling) in superstructure.	Cu.m.	668.75	16,918.75	
			Cu.ft.	18.95	479.15	11.7.2(A)
11-59		Cleaning bricks dismantled from kacha pacca masonry.	% Nos.	315.00	315.00	4.10
11-60		Scraping bricks dismantled from pacca masonry.	% Nos.	607.50	607.50	יו.ד

	× 1 (1997)	Unit	Rate (Rs.)		Ref. Tech.
Sr. No.	Description		Labour	Composite	Specs.
					4.10
11-61	Supplying and filling sand under floor or plugging in wells.with	Cu.m.	259.64	927.28	
	lead upto 800 ft (250m)	Cu.ft.	7.35	26.25	3.8.5
11-62	Chamfering sides of head regulators to increase width.	Cu.m.	831.25	1,204.71	
		Cu.ft.	23.55	34.10	
11-63	Replacing Kallar eaten bricks	Each	47.50	79.85	
11-64	Repairing corners of bridges and other hydraulic masonry	Each	475.00	1,122.05	
11-65	Extra labour for drains of bath rooms etc.	R.M.	118.75	118.75	
		R.ft.	36.20	36.20	
11-66	Extra work for Marrow corners.	Each	237.50	280.00	
					11.7.4.4 (c)
11-67	Extra for first class burnt solid or hollow block or tile masonry of any description in any floor or other than building for every		80.20	94.60	44.70
	1.50 m. height or part thereof beyond 4.5m.	Cu.ft.	2.25	2.70	11.70
11-68	Extra for reinforcement in brick work of any description for	Tonne	1,710.00	1,744.20	
	every 5 ft 1.5m height or part thereof beyond 15 ft or 4.5m.	Ton	1,737.45	1,772.20	5.40