

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1
a.	1st Km	Km	146.7	
b.	2nd Km	Km	146.7	
c.	3rd Km	Km	106.1	
d.	4th Km	Km	84.3	
e.	5th Km	Km	70.6	
f.	6th Km	Km	61.1	
g.	7th Km	Km	54.2	
h.	8th Km	Km	49.0	
i.	9th Km	Km	44.8	
j.	10th Km	Km	41.4	
k.	11th Kms to 200Kms	Km	12.8	
l.	201 Kms to 250 Kms	Km	11.2	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.			1.1
a.	1st Km	Km	105.8	
b.	2nd Km	Km	105.4	
c.	3rd Km	Km	78.3	
d.	4th Km	Km	63.6	
e.	5th Km	Km	54.3	
f.	6th Km	Km	47.9	
g.	7th Km	Km	43.2	
h.	8th Km	Km	39.5	
i.	9th Km	Km	36.6	
j.	10th Km	Km	34.2	
k.	11th Kms to 200Kms	Km	14.4	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	I. 201 Kms to 250 Kms	Km	13.4		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km	51.1			
	b. 2nd Km	Km	50.7			
	c. 3rd Km	Km	36.0			
	d. 4th Km	Km	29.4			
	e. 5th Km	Km	25.6			
	f. 6th Km	Km	23.1			
	g. 7th Km	Km	21.3			
	h. 8th Km	Km	20.0			
	i. 9th Km	Km	19.0			
	j. 10th Km	Km	18.1			
	k. 11th to 200 Kms	Km	12.1			
4	M. 251 Kms & subsequent Kms				1.1	
	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km	55.2			
	b. 2nd Km	Km	55.0			
	c. 3rd Km	Km	35.3			
	d. 4th Km	Km	26.9			
	e. 5th Km	Km	22.4			
	f. 6th Km	Km	19.6			
	g. 7th Km	Km	17.7			
	h. 8th Km	Km	16.3			
	i. 9th Km	Km	15.3			
	j. 10th Km	Km	14.4			
	k. 11th & subsequent Kms	Km	9.1			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	231.2	
b.	2nd Km	Km	134.1	
c.	3rd Km	Km	96.4	
d.	4th Km	Km	76.3	
e.	5th Km	Km	63.7	
f.	6th Km	Km	55.2	
g.	7th Km	Km	48.9	
h.	8th Km	Km	44.1	
i.	9th Km	Km	40.4	
j.	10th Km	Km	37.3	
k.	11th Kms to 200Kms	Km	11.6	
l.	201 Kms to 250 Kms	Km	10.1	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	150.2	
b.	2nd Km	Km	89.6	
c.	3rd Km	Km	66.0	
d.	4th Km	Km	53.4	
e.	5th Km	Km	45.4	
f.	6th Km	Km	40.0	
g.	7th Km	Km	36.0	
h.	8th Km	Km	33.0	
i.	9th Km	Km	30.6	
j.	10th Km	Km	28.6	
k.	11th Kms to 200Kms	Km	12.2	
l.	201 Kms to 250 Kms	Km	11.3	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
7	Carriage of 100 maunds of fuel wood, by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	544.2	
	b. 2nd Km	Km	308.3	
	c. 3rd Km	Km	217.1	
	d. 4th Km	Km	168.5	
	e. 5th Km	Km	138.1	
	f. 6th Km	Km	117.5	
	g. 7th Km	Km	102.4	
	h. 8th Km	Km	91.0	
	i. 9th Km	Km	91.0	
	j. 10th Km	Km	74.8	
	k. 11th & subsequent Kms	Km	13.2	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	546.6	
	b. 2nd Km	Km	310.2	
	c. 3rd Km	Km	218.7	
	d. 4th Km	Km	170.0	
	e. 5th Km	Km	139.5	
	f. 6th Km	Km	118.9	
	g. 7th Km	Km	103.7	
	h. 8th Km	Km	92.3	
	i. 9th Km	Km	83.3	
	j. 10th Km	Km	76.1	
	k. 11th & subsequent Kms	Km	14.3	




Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
9	Carriage of 1000 No. bricks, 9"x4½"x3"(225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	544.2	
b.	2nd Km	Km	308.3	
c.	3rd Km	Km	217.1	
d.	4th Km	Km	168.5	
e.	5th Km	Km	138.1	
f.	6th Km	Km	117.5	
g.	7th Km	Km	102.4	
h.	8th Km	Km	91.0	
i.	9th Km	Km	82.0	
j.	10th Km	Km	74.8	
k.	11th & subsequent Kms	Km	13.2	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	272.1	
b.	2nd Km	Km	154.2	
c.	3rd Km	Km	108.5	
d.	4th Km	Km	84.2	
e.	5th Km	Km	69.0	
f.	6th Km	Km	58.7	
g.	7th Km	Km	51.2	
h.	8th Km	Km	45.5	
i.	9th Km	Km	41.0	
j.	10th Km	Km	37.4	
k.	11th & subsequent Kms	Km	6.6	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	330.9	
b.	2nd Km	Km	331.6	
c.	3rd Km	Km	236.1	
d.	4th Km and subsequent kilometers.	Km	184.9	
12	Carriage of 100 Nos. empty cement bags including bundling.			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
13	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	6.4	1.1
	b. 2nd Km	Km	3.6	
	c. 3rd Km	Km	2.5	
	d. 4th Km & subsequent Kms	Km	1.9	
	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			
	a. 1st Km	Km	231.2	
	b. 2nd Km	Km	134.1	
	c. 3rd Km	Km	96.4	
	d. 4th Km	Km	76.3	
	e. 5th Km	Km	63.7	
	f. 6th Km	Km	55.2	
	g. 7th Km	Km	48.9	
h. 8th Km	Km	44.1		
i. 9th Km	Km	40.4		
j. 10th Km	Km	37.3		
k. 11th Km & subsequent	Km	11.6		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre)			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	90.1	
	b. 2nd Km	Km	53.8	
	c. 3rd Km	Km	39.6	
	d. 4th Km	Km	32.0	
	e. 5th Km	Km	27.3	
	f. 6th Km	Km	24.0	
	g. 7th Km	Km	21.6	
	h. 8th Km	Km	19.8	
	i. 9th Km	Km	18.3	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
15	j. 10th Km	Km	17.2	1.1
	k. 11th Km & subsequent	Km	7.3	
15	Cooly load for distance:-			1.1
	a. Upto 1000 ft. (300 metre)		135.4	
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6	
	c. 1st Km	Km	92.4	
	d. 2nd Km	Km	79.7	
16	e. 3rd Km & subsequent		63.5	1.1
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :			
	(i) Carriage of consignments odd jobs.			
	(a) Donkey load for distance upto 500 feet.	Each	37.9	
	(b) Upto 1000 feet	Each	26.5	
	(c) Upto ½ Mile/ 0.8 Km	Each	17.8	
	(d) Upto one Mile/ 1.6 Km	Each	14.0	
	(e) Upto three Miles/ 4.8 Km	Each	11.1	
	(f) Exceeding 3 Miles/ 16 km	Each	9.6	
	(ii) Cart load for a distance :-			
(a) upto 4 Miles/ 6.4 Km	Each	12.5		
(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each	12.0		
17	Hire charges of:-			1.1
	(i) truck (10 Ton Capacity)	Per Hour	649.0	
	(ii) tractor with trolley	Per Hour	360.6	
17	(iii) tractor without trolley	Per Hour	240.4	1.1
	Carriage of bitumen, tar or other lubricants, in drums:			
	a. 1st Km	ton	90.3	
18	b. 2nd Km	ton	90.5	1.1
	c. 3rd & subsequent Km	ton	64.1	
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
	<b>(i) 3" (75 mm) i/d pipes:-</b>			
a.	1st Km	Km	94.1	
b.	2nd Km	Km	94.4	
c.	3rd Km	Km	66.5	
d.	4th Km	Km	51.7	
e.	5th Km	Km	42.4	
f.	6th Km	Km	36.1	
g.	7th Km	Km	31.4	
h.	8th Km	Km	27.9	
i.	9th Km	Km	25.2	
j.	10th Km	Km	22.9	
k.	11th Km & subsequent	Km	4.0	
	<b>(ii) 4" (100 mm) i/d pipes:-</b>			
a.	1st Km	Km	116.7	
b.	2nd Km	Km	117.0	
c.	3rd Km	Km	82.5	
d.	4th Km	Km	64.1	
e.	5th Km	Km	52.6	
f.	6th Km	Km	44.7	
g.	7th Km	Km	39.0	
h.	8th Km	Km	34.6	
i.	9th Km	Km	31.2	
j.	10th Km	Km	28.5	
k.	11th Km & subsequent	Km	5.0	
	<b>(iii) 6" (150 mm) i/d pipes:-</b>			
a.	1st Km	Km	154.3	
b.	2nd Km	Km	154.8	
c.	3rd Km	Km	109.1	





Sr. No.	Description		Rate (Rs.)	Ref. Tech. Specs.
			Labour	
d.	4th Km	Km	84.8	
e.	5th Km	Km	69.5	
f.	6th Km	Km	59.1	
g.	7th Km	Km	51.6	
h.	8th Km	Km	45.8	
i.	9th Km	Km	41.3	
j.	10th Km	Km	37.6	
k.	11th Km & subsequent	Km	6.6	
<b>(iv)</b>	<b>9" (225 mm) i/d pipes:</b>			
a.	1st Km	Km	252.1	
b.	2nd Km	Km	253.0	
c.	3rd Km	Km	178.3	
d.	4th Km	Km	138.5	
e.	5th Km	Km	113.6	
f.	6th Km	Km	96.6	
g.	7th Km	Km	84.3	
h.	8th Km	Km	74.9	
i.	9th Km	Km	67.4	
j.	10th Km	Km	61.5	
k.	11th Km & subsequent	Km	10.8	
<b>(v)</b>	<b>12" (300 mm) i/d pipes:-</b>			
a.	1st Km	Km	391.4	
b.	2nd Km	Km	392.7	
c.	3rd Km	Km	276.8	
d.	4th Km	Km	215.0	
e.	5th Km	Km	176.3	



Sr. No.	Description		Rate (Rs.)	Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	150.0	
	g. 7th Km	Km	130.8	
	h. 8th Km	Km	116.2	
	i. 9th Km	Km	104.7	
	j. 10th Km	Km	95.4	
	k. 11th Km & subsequent	Km	16.7	
<b>(vi)</b>	<b>16" (400 mm) i/d pipes:-</b>			
	a. 1st Km	Km	530.6	
	b. 2nd Km	Km	532.4	
	c. 3rd Km	Km	375.3	
	d. 4th Km	Km	291.5	
	e. 5th Km	Km	239.0	
	f. 6th Km	Km	203.4	
	g. 7th Km	Km	177.3	
	h. 8th Km	Km	157.6	
	i. 9th Km	Km	141.9	
	j. 10th Km	Km	129.4	
	k. 11th Km & subsequent	Km	22.6	
<b>(viii)</b>	<b>18" (450 mm) i/d pipes:-</b>			
	a. 1st Km	Km	771.5	
	b. 2nd Km	Km	774.0	
	c. 3rd Km	Km	545.7	
	d. 4th Km	Km	423.8	
	e. 5th Km	Km	347.5	
	f. 6th Km	Km	295.7	
	g. 7th Km	Km	257.8	
	h. 8th Km	Km	229.1	
	i. 9th Km	Km	206.4	
	j. 10th Km	Km	188.1	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
				Labour	
(ix)	k. 11th Km & subsequent	Km		32.9	
	<b>20" (500 mm) i/d pipes:-</b>				
	a. 1st Km	Km		846.8	
	b. 2nd Km	Km		849.6	
	c. 3rd Km	Km		598.9	
	d. 4th Km	Km		465.1	
	e. 5th Km	Km		381.4	
	f. 6th Km	Km		324.6	
	g. 7th Km	Km		282.9	
	h. 8th Km	Km		251.4	
	i. 9th Km	Km		226.5	
	j. 10th Km	Km		206.5	
	k. 11th Km & subsequent Kms	Km		36.1	
(x)	<b>24" (600 mm) i/d pipes:-</b>				
	a. 1st Km	Km		1,129.0	
	b. 2nd Km	Km		1,132.7	
	c. 3rd Km	Km		798.5	
	d. 4th Km	Km		620.1	
	e. 5th Km	Km		508.6	
	f. 6th Km	Km		432.7	
	g. 7th Km	Km		377.2	
	h. 8th Km	Km		335.3	
	i. 9th Km	Km		302.0	
	j. 10th Km	Km		275.3	
	k. 11th Km & subsequent Kms	Km		48.2	
	20	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			
(i)	<b>3" (75 mm) i/d pipes:-</b>				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	a. 1st Km	Km		23.8	
	b. 2nd Km	Km		23.9	
	c. 3rd Km	Km		17.0	
	d. 4th Km	Km		13.3	
	e. 5th Km	Km		11.0	
	f. 6th Km	Km		9.4	
	g. 7th Km	Km		8.3	
	h. 8th Km	Km		7.4	
	i. 9th Km	Km		6.7	
	j. 10th Km	Km		6.2	
	k. 11th Km & subsequent Kms	Km		1.4	
	<b>(ii) 4" (100 mm) i/d pipes:-</b>				
	a. 1st Km	Km		35.7	
	b. 2nd Km	Km		35.8	
	c. 3rd Km	Km		25.5	
	d. 4th Km	Km		20.0	
	e. 5th Km	Km		16.5	
	f. 6th Km	Km		14.2	
	g. 7th Km	Km		12.4	
	h. 8th Km	Km		11.1	
	i. 9th Km	Km		10.1	
	j. 10th Km	Km		9.2	
	k. 11th Km & subsequent Kms	Km		2.1	
	<b>(iii) 5" (125 mm) i/d pipes:-</b>				
	a. 1st Km	Km		55.6	
	b. 2nd Km	Km		55.7	
	c. 3rd Km	Km		39.7	
	d. 4th Km	Km		31.1	
	e. 5th Km	Km		25.7	

Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
				Labour	
(iv)	f. 6th Km	Km		22.0	
	g. 7th Km	Km		19.3	
	h. 8th Km	Km		17.3	
	i. 9th Km	Km		15.7	
	j. 10th Km	Km		14.4	
	k. 11th Km & subsequent Kms	Km		3.3	
	<b>6" (150 mm) i/d pipes:</b>				
	a. 1st Km	Km		77.4	
	b. 2nd Km	Km		77.6	
	c. 3rd Km	Km		55.2	
	d. 4th Km	Km		43.3	
(v)	e. 5th Km	Km		35.8	
	f. 6th Km	Km		30.7	
	g. 7th Km	Km		26.9	
	h. 8th Km	Km		24.1	
	i. 9th Km	Km		21.8	
	j. 10th Km	Km		20.0	
	k. 11th Km & subsequent Kms	Km		4.6	
	<b>8" (200 mm) i/d pipes:-</b>				
	a. 1st Km	Km		158.9	
	b. 2nd Km	Km		159.2	
	c. 3rd Km	Km		113.3	
d. 4th Km	Km		88.8		
e. 5th Km	Km		73.4		
f. 6th Km	Km		62.9		
g. 7th Km	Km		55.2		
h. 8th Km	Km		49.4		
i. 9th Km	Km		44.8		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
	j. 10th Km	Km	41.0	
	k. 11th Km & subsequent Kms	Km	9.5	
<b>(vi)</b>	<b>10" (250 mm) i/d pipes:-</b>			
	a. 1st Km	Km	218.4	
	b. 2nd Km	Km	218.9	
	c. 3rd Km	Km	155.8	
	d. 4th Km	Km	122.1	
	e. 5th Km	Km	100.9	
	f. 6th Km	Km	86.5	
	g. 7th Km	Km	75.9	
	h. 8th Km	Km	67.9	
	i. 9th Km	Km	61.5	
	j. 10th Km	Km	56.4	
	k. 11th Km & subsequent Kms	Km	13.0	
<b>(vii)</b>	<b>12" (300 mm) i/d pipes:-</b>			
	a. 1st Km	Km	297.8	
	b. 2nd Km	Km	298.5	
	c. 3rd Km	Km	212.5	
	d. 4th Km	Km	166.4	
	e. 5th Km	Km	137.6	
	f. 6th Km	Km	117.9	
	g. 7th Km	Km	103.5	
	h. 8th Km	Km	92.6	
	i. 9th Km	Km	83.9	
	j. 10th Km	Km	76.9	
	k. 11th Km & subsequent Kms	Km	17.8	

