				Rate (Rs.)	Ref. Tech.
Sr. N	lo.	Description	Unit	Labour	Specs.
1		Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1
	a.	1st Km	Km	294.4	
	b.	2nd Km	Km	250.2	
	c.	3rd Km	Km	213.2	
	d.	4th Km	Km	169.6	
	e.	5th Km	Km	142.2	
	f.	6th Km	Km	123.3	
	g.	7th Km	Km	109.5	
	h.	8th Km	Km	99.0	
	i.	9th Km	Km	90.6	
	j.	10th Km	Km	83.8	
	k.	11th Kms to 200Kms	Km	40.0	
	I.	201 Kms to 250 Kms	Km	23.5	
2		Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.			1.1
	a.	1st Km	Km	212.8	
	b.	2nd Km	Km	180.3	
	c.	3rd Km	Km	157.9	
	d.	4th Km	Km	128.5	
	e.	5th Km	Km	109.9	
	f.	6th Km	Km	97.1	
	g.	7th Km	Km	87.6	
	h.	8th Km	Km	80.3	
	i.	9th Km	Km	74.4	
	j.	10th Km	Km	69.7	
	k.	11th Kms to 200Kms	Km	45.1	

Sr. N	lo.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.
	I.	201 Kms to 250 Kms	Km	28.0	
3		Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:			1.1
	a.	1st Km	Km	103.5	
	b.	2nd Km	Km	91.4	
	c.	3rd Km	Km	73.3	
	d.	4th Km	Km	60.0	
	e.	5th Km	Km	52.4	
	f.	6th Km	Km	47.4	
	g.	7th Km	Km	43.9	
	h.	8th Km	Km	41.2	
	i.	9th Km	Km	39.1	
	j.	10th Km	Km	37.4	
	k.	11th to 200 Kms	Km	25.5	
	М.	251 Kms & subsequent Kms			
4		Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-			1.1
	a.	1st Km	Km	111.4	
	b.	2nd Km	Km	93.9	
	C.	3rd Km	Km	71.5	
	d.	4th Km	Km	54.8	
	e.	5th Km	Km	45.7	
	f.	6th Km	Km	40.2	
	g.	7th Km	Km	36.3	
	h.	8th Km	Km	33.6	
	i.	9th Km	Km	31.5	
	j.	10th Km	Km	29.8	
	k.	11th & subsequent Kms	Km	19.1	

Sr. No.		Description	lln!4	Rate (Rs.)	Ref. Tech.
	10.	Description	Unit	Labour	Specs.
5		Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolly 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	231.7	
	b.	2nd Km	Km	134.6	•
	c.	3rd Km	Km	97.0	
	d.	4th Km	Km	76.9	
	e.	5th Km	Km	64.3	
	f.	6th Km	Km	55.7	
	g.	7th Km	Km	49.4	
	h.	8th Km	Km	44.7	
	i.	9th Km 10th Km	Km	40.9	
	j.	10th Km	Km	37.9	
	k.	11th Kms to 200Kms	Km	12.2	
	I.	201 Kms to 250 Kms	Km	10.7	
6		Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolly.			1.1
		25 % Extra to be paid for hilly area			
	a.	1st Km	Km	150.9	
	b.	2nd Km	Km	135.3	
	c.	3rd Km	Km	105.1	
	d.	4th Km	Km	83.1	
	e.	5th Km	Km	65.6	
	f.	6th Km	Km	40.7	
	g.	7th Km	Km	36.7	
	h.	8th Km	Km	33.7	
	i.	9th Km	Km	31.2	
	j.	10th Km	Km	29.3	
	k.	11th Kms to 200Kms	Km	12.9	
	I.	201 Kms to 250 Kms	Km	12.0	

		Description		Rate (Rs.)	Ref. Tech.
Sr. N	lo.		Unit	Labour	Specs.
7		Carriage of 100 maunds of fuel wood, by means of material trolly. 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	544.6	
	b.	2nd Km	Km	308.7	
	c.	3rd Km	Km	217.5	
	d.	4th Km	Km	168.9	
	e.	5th Km	Km	138.5	
	f.	6th Km	Km	117.9	
	g.	7th Km	Km	102.8	
	h.	8th Km	Km	91.4	
	i.	9th Km	Km	81.2	
	j.	10th Km	Km	75.2	
	k.	11th & subsequent Kms	Km	13.6	
8		Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolly. 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	547.0	
	b.	2nd Km	Km	310.6	
	c.	3rd Km	Km	219.2	
	d.	4th Km	Km	170.4	
	e.	5th Km	Km	140.0	
	f.	6th Km	Km	119.3	
	g.	7th Km	Km	104.2	
	h.	8th Km	Km	92.8	
	i.	9th Km	Km	83.8	
	j.	10th Km	Km	56.4	
	k.	11th & subsequent Kms	Km	14.8	

Sr. No.		Description	Unit		
9	 	Carriage of 1000 No. bricks, 9"x4½"x3"(225x113x75 mm) or		Labour	Specs.
3	a.	8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area 1st Km	Km	544.6	
	b.	2nd Km	Km	308.7	
		3rd Km	Km	217.5	
		4th Km	Km	168.9	
		5th Km	Km	138.5	
	f.	6th Km	Km	117.9	
	g.	7th Km	Km	102.8	
		8th Km	Km	91.4	
	i.	9th Km	Km	82.4	
	j.	10th Km	Km	75.2	
	k.	11th & subsequent Kms	Km	13.6	
10		Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	272.3	
	b.	2nd Km	Km	154.4	
	c.	3rd Km	Km	108.7	
	d.	4th Km	Km	84.4	
	e.	5th Km	Km	69.2	
	f.	6th Km	Km	58.9	
	g.	7th Km	Km	51.4	
	h.	8th Km	Km	45.7	
	i.	9th Km	Km	41.2	
	j.	10th Km	Km	37.6	
	k.	11th & subsequent Kms	Km	6.8	
11		Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	331.6	
	b.	2nd Km	Km	301.6	
	C.	3rd Km	Km	236.7	
	d.	4th Km and subsequent kilometers.	Km	185.6	
12		Carriage of 100 Nos. empty cement bags including			

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
		OF 0/ Future to be maid for hilly area			•
		25 % Extra to be paid for hilly area 1st Km	1.0	24.0	
	a.		Km	31.8	
	b.	2nd Km	Km	17.9	
	C.	3rd Km	Km	12.5	
	d.	'	Km	1.9	
13		Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	231.7	
	b.	2nd Km	Km	134.6	
	c	3rd Km	Km	97.0	
	d.	4th Km	Km	76.9	
	e.	5th Km	Km	64.3	
	f.	6th Km	Km	55.7	
	g.	7th Km	Km	49.4	
	h.	8th Km	Km	44.7	
	i.	9th Km	Km	40.9	
	j.	10th Km	Km	37.9	
	k.	11th Km & subsequent	Km	12.2	
14		Carriage of light machinery weighing upto 3 M.T. upto 1000 ft. (300 metre) Execeeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area			1.1
	a.	1st Km	Km	181.1	
	b.	2nd Km	Km	108.3	
	c.	3rd Km	Km	80.0	
	d.	4th Km	Km	64.8	
	e.	5th Km	Km	55.3	
	f.	6th Km	Km	48.8	
	g.	7th Km	Km	44.0	
	h.	8th Km	Km	40.4	
	i.	9th Km	Km	37.5	

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
				Labour	opecs.
	j.	10th Km	Km	35.2	
	k.	11th Km & subsequent	Km	15.5	
15		Cooly load for distance:-			1.1
	a.	Upto 1000 ft. (300 metre)		270.8	
	b.	Exceeding 1000 to 3000 ft. (300 to 900metre)		215.3	
	c.	1st Km	Km	184.8	
	d.	2nd Km	Km	159.4	
	e.	3rd Km & subsequent		127.1	
16		Carriage of small consignments weighing upto 2.5 maunds (job rates):			1.1
	(i)	Come and and			
	(a)	AMARIA KASHI	Each	75.7	
			Each	53.0	
		Upto ½ Mile/ 0.8 Km	Each	35.6	
		Upto one Mile/ 1.6 Km	Each	28.0	
		Upto three Miles/ 4.8 Km	Each	22.3	
	(f)	Exceeding 3 Miles/ 16 km	Each	19.1	
	(ii)	Cart load for a distance :-			
	(a)	upto 4 Miles/ 6.4 Km	Each	24.9	
	(b)	Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each	23.9	
17		Hire charges of:-			1.1
	(i)	truck (10 Ton Capacity)	Per Hour	649.0	
	(ii)	tractor with trolly	Per Hour	360.6	
	(iii)	tractor without trolly	Per Hour	240.4	
18		Carriage of bitumen, tar or other lubricants, in drums:			1.1
	a.	1st Km	M.T.	90.4	
	b.	2nd Km	M.T.	90.6	
	c.	3rd & subsequent Km	M.T.	64.2	
19		Carriage of Cement Concrete pipes BSS Class 'B" with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1

Sr. No.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.
(i)	3" (75 mm) i/d pipes:-			
a.	1st Km	Km	94.2	
	2nd Km	Km	94.5	
C.	3rd Km	Km	66.6	
d.	4th Km	Km	51.8	
e.	5th Km	Km	42.5	
f.	6th Km	Km	36.2	
g.	7th Km	Km	31.5	
h.	8th Km	Km	28.0	
i.	9th Km	Km	25.3	
j.	10th Km & subsequent	Km	23.0	
k.	11th Km & subsequent	Km	4.1	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km	Km	116.8	
b.	2nd Km	Km	117.2	
c.	3rd Km	Km	82.6	
d.	4th Km	Km	64.2	
e.	5th Km	Km	52.7	
f.	6th Km	Km	44.8	
g.	7th Km	Km	39.1	
h.	8th Km	Km	34.8	
i.	9th Km	Km	31.3	
j.	10th Km	Km	28.6	
k.	11th Km & subsequent	Km	5.1	
(iii)	6" (150 mm) i/d pipes:-			
a.	1st Km	Km	154.5	
b.	2nd Km	Km	155.0	
C.	3rd Km	Km	109.3	

Sr. N	0.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.
	d.	4th Km	Km	84.9	
	e.	5th Km	Km	69.7	
	f.	6th Km	Km	59.3	
	g.	7th Km	Km	51.7	
	h.	8th Km	Km	46.0	
	i.	9th Km	Km	41.4	
	j.	10th Km	Km	37.8	
	k.	11th Km & subsequent	Km	6.7	
(iv)		9" (225 mm) i/d pipes:			
	a.	1st Km	Km	252.4	
	b.	2nd Km	Km	253.2	
	c.	3rd Km	Km	178.6	
	d.	4th Km	Km	138.8	
	e.	5th Km	Km	113.8	
	f.	6th Km	Km	96.9	
	g.	7th Km	Km	84.5	
	h.	8th Km	Km	75.1	
	i.	9th Km	Km	67.7	
	j.	10th Km	Km	61.7	
	k.	11th Km & subsequent	Km	11.0	
(v)		12" (300 mm) i/d pipes:-			
	a.	1st Km	Km	391.8	
	b.	2nd Km	Km	393.1	
	c.	3rd Km	Km	277.2	
	d.	4th Km	Km	215.4	
	e.	5th Km	Km	176.7	

Sr. N	No.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.
	f.	6th Km	Km	150.4	
	g.	7th Km	Km	131.2	
	h.	8th Km	Km	116.6	
	i.	9th Km	Km	105.1	
	j.	10th Km	Km	95.8	
	k.	11th Km & subsequent	Km	17.1	
(vi)		16" (400 mm) i/d pipes:-			
	a.	1st Km	Km	531.2	
	b.	2nd Km	Km	532.9	
	c.	3rd Km	Km	375.8	
	d.	4th Km	Km	292.0	
	e.	5th Km	Km	239.6	
	f.	6th Km	Km	203.9	
	g.	7th Km	Km	177.8	
	h.	8th Km	Km	158.1	
	i.	9th Km	Km	142.5	
	j.	10th Km	Km	129.9	
	k.	11th Km & subsequent	Km	23.2	
(viii)		18" (450 mm) i/d pipes:-			
	a.	1st Km	Km	772.3	
	b.	2nd Km	Km	774.8	
	c.	3rd Km	Km	546.4	
	d.	4th Km	Km	424.5	
	e.	5th Km	Km	348.3	
	f.	6th Km	Km	296.5	
	g.	7th Km	Km	258.6	
	h.	8th Km	Km	229.9	
	i.	9th Km	Km	207.1	
	ا ان	10th Km	Km	188.9	

Sr. N	lo.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.
	k.	11th Km & subsequent	Km	33.7	
(ix)		20" (500 mm) i/d pipes:-			
	a.	1st Km	Km	847.6	
	b.	2nd Km	Km	850.4	
	C.	3rd Km	Km	599.7	
	d.	4th Km	Km	466.0	
	e.	5th Km	Km	382.3	
	f.	6th Km	Km	325.4	
	g.	7th Km	Km	283.8	
	h.	8th Km	Km	252.3	
	i.	9th Km	Km	227.3	
	j.	10th Km	Km	207.3	
	k.	11th Km & subsequent Kms	Km	37.0	
(x)		24" (600 mm) i/d pipes:-			
	a.	1st Km	Km	1,130.2	
	b.	2nd Km	Km	1,133.9	
	C.	3rd Km	Km	799.7	
	d.	4th Km	Km	621.3	
	e.	5th Km	Km	509.7	
	f.	6th Km	Km	433.9	
	g.	7th Km	Km	378.4	
	h.	8th Km	Km	336.4	
	i.	9th Km	Km	303.1	
	j.	10th Km	Km	276.5	
	k.	11th Km & subsequent Kms	Km	49.3	
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1
(i)		3" (75 mm) i/d pipes:-			

Sr. N	No.	Description	Unit	Rate (Rs.)	Ref. Tech.
Sr. r	NO.	Description		Labour	Specs.
	a.	1st Km	Km	23.9	
	b.	2nd Km	Km	23.9	
	c.	3rd Km	Km	17.0	
	d.	4th Km	Km	13.4	
	e.	5th Km	Km	11.1	
	f.	6th Km	Km	9.5	
	g.	7th Km	Km	8.3	
	h.	8th Km	Km	7.5	
	i.	9th Km	Km	6.8	
	j.	10th Km	Km	6.2	
	k.	11th Km & subsequent Kms	Km	1.5	
(ii)		4" (100 mm) i/d pipes:-			
	a.	1st Km	Km	35.8	
	b.	2nd Km	Km	35.9	
	c.	3rd Km	Km	25.6	
	d.	4th Km	Km	20.0	
	e.	5th Km	Km	16.6	
	f.	6th Km	Km	14.2	
	g.	7th Km	Km	12.5	
	h.	8th Km	Km	11.2	
	i.	9th Km	Km	10.1	
	j.	10th Km	Km	9.3	
	k.	11th Km & subsequent Kms	Km	2.2	
(iii)		5" (125 mm) i/d pipes:-			
	a.	1st Km	Km	55.7	
	b.	2nd Km	Km	55.8	
	c.	3rd Km	Km	39.8	
	d.	4th Km	Km	31.2	
	e.	5th Km	Km	25.8	

Cr. No.		Description	l lm:t	Rate (Rs.)	Ref. Tech.
Sr. No.			Unit	Labour	Specs.
	f.	6th Km	Km	22.1	
	g.	7th Km	Km	19.4	
	h.	8th Km	Km	17.4	
	i.	9th Km	Km	15.8	
	j.	10th Km	Km	14.5	
	k.	11th Km & subsequent Kms	Km	3.4	
(iv)		6" (150 mm) i/d pipes:			
	a.	1st Km	Km	77.6	
	b.	2nd Km	Km	77.7	
	c.	3rd Km	Km	55.4	
	d.	4th Km	Km	43.4	
	e.	5th Km	Km	35.9	
	f.	6th Km	Km	30.8	
	g.	7th Km	Km	27.1	
	h.	8th Km	Km	24.2	
	i.	9th Km	Km	22.0	
	j.	10th Km	Km	20.2	
	k.	11th Km & subsequent Kms	Km	4.8	
(v)		8" (200 mm) i/d pipes:-			
	a.	1st Km	Km	159.2	
	b.	2nd Km	Km	159.5	
	c.	3rd Km	Km	113.6	
	d.	4th Km	Km	89.1	
	e.	5th Km	Km	73.7	
	f.	6th Km	Km	63.2	
	g.	7th Km	Km	55.5	
	h.	8th Km	Km	49.7	
	i.	9th Km	Km	45.1	

Sr. No.		Description	l lm!4	Rate (Rs.)	Ref. Tech.
			Unit	Labour	Specs.
	j.	10th Km	Km	41.3	
	k.	11th Km & subsequent Kms	Km	9.8	
(vi)		10" (250 mm) i/d pipes:-			
	a.	1st Km	Km	218.8	
	b.	2nd Km	Km	219.3	
	c.	3rd Km	Km	156.2	
	d.	4th Km	Km	122.5	
	e.	5th Km	Km	101.3	
	f.	6th Km	Km	86.9	
	g.	7th Km	Km	76.3	
	h.	8th Km	Km	68.3	
	i.	9th Km	Km	61.9	
	j.	10th Km	Km	56.8	
	k.	11th Km & subsequent Kms	Km	13.4	
(vii)		12" (300 mm) i/d pipes:-			
	a.	1st Km	Km	298.4	
	b.	2nd Km	Km	299.0	
	c.	3rd Km	Km	213.0	
	d.	4th Km	Km	167.0	
	e.	5th Km	Km	138.2	
	f.	6th Km	Km	118.5	
	g.	7th Km	Km	104.1	
	h.	8th Km	Km	93.2	
	i.	9th Km	Km	84.5	
	j.	10th Km	Km	77.5	
	k.	11th Km & subsequent Kms	Km	18.3	