

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
a.	1st Km	Km	294.4		
b.	2nd Km	Km	250.2		
c.	3rd Km	Km	213.2		
d.	4th Km	Km	169.6		
e.	5th Km	Km	142.2		
f.	6th Km	Km	123.3		
g.	7th Km	Km	109.5		
h.	8th Km	Km	99.0		
i.	9th Km	Km	90.6		
j.	10th Km	Km	83.8		
k.	11th Kms to 200Kms	Km	40.0		
l.	201 Kms to 250 Kms	Km	23.5		
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.				1.1
a.	1st Km	Km	212.8		
b.	2nd Km	Km	180.3		
c.	3rd Km	Km	157.9		
d.	4th Km	Km	128.5		
e.	5th Km	Km	109.9		
f.	6th Km	Km	97.1		
g.	7th Km	Km	87.6		
h.	8th Km	Km	80.3		
i.	9th Km	Km	74.4		
j.	10th Km	Km	69.7		
k.	11th Kms to 200Kms	Km	45.1		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	i. 201 Kms to 250 Kms	Km		28.0	1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor: or any other means owned by the contractor:					
	a. 1st Km	Km		103.5		
	b. 2nd Km	Km		91.4		
	c. 3rd Km	Km		73.3		
	d. 4th Km	Km		60.0		
	e. 5th Km	Km		52.4		
	f. 6th Km	Km		47.4		
	g. 7th Km	Km		43.9		
	h. 8th Km	Km		41.2		
	i. 9th Km	Km		39.1		
	j. 10th Km	Km		37.4		
	k. 11th to 200 Kms	Km		25.5		
	M. 251 Kms & subsequent Kms					
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km		111.4	1.1	
	b. 2nd Km	Km		93.9		
	c. 3rd Km	Km		71.5		
	d. 4th Km	Km		54.8		
	e. 5th Km	Km		45.7		
	f. 6th Km	Km		40.2		
	g. 7th Km	Km		36.3		
	h. 8th Km	Km		33.6		
	i. 9th Km	Km		31.5		
	j. 10th Km	Km		29.8		
	k. 11th & subsequent Kms	Km		19.1		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber. by means of material trolly 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	231.7	
b.	2nd Km	Km	134.6	
c.	3rd Km	Km	97.0	
d.	4th Km	Km	76.9	
e.	5th Km	Km	64.3	
f.	6th Km	Km	55.7	
g.	7th Km	Km	49.4	
h.	8th Km	Km	44.7	
i.	9th Km	Km	40.9	
j.	10th Km	Km	37.9	
k.	11th Kms to 200Kms	Km	12.2	
l.	201 Kms to 250 Kms	Km	10.7	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolly. 25 % Extra to be paid for hilly area			1.1
a.	1st Km	Km	150.9	
b.	2nd Km	Km	135.3	
c.	3rd Km	Km	105.1	
d.	4th Km	Km	83.1	
e.	5th Km	Km	65.6	
f.	6th Km	Km	40.7	
g.	7th Km	Km	36.7	
h.	8th Km	Km	33.7	
i.	9th Km	Km	31.2	
j.	10th Km	Km	29.3	
k.	11th Kms to 200Kms	Km	12.9	
l.	201 Kms to 250 Kms	Km	12.0	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
7	Carriage of 100 maunds of fuel wood, by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	544.6	
	b. 2nd Km	Km	308.7	
	c. 3rd Km	Km	217.5	
	d. 4th Km	Km	168.9	
	e. 5th Km	Km	138.5	
	f. 6th Km	Km	117.9	
	g. 7th Km	Km	102.8	
	h. 8th Km	Km	91.4	
	i. 9th Km	Km	81.2	
	j. 10th Km	Km	75.2	
	k. 11th & subsequent Kms	Km	13.6	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley.			1.1
	25 % Extra to be paid for hilly area			
	a. 1st Km	Km	547.0	
	b. 2nd Km	Km	310.6	
	c. 3rd Km	Km	219.2	
	d. 4th Km	Km	170.4	
	e. 5th Km	Km	140.0	
	f. 6th Km	Km	119.3	
	g. 7th Km	Km	104.2	
	h. 8th Km	Km	92.8	
	i. 9th Km	Km	83.8	
	j. 10th Km	Km	56.4	
	k. 11th & subsequent Kms	Km	14.8	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		544.6	
b.	2nd Km	Km		308.7	
c.	3rd Km	Km		217.5	
d.	4th Km	Km		168.9	
e.	5th Km	Km		138.5	
f.	6th Km	Km		117.9	
g.	7th Km	Km		102.8	
h.	8th Km	Km		91.4	
i.	9th Km	Km		82.4	
j.	10th Km	Km		75.2	
k.	11th & subsequent Kms	Km		13.6	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		272.3	
b.	2nd Km	Km		154.4	
c.	3rd Km	Km		108.7	
d.	4th Km	Km		84.4	
e.	5th Km	Km		69.2	
f.	6th Km	Km		58.9	
g.	7th Km	Km		51.4	
h.	8th Km	Km		45.7	
i.	9th Km	Km		41.2	
j.	10th Km	Km		37.6	
k.	11th & subsequent Kms	Km		6.8	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		331.6	
b.	2nd Km	Km		301.6	
c.	3rd Km	Km		236.7	
d.	4th Km and subsequent kilometers.	Km		185.6	
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
13	25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km		31.8	
	b. 2nd Km	Km		17.9	
	c. 3rd Km	Km		12.5	
	d. 4th Km & subsequent Kms	Km		1.9	
	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area				
	a. 1st Km	Km		231.7	
	b. 2nd Km	Km		134.6	
	c. 3rd Km	Km		97.0	
	d. 4th Km	Km		76.9	
	e. 5th Km	Km		64.3	
	f. 6th Km	Km		55.7	
	g. 7th Km	Km		49.4	
h. 8th Km	Km		44.7		
i. 9th Km	Km		40.9		
j. 10th Km	Km		37.9		
k. 11th Km & subsequent	Km		12.2		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km		181.1	
	b. 2nd Km	Km		108.3	
	c. 3rd Km	Km		80.0	
	d. 4th Km	Km		64.8	
	e. 5th Km	Km		55.3	
	f. 6th Km	Km		48.8	
	g. 7th Km	Km		44.0	
	h. 8th Km	Km		40.4	
	i. 9th Km	Km		37.5	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
15	j. 10th Km	Km		35.2	1.1	
	k. 11th Km & subsequent	Km		15.5		
	Cooly load for distance:-					
	a. Upto 1000 ft. (300 metre)			270.8		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)			215.3		
	c. 1st Km	Km		184.8		
16	d. 2nd Km	Km		159.4	1.1	
	e. 3rd Km & subsequent			127.1		
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :					
	(i) Carriage of consignments odd jobs.					
	(a) Donkey load for distance upto 500 feet.	Each		75.7		
	(b) Upto 1000 feet	Each		53.0		
	(c) Upto ½ Mile/ 0.8 Km	Each		35.6		
	(d) Upto one Mile/ 1.6 Km	Each		28.0		
	(e) Upto three Miles/ 4.8 Km	Each		22.3		
	(f) Exceeding 3 Miles/ 16 km	Each		19.1		
	(ii) Cart load for a distance :-					
	(a) upto 4 Miles/ 6.4 Km	Each		24.9		
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		23.9		
	17	Hire charges of:-				
(i) truck (10 Ton Capacity)		Per Hour		649.0		
(ii) tractor with trolley		Per Hour		360.6		
(iii) tractor without trolley		Per Hour		240.4		
18	Carriage of bitumen, tar or other lubricants, in drums:				1.1	
	a. 1st Km	Tonne		90.4		
	b. 2nd Km	Tonne		90.6		
	c. 3rd & subsequent Km	Tonne		64.2		
19	Carriage of Cement Concrete pipes BSS Class 'B" with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-				1.1	

Sr. No.	Description	Unit	Rate (Rs.)	
			Labour	Ref. Tech. Specs.
	(i) 3" (75 mm) i/d pipes:-			
a.	1st Km	Km	94.2	
b.	2nd Km	Km	94.5	
c.	3rd Km	Km	66.6	
d.	4th Km	Km	51.8	
e.	5th Km	Km	42.5	
f.	6th Km	Km	36.2	
g.	7th Km	Km	31.5	
h.	8th Km	Km	28.0	
i.	9th Km	Km	25.3	
j.	10th Km	Km	23.0	
k.	11th Km & subsequent	Km	4.1	
	(ii) 4" (100 mm) i/d pipes:-			
a.	1st Km	Km	116.8	
b.	2nd Km	Km	117.2	
c.	3rd Km	Km	82.6	
d.	4th Km	Km	64.2	
e.	5th Km	Km	52.7	
f.	6th Km	Km	44.8	
g.	7th Km	Km	39.1	
h.	8th Km	Km	34.8	
i.	9th Km	Km	31.3	
j.	10th Km	Km	28.6	
k.	11th Km & subsequent	Km	5.1	
	(iii) 6" (150 mm) i/d pipes:-			
a.	1st Km	Km	154.5	
b.	2nd Km	Km	155.0	
c.	3rd Km	Km	109.3	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	d. 4th Km	Km	84.9		
	e. 5th Km	Km	69.7		
	f. 6th Km	Km	59.3		
	g. 7th Km	Km	51.7		
	h. 8th Km	Km	46.0		
	i. 9th Km	Km	41.4		
	j. 10th Km	Km	37.8		
	k. 11th Km & subsequent	Km	6.7		
(iv)	9" (225 mm) i/d pipes:				
	a. 1st Km	Km	252.4		
	b. 2nd Km	Km	253.2		
	c. 3rd Km	Km	178.6		
	d. 4th Km	Km	138.8		
	e. 5th Km	Km	113.8		
	f. 6th Km	Km	96.9		
	g. 7th Km	Km	84.5		
	h. 8th Km	Km	75.1		
	i. 9th Km	Km	67.7		
	j. 10th Km	Km	61.7		
	k. 11th Km & subsequent	Km	11.0		
(v)	12" (300 mm) i/d pipes:-				
	a. 1st Km	Km	391.8		
	b. 2nd Km	Km	393.1		
	c. 3rd Km	Km	277.2		
	d. 4th Km	Km	215.4		
	e. 5th Km	Km	176.7		



Sr. No.	Description	Unit	Rate (Rs.)	
			Labour	Ref. Tech. Specs.
	f. 6th Km	Km	150.4	
	g. 7th Km	Km	131.2	
	h. 8th Km	Km	116.6	
	i. 9th Km	Km	105.1	
	j. 10th Km	Km	95.8	
	k. 11th Km & subsequent	Km	17.1	
(vi)	16" (400 mm) i/d pipes:-			
	a. 1st Km	Km	531.2	
	b. 2nd Km	Km	532.9	
	c. 3rd Km	Km	375.8	
	d. 4th Km	Km	292.0	
	e. 5th Km	Km	239.6	
	f. 6th Km	Km	203.9	
	g. 7th Km	Km	177.8	
	h. 8th Km	Km	158.1	
	i. 9th Km	Km	142.5	
	j. 10th Km	Km	129.9	
	k. 11th Km & subsequent	Km	23.2	
(viii)	18" (450 mm) i/d pipes:-			
	a. 1st Km	Km	772.3	
	b. 2nd Km	Km	774.8	
	c. 3rd Km	Km	546.4	
	d. 4th Km	Km	424.5	
	e. 5th Km	Km	348.3	
	f. 6th Km	Km	296.5	
	g. 7th Km	Km	258.6	
	h. 8th Km	Km	229.9	
	i. 9th Km	Km	207.1	
	j. 10th Km	Km	188.9	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
(ix)	k. 11th Km & subsequent	Km		33.7		
	20" (500 mm) i/d pipes:-					
	a. 1st Km	Km		847.6		
	b. 2nd Km	Km		850.4		
	c. 3rd Km	Km		599.7		
	d. 4th Km	Km		466.0		
	e. 5th Km	Km		382.3		
	f. 6th Km	Km		325.4		
	g. 7th Km	Km		283.8		
	h. 8th Km	Km		252.3		
	i. 9th Km	Km		227.3		
	j. 10th Km	Km		207.3		
	k. 11th Km & subsequent Kms	Km		37.0		
	(x)	24" (600 mm) i/d pipes:-				
a. 1st Km		Km		1,130.2		
b. 2nd Km		Km		1,133.9		
c. 3rd Km		Km		799.7		
d. 4th Km		Km		621.3		
e. 5th Km		Km		509.7		
f. 6th Km		Km		433.9		
g. 7th Km		Km		378.4		
h. 8th Km		Km		336.4		
i. 9th Km		Km		303.1		
j. 10th Km		Km		276.5		
k. 11th Km & subsequent Kms		Km		49.3		
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-				1.1
(i)		3" (75 mm) i/d pipes:-				

Sr. No.	Description	Unit	Rate (Rs.)	
			Labour	Ref. Tech. Specs.
a.	1st Km	Km	23.9	
b.	2nd Km	Km	23.9	
c.	3rd Km	Km	17.0	
d.	4th Km	Km	13.4	
e.	5th Km	Km	11.1	
f.	6th Km	Km	9.5	
g.	7th Km	Km	8.3	
h.	8th Km	Km	7.5	
i.	9th Km	Km	6.8	
j.	10th Km	Km	6.2	
k.	11th Km & subsequent Kms	Km	1.5	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km	Km	35.8	
b.	2nd Km	Km	35.9	
c.	3rd Km	Km	25.6	
d.	4th Km	Km	20.0	
e.	5th Km	Km	16.6	
f.	6th Km	Km	14.2	
g.	7th Km	Km	12.5	
h.	8th Km	Km	11.2	
i.	9th Km	Km	10.1	
j.	10th Km	Km	9.3	
k.	11th Km & subsequent Kms	Km	2.2	
(iii)	5" (125 mm) i/d pipes:-			
a.	1st Km	Km	55.7	
b.	2nd Km	Km	55.8	
c.	3rd Km	Km	39.8	
d.	4th Km	Km	31.2	
e.	5th Km	Km	25.8	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	22.1		
	g. 7th Km	Km	19.4		
	h. 8th Km	Km	17.4		
	i. 9th Km	Km	15.8		
	j. 10th Km	Km	14.5		
	k. 11th Km & subsequent Kms	Km	3.4		
(iv)	6" (150 mm) i/d pipes:				
	a. 1st Km	Km	77.6		
	b. 2nd Km	Km	77.7		
	c. 3rd Km	Km	55.4		
	d. 4th Km	Km	43.4		
	e. 5th Km	Km	35.9		
	f. 6th Km	Km	30.8		
	g. 7th Km	Km	27.1		
	h. 8th Km	Km	24.2		
	i. 9th Km	Km	22.0		
	j. 10th Km	Km	20.2		
	k. 11th Km & subsequent Kms	Km	4.8		
(v)	8" (200 mm) i/d pipes:-				
	a. 1st Km	Km	159.2		
	b. 2nd Km	Km	159.5		
	c. 3rd Km	Km	113.6		
	d. 4th Km	Km	89.1		
	e. 5th Km	Km	73.7		
	f. 6th Km	Km	63.2		
	g. 7th Km	Km	55.5		
	h. 8th Km	Km	49.7		
	i. 9th Km	Km	45.1		

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
(vi)	j. 10th Km	Km	41.3		
	k. 11th Km & subsequent Kms	Km	9.8		
	10" (250 mm) i/d pipes:-				
	a. 1st Km	Km	218.8		
	b. 2nd Km	Km	219.3		
	c. 3rd Km	Km	156.2		
	d. 4th Km	Km	122.5		
	e. 5th Km	Km	101.3		
	f. 6th Km	Km	86.9		
	g. 7th Km	Km	76.3		
	h. 8th Km	Km	68.3		
(vii)	i. 9th Km	Km	61.9		
	j. 10th Km	Km	56.8		
	k. 11th Km & subsequent Kms	Km	13.4		
	12" (300 mm) i/d pipes:-				
	a. 1st Km	Km	298.4		
	b. 2nd Km	Km	299.0		
	c. 3rd Km	Km	213.0		
	d. 4th Km	Km	167.0		
	e. 5th Km	Km	138.2		
	f. 6th Km	Km	118.5		
	g. 7th Km	Km	104.1		
h. 8th Km	Km	93.2			
i. 9th Km	Km	84.5			
j. 10th Km	Km	77.5			
k. 11th Km & subsequent Kms	Km	18.3			

