

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|------------------------------------------------------------------------------------------------|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| 1-1 | Bricks | | | | | | | | | | | | | |
| a) | 254mm x 127mm x 76mm (10" x 5" x 3") | 1300 Nos. | 1000 Nos. | 356.15 | 175.42 | 349.62 | 881.19 | 259.46 | 121.23 | 90.96 | 62.00 | 57.12 | 56.04 | 26.92 |
| b) | 229mm x 114mm x 76 mm (9" x 4.5" x 3") | 1600 Nos. | 1000 Nos. | 289.38 | 142.53 | 284.06 | 715.97 | 210.81 | 98.50 | 73.91 | 50.38 | 46.41 | 45.53 | 21.88 |
| c) | 203mm x 101mm x 101mm (8" x 4" x 4") | 1500 Nos. | 1000 Nos. | 308.67 | 152.03 | 303.00 | 763.70 | 224.87 | 105.07 | 78.83 | 53.73 | 49.50 | 48.57 | 23.33 |
| 1-2 | Tiles | | | | | | | | | | | | | |
| a) | 305mm x 152mm x 51mm (12" x 6" x 2") | 1350 Nos. | 1000 Nos. | 342.96 | 168.93 | 336.67 | 848.56 | 249.85 | 116.74 | 87.59 | 59.70 | 55.00 | 53.96 | 25.93 |
| b) | 305mm x 152mm x 32mm (12" x 6" x 1.25") | 2150 Nos. | 1000 Nos. | 215.35 | 106.07 | 211.40 | 532.81 | 156.88 | 73.30 | 55.00 | 37.49 | 34.53 | 33.88 | 16.28 |
| c) | 229mm x 114mm x 38mm (9" x 4.5" x 1.5") | 3200 Nos. | 1000 Nos. | 144.69 | 71.27 | 142.03 | 357.98 | 105.41 | 49.25 | 36.95 | 25.19 | 23.20 | 22.77 | 10.94 |
| 1-3 | Cement concrete tiles 203mm x 203mm x 19mm (8" x 5" x 0.75") | 2850 Nos. | 1000 Nos. | 162.46 | 80.02 | 159.47 | 401.95 | 118.35 | 55.30 | 41.49 | 28.28 | 26.05 | 25.56 | 12.28 |
| 1-4 | Cement concrete blocks, limestone and kankar lime (unslaked) sandstone, hard stone and marble. | | | | | | | | | | | | | |
| | Material | 75 Cu.ft. | Cu.M. | 217.98 | 107.37 | 213.98 | 539.32 | 158.80 | 74.20 | 55.67 | 37.95 | 34.96 | 34.30 | 16.48 |
| | | | Cu.ft. | 6.17 | 3.04 | 6.06 | 15.27 | 4.50 | 2.10 | 1.58 | 1.07 | 0.99 | 0.97 | 0.47 |
| 1-5 | Sand, earth, stone ballast, building rubbish, shingle & boulders | | | | | | | | | | | | | |
| | Material | 110 Cu.ft. | Cu.M. | 148.62 | 73.20 | 145.89 | 367.72 | 108.27 | 50.59 | 37.96 | 25.87 | 23.83 | 23.38 | 11.24 |
| | | | Cu.ft. | 4.21 | 2.07 | 4.13 | 10.41 | 3.07 | 1.43 | 1.08 | 0.73 | 0.68 | 0.66 | 0.32 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| 1-6 | Brick ballast, murum, manure and surkhi. | | | | | | | | | | | | | |
| | Material | 150 Cu.ft. | Cu.M. | 108.99 | 53.68 | 106.99 | 269.66 | 79.40 | 37.10 | 27.84 | 18.97 | 17.48 | 17.15 | 8.24 |
| | | | Cu.ft. | 3.09 | 1.52 | 3.03 | 7.64 | 2.25 | 1.05 | 0.79 | 0.54 | 0.50 | 0.49 | 0.23 |
| 1-7 | Cement 1 Cwt (50) Kg. bag | | | | | | | | | | | | | |
| | Material | 100 Bag | Bag | 4.63 | 2.28 | 4.55 | 11.46 | 3.37 | 1.58 | 1.18 | 0.81 | 0.74 | 0.73 | 0.35 |
| 1-7A | Steel, C.I. pipes, G.I. pipes, M.S. bars, metal sheets, BG. rails, girders and other heavy materials. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 91.14 | 44.89 | 89.46 | 225.49 | 66.39 | 31.02 | 23.28 | 15.87 | 14.62 | 14.34 | 6.89 |
| 1-8 | Delicate materials like granite, porcelene tiles, ceramic tiles, glass panes, doors, windows, paints & varnish, A.C. corrugated and plain sheets. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 91.14 | 44.89 | 89.46 | 225.49 | 66.39 | 31.02 | 23.28 | 15.87 | 14.62 | 14.34 | 6.89 |
| | Extra for careful handling. | | 10% | 9.11 | 4.49 | 8.95 | 22.55 | 6.64 | 3.10 | 2.33 | 1.59 | 1.46 | 1.43 | 0.69 |
| | Accumulative | | Tonne | 100.25 | 49.40 | 98.40 | 248.05 | 73.05 | 34.10 | 25.60 | 17.45 | 16.10 | 15.75 | 7.60 |
| 1-9 | Timber | 250 Cu.ft. | Cu.M. | 65.39 | 32.21 | 64.19 | 161.80 | 47.64 | 22.26 | 16.70 | 11.38 | 10.49 | 10.29 | 4.94 |
| | | | Cu.ft. | 1.85 | 0.91 | 1.82 | 4.58 | 1.35 | 0.63 | 0.47 | 0.32 | 0.30 | 0.29 | 0.14 |
| 1-10 | Coaltar and bitumen | 5 Tons | Tonne | 91.14 | 44.89 | 89.46 | 225.49 | 66.39 | 31.02 | 23.28 | 15.87 | 14.62 | 14.34 | 6.89 |
| 1-11 | Fuel Wood | 5 Tons | Tonne | 91.14 | 44.89 | 89.46 | 225.49 | 66.39 | 31.02 | 23.28 | 15.87 | 14.62 | 14.34 | 6.89 |
| 1-12 | Sarkanda, pilchi, frash and brush | | | | | | | | | | | | | |
| | Material | 350 Cu.ft. | Cu.M. | 46.71 | 23.01 | 45.85 | 115.57 | 34.03 | 15.90 | 11.93 | 8.13 | 7.49 | 7.35 | 3.53 |
| | | | Cu.ft. | 1.32 | 0.65 | 1.30 | 3.27 | 0.96 | 0.45 | 0.34 | 0.23 | 0.21 | 0.21 | 0.10 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE


| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|---------------------------------------------------------------------|-------------------------|---------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| 1-13 | Plain & reinforced cement concrete pipes of any class with collars. | | | | | | | | | | | | | |
| a) | 100 mm dia | 593 R.ft. | 10 R.M. | 25.62 | 12.62 | 25.15 | 63.38 | 18.66 | 8.72 | 6.54 | 4.46 | 4.11 | 4.03 | 1.94 |
| b) | 150 mm dia | 337 R.ft. | 10 R.M. | 45.08 | 22.20 | 44.25 | 111.53 | 32.84 | 15.34 | 11.51 | 7.85 | 7.23 | 7.09 | 3.41 |
| c) | 225 mm dia | 199 R.ft. | 10 R.M. | 76.34 | 37.60 | 74.94 | 188.87 | 55.61 | 25.98 | 19.50 | 13.29 | 12.24 | 12.01 | 5.77 |
| d) | 300 mm dia | 142 R.ft. | 10 R.M. | 106.98 | 52.69 | 105.02 | 264.69 | 77.94 | 36.41 | 27.32 | 18.62 | 17.16 | 16.83 | 8.09 |
| e) | 375 mm dia | 108 R.ft. | 10 R.M. | 140.66 | 69.28 | 138.08 | 348.01 | 102.47 | 47.88 | 35.92 | 24.49 | 22.56 | 22.13 | 10.63 |
| f) | 450 mm dia | 86 R.ft. | 10 R.M. | 176.64 | 87.00 | 173.40 | 437.04 | 128.68 | 60.13 | 45.11 | 30.75 | 28.33 | 27.79 | 13.35 |
| g) | 525 mm dia | 65 R.ft. | 10 R.M. | 233.71 | 115.11 | 229.42 | 578.24 | 170.26 | 79.55 | 59.69 | 40.68 | 37.48 | 36.77 | 17.67 |
| h) | 600 mm dia | 52 R.ft. | 10 R.M. | 292.14 | 143.89 | 286.77 | 722.80 | 212.82 | 99.44 | 74.61 | 50.86 | 46.85 | 45.97 | 22.08 |
| i) | 675 mm dia | 44 R.ft. | 10 R.M. | 345.25 | 170.05 | 338.91 | 854.22 | 251.52 | 117.52 | 88.18 | 60.10 | 55.37 | 54.32 | 26.10 |
| j) | 750 mm dia | 38 R.ft. | 10 R.M. | 399.76 | 196.90 | 392.42 | 989.09 | 291.23 | 136.08 | 102.10 | 69.59 | 64.11 | 62.90 | 30.22 |
| k) | 825 mm dia | 34 R.ft. | 10 R.M. | 446.80 | 220.07 | 438.59 | 1105.46 | 325.49 | 152.08 | 114.11 | 77.78 | 71.65 | 70.30 | 33.78 |
| l) | 900 mm dia | 29 R.ft. | 10 R.M. | 523.83 | 258.01 | 514.21 | 1296.05 | 381.61 | 178.31 | 133.79 | 91.19 | 84.00 | 82.42 | 39.60 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--------------------------------------------------------------------------------------------------------------------|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| m) | 975 mm dia | 25 R.ft. | 10 R.M. | 607.64 | 299.29 | 596.49 | 1503.42 | 442.67 | 206.83 | 155.19 | 105.78 | 97.45 | 95.61 | 45.93 |
| n) | 1050 mm dia | 22 R.ft. | 10 R.M. | 690.50 | 340.11 | 677.82 | 1708.43 | 503.04 | 235.04 | 176.35 | 120.20 | 110.73 | 108.65 | 52.20 |
| o) | 1125 mm dia | 19 R.ft. | 10 R.M. | 799.53 | 393.81 | 784.85 | 1978.18 | 582.46 | 272.15 | 204.20 | 139.18 | 128.22 | 125.80 | 60.44 |
| p) | 1200 mm dia | 17 R.ft. | 10 R.M. | 893.59 | 440.14 | 877.19 | 2210.91 | 650.99 | 304.17 | 228.22 | 155.56 | 143.30 | 140.60 | 67.55 |
| q) | 1350 mm dia | 142 R.ft. | 10 R.M. | 1168.54 | 575.56 | 1147.09 | 2891.19 | 851.29 | 397.76 | 298.44 | 203.42 | 187.40 | 183.86 | 88.33 |
| r) | 1500 mm dia | 142 R.ft. | 10 R.M. | 1381.00 | 680.21 | 1355.65 | 3416.86 | 1006.07 | 470.08 | 352.71 | 240.41 | 221.47 | 217.29 | 104.40 |
| s) | 1650 mm dia | 9 R.ft. | 10 R.M. | 1687.89 | 831.37 | 1656.91 | 4176.17 | 1229.65 | 574.54 | 431.09 | 293.83 | 270.68 | 265.58 | 127.59 |
| t) | 1800 mm dia | 7 R.ft. | 10 R.M. | 2170.15 | 1068.90 | 2130.31 | 5369.36 | 1580.97 | 738.69 | 554.25 | 377.78 | 348.02 | 341.46 | 164.05 |
| 1-14 | P.V.C pipes of any class including fittings such as sockets, tees, bends and crosses nominal diameter below 50 mm. | | | | | | | | | | | | | |
| a) | 10 mm dia | 203125 R.ft. | 1000 R.M. | 7.48 | 3.68 | 7.34 | 18.50 | 5.45 | 2.55 | 1.91 | 1.30 | 1.20 | 1.18 | 0.57 |
| b) | 15 mm dia | 130000 R.ft. | 1000 R.M. | 11.69 | 5.76 | 11.47 | 28.91 | 8.51 | 3.98 | 2.98 | 2.03 | 1.87 | 1.84 | 0.88 |
| c) | 20 mm dia | 87410 R.ft. | 1000 R.M. | 17.38 | 8.56 | 17.06 | 43.00 | 12.66 | 5.92 | 4.44 | 3.03 | 2.79 | 2.73 | 1.31 |
| d) | 25 mm dia | 51600 R.ft. | 1000 R.M. | 29.44 | 14.50 | 28.90 | 72.84 | 21.45 | 10.02 | 7.52 | 5.12 | 4.72 | 4.63 | 2.23 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|-------------|-------------------------|------------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 | 35.00 |
| | | | | | | | | | | | | | | |



CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|----------------------------------------------------------------------------------------------------------------------|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| e) | 32 mm dia | 32500 R.ft. | 1000 R.M. | 46.74 | 23.02 | 45.88 | 115.65 | 34.05 | 15.91 | 11.94 | 8.14 | 7.50 | 7.35 | 3.53 |
| f) | 40 mm dia | 25170 R.ft. | 1000 R.M. | 60.35 | 29.73 | 59.25 | 149.33 | 43.97 | 20.54 | 15.41 | 10.51 | 9.68 | 9.50 | 4.56 |
| 1-15 | P.V.C. pipes of any class including fittings such as sockets, tees, bends & crosses nominal diameter 50mm and above. | | | | | | | | | | | | | |
| a) | 50 mm dia | 15925 R.ft. | 100 R.M. | 9.54 | 4.70 | 9.36 | 23.60 | 6.95 | 3.25 | 2.44 | 1.66 | 1.53 | 1.50 | 0.72 |
| b) | 65 mm dia | 10190 R.ft. | 100 R.M. | 14.91 | 7.34 | 14.63 | 36.88 | 10.86 | 5.07 | 3.81 | 2.60 | 2.39 | 2.35 | 1.13 |
| c) | 75 mm dia | 7490 R.ft. | 100 R.M. | 20.28 | 9.99 | 19.91 | 50.18 | 14.78 | 6.90 | 5.18 | 3.53 | 3.25 | 3.19 | 1.53 |
| d) | 100 mm dia | 4210 R.ft. | 100 R.M. | 36.08 | 17.77 | 35.42 | 89.28 | 26.29 | 12.28 | 9.22 | 6.28 | 5.79 | 5.68 | 2.73 |
| e) | 125 mm dia | 2925 R.ft. | 100 R.M. | 51.94 | 25.58 | 50.98 | 128.50 | 37.84 | 17.68 | 13.26 | 9.04 | 8.33 | 8.17 | 3.93 |
| f) | 150 mm dia | 1870 R.ft. | 100 R.M. | 81.24 | 40.01 | 79.74 | 200.99 | 59.18 | 27.65 | 20.75 | 14.14 | 13.03 | 12.78 | 6.14 |
| g) | 200 mm dia | 1050 R.ft. | 100 R.M. | 144.68 | 71.26 | 142.02 | 357.96 | 105.40 | 49.25 | 36.95 | 25.19 | 23.20 | 22.76 | 10.94 |
| h) | 250 mm dia | 610 R.ft. | 100 R.M. | 249.03 | 122.66 | 244.46 | 616.16 | 181.42 | 84.77 | 63.60 | 43.35 | 39.94 | 39.18 | 18.83 |
| i) | 300 mm dia | 470 R.ft. | 100 R.M. | 323.21 | 159.20 | 317.28 | 799.69 | 235.46 | 110.02 | 82.55 | 56.27 | 51.83 | 50.86 | 24.43 |
| j) | 350 mm dia | 325 R.ft. | 100 R.M. | 467.42 | 230.23 | 458.84 | 1156.48 | 340.52 | 159.10 | 119.38 | 81.37 | 74.96 | 73.54 | 35.33 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|-------------------------------------------------------------|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| 1-16 | k) 400 mm dia | 210 R.ft. | 100 R.M. | 723.38 | 356.30 | 710.10 | 1789.79 | 526.99 | 246.23 | 184.75 | 125.93 | 116.01 | 113.82 | 54.68 |
| | Asbestos cement pipes class B with comets or gibault joint. | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 64.37 | 31.70 | 63.19 | 159.26 | 46.89 | 21.91 | 16.44 | 11.21 | 10.32 | 10.13 | 4.87 |
| | b) 100 mm dia | 1770 R.ft. | 100 R.M. | 85.83 | 42.27 | 84.25 | 212.35 | 62.52 | 29.21 | 21.92 | 14.94 | 13.76 | 13.50 | 6.49 |
| | c) 150 mm dia | 1180 R.ft. | 100 R.M. | 128.74 | 63.41 | 126.37 | 318.52 | 93.79 | 43.82 | 32.88 | 22.41 | 20.65 | 20.26 | 9.73 |
| | d) 200 mm dia | 710 R.ft. | 100 R.M. | 213.96 | 105.38 | 210.03 | 529.37 | 155.87 | 72.83 | 54.64 | 37.25 | 34.31 | 33.66 | 16.17 |
| | e) 250 mm dia | 525 R.ft. | 100 R.M. | 289.35 | 142.52 | 284.04 | 715.91 | 210.80 | 98.49 | 73.90 | 50.37 | 46.40 | 45.53 | 21.87 |
| | f) 300 mm dia | 410 R.ft. | 100 R.M. | 370.51 | 182.50 | 363.71 | 916.72 | 269.92 | 126.12 | 94.63 | 64.50 | 59.42 | 58.30 | 28.01 |
| | g) 400 mm dia | 250 R.ft. | 100 R.M. | 607.64 | 299.29 | 596.49 | 1503.42 | 442.67 | 206.83 | 155.19 | 105.78 | 97.45 | 95.61 | 45.93 |
| | h) 500 mm dia | 185 R.ft. | 100 R.M. | 821.14 | 404.45 | 806.06 | 2031.65 | 598.21 | 279.51 | 209.72 | 142.95 | 131.68 | 129.20 | 62.07 |
| 1-17 | i) 600 mm dia | 130 R.ft. | 100 R.M. | 1168.54 | 575.56 | 1147.09 | 2891.19 | 851.29 | 397.76 | 298.44 | 203.42 | 187.40 | 183.86 | 88.33 |
| | Asbestos cement pipes Class C with comete or gibault joint. | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 64.37 | 31.70 | 63.19 | 159.26 | 46.89 | 21.91 | 16.44 | 11.21 | 10.32 | 10.13 | 4.87 |
| | b) 100 mm dia | 1420 R.ft. | 100 R.M. | 106.98 | 52.69 | 105.02 | 264.69 | 77.94 | 36.41 | 27.32 | 18.62 | 17.16 | 16.83 | 8.09 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|-------------------------------------------------------------|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| c) | 150 mm dia | 1010 R.ft. | 100 R.M. | 150.41 | 74.08 | 147.65 | 372.13 | 109.57 | 51.20 | 38.41 | 26.18 | 24.12 | 23.67 | 11.37 |
| d) | 200 mm dia | 685 R.ft. | 100 R.M. | 221.77 | 109.23 | 217.70 | 548.69 | 161.56 | 75.49 | 56.64 | 38.61 | 35.56 | 34.89 | 16.76 |
| e) | 250 mm dia | 460 R.ft. | 100 R.M. | 330.24 | 162.66 | 324.18 | 817.08 | 240.58 | 112.41 | 84.34 | 57.49 | 52.96 | 51.96 | 24.96 |
| f) | 300 mm dia | 370 R.ft. | 100 R.M. | 410.57 | 202.22 | 403.03 | 1015.82 | 299.10 | 139.75 | 104.86 | 71.47 | 65.84 | 64.60 | 31.04 |
| g) | 400 mm dia | 170 R.ft. | 100 R.M. | 893.59 | 440.14 | 877.19 | 2210.91 | 650.99 | 304.17 | 228.22 | 155.56 | 143.30 | 140.60 | 67.55 |
| h) | 500 mm dia | 130 R.ft. | 100 R.M. | 1168.54 | 575.56 | 1147.09 | 2891.19 | 851.29 | 397.76 | 298.44 | 203.42 | 187.40 | 183.86 | 88.33 |
| i) | 600 mm dia | 90 R.ft. | 100 R.M. | 1687.89 | 831.37 | 1656.91 | 4176.17 | 1229.65 | 574.54 | 431.09 | 293.83 | 270.68 | 265.58 | 127.59 |
| 1-18 | Asbestos cement pipes Class D with comete or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 64.37 | 31.70 | 63.19 | 159.26 | 46.89 | 21.91 | 16.44 | 11.21 | 10.32 | 10.13 | 4.87 |
| b) | 100 mm dia | 1905 R.ft. | 100 R.M. | 79.74 | 39.28 | 78.28 | 197.30 | 58.09 | 27.14 | 20.37 | 13.88 | 12.79 | 12.55 | 6.03 |
| c) | 150 mm dia | 945 R.ft. | 100 R.M. | 160.75 | 79.18 | 157.80 | 397.73 | 117.11 | 54.72 | 41.06 | 27.98 | 25.78 | 25.29 | 12.15 |
| d) | 200 mm dia | 525 R.ft. | 100 R.M. | 289.35 | 142.52 | 284.04 | 715.91 | 210.80 | 98.49 | 73.90 | 50.37 | 46.40 | 45.53 | 21.87 |
| e) | 250 mm dia | 340 R.ft. | 100 R.M. | 446.80 | 220.07 | 438.59 | 1105.46 | 325.49 | 152.08 | 114.11 | 77.78 | 71.65 | 70.30 | 33.78 |
| f) | 300 mm dia | 240 R.ft. | 100 R.M. | 632.96 | 311.76 | 621.34 | 1566.06 | 461.12 | 215.45 | 161.66 | 110.19 | 101.51 | 99.59 | 47.85 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--------------------------------------------------------------------------------------|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 463.00 | 228.05 | 454.50 | ##### | 337.30 | 157.60 | 118.25 | 80.60 | 74.25 | 72.85 |
| g) | 400 mm dia | 135 R.ft. | 100 R.M. | 1125.26 | 554.25 | 1104.60 | 2784.11 | 819.76 | 383.03 | 287.39 | 195.89 | 180.46 | 177.05 | 85.06 |
| h) | 500 mm dia | 90 R.ft. | 100 R.M. | 1687.89 | 831.37 | 1656.91 | 4176.17 | 1229.65 | 574.54 | 431.09 | 293.83 | 270.68 | 265.58 | 127.59 |
| i) | 600 mm dia | 65 R.ft. | 100 R.M. | 2337.08 | 1151.13 | 2294.18 | 5782.38 | 1702.59 | 795.52 | 596.89 | 406.84 | 374.79 | 367.72 | 176.67 |
| 1-19 | Coal, white lime, and other type of material measured by weight not specified above. | 5 Tons | Tonne | 91.14 | 44.89 | 89.46 | 225.49 | 66.39 | 31.02 | 23.28 | 15.87 | 14.62 | 14.34 | 6.89 |